

Tillamook Bay Watershed Data Synthesis & Computational Ecological Restoration Prioritization (CERP) Tool



Tillamook Bay Watershed Data Synthesis & Computational Ecological Restoration Prioritization (CERP) Tool



Project Funding Provided by OWEB
Project Completed for the Tillamook Bay Watershed Council
Project Completed by Demeter Design Inc

We would like to extend our special thanks to the Oregon Watershed Enhancement Board, the Tillamook Bay Watershed Council, the Tillamook Estuaries Partnership, the Oregon Department of Environmental Quality, the Oregon Department of Fish and Wildlife, the Oregon Department of Forestry, Stimson Lumber, Green Diamond Resource Company, the Bureau of Land Management, the Natural Resource Conservation Service, the Soil and Water Conservation District, Oregon State University Extension, Wild Salmon Center, the Tillamook County Creamery Association, the Tillamook High School, and Tillamook County. Without support and input from these partners this project would not have been successful, thank you!



Copies of this report can be downloaded from <http://watershedmaps.com> or reprints can be requested by calling Demeter Design at 503-368-7195 for a nominal fee plus S/H.




Table of Contents

7	Executive Summary
8	Background and Justification
9	Materials and Methods
9	<i>Using CERP</i>
10	<i>Adding Data to CERP</i>
11	<i>Data Used</i>
13	<i>Map List</i>
15	<i>Priority Determination and Weights</i>
16	Results
23	5th Field Summaries
29	References
32	Appendices A - 7th Field Summaries
314	Appendix B - Maps
347	Appendix C - Habitat Benchmarks
348	Appendix D - Past Prioritizations
351	Appendix E - Data Layer Sources
354	Appendix F - CLAMS Attributes

Executive Summary

In 2006 the Tillamook Bay Watershed Council (TBWC) Restoration Committee identified a need to synthesize existing aquatic habitat, biotic, GIS, and written data for the purposes of identifying and prioritizing basins for restoration. This Data Synthesis was supported and funded by OWEB whose larger goal was to identify basins for outreach, restoration, and conservation in North Oregon Coast watersheds following the designation of the Tillamook Bay Watershed (TBW) Coho population as non-viable. This document contains the results of a multi-year process led by the Council and included participation from staff of the Tillamook Estuaries Partnership (TEP), the Oregon Department of Fish and Wildlife (ODFW), the Oregon Department of Forestry (ODF), the Oregon Department of Environmental Quality (ODEQ), the Bureau of Land Management (BLM), the Soil and Water Conservation District (SWCD), the Tillamook County Creamery Association (TCCA), Private Industrial Timber Companies, OSU Extension, Tillamook County, Tillamook High School, and the Oregon Watershed Enhancement Board (OWEB). These partners gathered twice during the spring of 2008 where they provided data and general guidance. A Computational Ecological Restoration Prioritization (CERP) tool was developed by the authors of this report to flexibly prioritize sub-basins within the watershed using available data. Products of this Data Synthesis include a spreadsheet based computational tool which can be used to identify basins for outreach, restoration, and conservation for multiple salmonid species or habitat parameters and a summary report of the available data. The CERP tool and associated process allows land managers and restoration professionals to easily develop novel priorities to meet their specific needs. Further, these priorities are flexible and are easily updated when new data is collected. The products and tools resulting from this project will guide intensive land-owner outreach efforts targeting private, non-industrial land-owners as well as future work-plan development and limiting factors analyses conducted by the TBWC and partners. The results of the initial prioritization are illustrated in maps contained in the Results section of this document and details on how these were identified are described within the Materials and Methods section. Data summaries for each 7th field are included as an appendices as are the ranking and initial priority maps.



Background and Justification

The Coastal Coho Assessment determined that the TBW Coho salmon population unit was non-viable. This distinction led local land managers, non-profit groups, and OWEB to reevaluate the process which guides restoration prioritization. Although there is copious data detailing habitat quality, location, and limitations within the TBW, no standard had been developed to store and utilize this information. Data which guides restoration and outreach efforts is often contained in numerous databases, documents, and filing cabinets which can make utilizing this information difficult. Survey data is often gathered and organized using different methods and spatial scales (e.g., stream reaches, pools, sub-basins, etc.) Projects are often selected opportunistically leaving more challenging and expensive projects for later implementation regardless of their biotic importance. Prior to this Data Synthesis, a consistent approach had not been developed to prioritize the restoration of these remaining stream reaches.

In order to effectively prioritize restoration throughout a basin, the available data must be synthesized at a consistent scale. Stemming from a desire to utilize the many watershed assessments, analyses, and habitat studies which had been conducted within the watershed, the TBWC Restoration Committee developed a process for basin wide restoration planning. Once this need was recognized by both the TBWC and OWEB the authors began the synthesis of available data and the development of the CERP tool. The CERP tool integrates a wide variety of existing GIS data representing land-use, disturbance, aquatic habitat, fish utilization, intrinsic potential, vegetation, and feasibility in addition to written watershed reports, analyses, and assessments. Differences in data sets such as collection techniques, spatial scales, and units of measurement are accounted for in the prioritization process. This integrated information is presented in maps and a spreadsheet-based matrix. Restoration, conservation and outreach priority basins (priorities) were developed using a computational process detailed in the Materials and Methods section. The results are described within this report and are displayed in the accompanying map products.

Specific objectives of this project included the prioritization of 7th field sub-basins for private land-owner outreach, in-stream restoration efforts, and watershed based conservation planning and management. To support implementation of these priorities, key metrics for each 7th field sub-basin were summarized, written reports on watershed conditions were summarized at the 5th field watershed scale, and map products were developed to support outreach and restoration efforts. The resulting products of this project include:

- Preliminary priority basins set by the authors and the review committee
- The Computational Ecological Restoration Prioritization tool
- Map products which support implementation of identified priorities
- Tabular summaries of quantitative metrics by 7th Field HUC sub-watershed
- Written summaries of existing data at a 5th Field HUC watershed scale
- Narrative description of the data synthesis process and results
- Database containing tax-lot ownership, stream name, and 7th Field HUC

Materials and Methods

Using the Computation Ecological Restoration Prioritization (CERP) Tool

The CERP matrix is a flexible tool intended for ongoing use and updating as new information becomes available. The following section describes how to use the CERP tool which accompanies this report. Take caution when using the CERP data matrix as it is in a spreadsheet format. Adding data or editing the original data will result in permanent changes to the spreadsheet. Addition of data to the matrix requires a basic understanding of spreadsheet functionality and syntax. Review the structure of the matrix prior to adding or modifying data. With the exception of the WEIGHTS sheet, all cells are locked to editing and a password is required to make changes to the spreadsheet. This password is available on request from the TBWC or by contacting the authors of this report at Demeter Design. The CERP tool consists of a Microsoft Excel workbook with four sheets. Sheets '1' and '2' (DATA2 and DATA respectively) contain the summarized data used to prioritize the 7th fields. The CERP tool relies on these sheets being named accordingly. Each row of the 'Data' sheets represents an individual 7th field watershed within the TBW and each column represents a metric, a weight, or a score. A data layer representing the 7th field watersheds is available upon request. Additionally, a 7th field layer can be downloaded directly from the CLAMS website. All metric data was derived from existing GIS data layers. It was summarized by using the 'Identity' (included in ARCINFO & XtoolsPro) function to associate each 7th field with the appropriate data based on spatial overlap. The 'Score' column reflects the points assigned to each 7th field based on its standing relative to the other 7th fields in the watershed. The highest scoring 7th field receives 94 points (the number of 7th fields evaluated) and the lowest receives a score of 1 point. When the metric scores are equivalent, an average score is assigned to each tied 7th field. By converting the metric score to a point system based on the relative ranking of the 7th fields, it was possible to combine and compare metrics with fundamentally different units of measurement such as 'Total Coho Count' and 'Average Intrinsic Potential'. Scores were assigned so that higher scores correspond to better conditions. For example, when scoring the percentage of sands and fines (%SAFN) in riffles, higher scores were assigned to 7th fields with lower metric values as high %SAFN values are detrimental to salmonid habitat. For metrics with no preferable condition such as the percentage of public forestry higher scores were assigned to higher metric values. Aside from adding data, it is not expected that the user will need to perform any work within the DATA and DATA2 sheets. The third sheet is labeled 'WEIGHTS'. The weight column in the DATA and DATA2 sheets refers to a user defined cell in the WEIGHTS sheet. To complete a prioritization, the metrics of interest are assigned a user-defined weight. The WEIGHTS sheet is the only sheet which requires regular user input. To clear the weights, simply click the Clear Weights button on the prioritization toolbar, this runs a macro which resets all of the weights to zero. Note that the WEIGHTS sheet must be visible for the macro to function. The fourth sheet is labeled RANKS. This sheet performs the actual prioritization/ranking process. When values are added to the WEIGHTS sheet, the corresponding columns within the DATA2 and DATA sheets are updated. The RANKS sheet then sums the product of the weight and the score for each and every metric to generate a final score. Sub-scores are displayed for the various metrics types; disturbance, feasibility, fish use, potential, vegetation, land-use, and restoration need. This enables the user to determine which metrics are driving the ranking for each 7th field. A total score is shown at the far right.

The highest scoring 7th field is considered the number one priority under that set of assumptions. To automatically rank the priorities based on the total score, click the Rank button on the Prioritization toolbar. This runs a macro which ranks the 7th field from 1 to 94 (highest score is ranked 1). Note that the RANKS sheet must be visible for the macro to function. Also note that the macros will need to be 'assigned' when the CERP tool is used on a new computer. To clear the ranks, simply click the Clear Ranks button on the prioritization toolbar. This runs a macro which resets all of the ranks to zero and resorts the 7th fields based on the Prior_ID. This sheet can be saved as a .dbf file and joined to a GIS layer of the 7th field HUCs in order to display the results. Use the Prior_ID column as the basis for the join. Alternatively, multiple priorities can be evaluated with the results stored (via the Paste operation) in a new spreadsheet containing the Prior_ID field.

Adding Data and Updating the CERP Tool

All data must be summarized at the same spatial scale. These priorities developed as part of the Data Synthesis were developed using the 7th field watershed boundaries developed to support the CLAMS project. Each 7th field within the TBW was given a descriptive name (HUC_NAME in the attribute table) and a number from 1-94 (PRIOR_ID). These attributes are not included in the original GIS layer developed by CLAMS. Appendix F of this document shows the relationship between these novel attributes and original CLAMS attributes. Use this information to create a spreadsheet with a column named PRIOR_ID which identifies each datum as belonging to the appropriate 7th field. Use additional columns to list the data which will be added. Take the following steps to add new data to the priority tool:

- Summarize data by 7th field in a SEPARATE Excel spreadsheet
- Cut and Paste data into CERP 'DATA2' sheet labeling the data appropriately in the header
- If the DATA2 sheet is full a new sheet labeled 'DATA3' must be created and integrated
- Add two columns to the right of the data; one for scores and one for weights
- Sort the 'DATA2' sheet with the newly added data
- In the SCORE column assign the best score a 94 and your worst score a 1
- On the 'WEIGHTS' sheet add a row at the bottom with the name of your metric and classify by metric type
- In the 'DATA2' sheet set the value of the weight column equal to the appropriate cell on the weight sheet
- In the 'RANK' sheet add the product of the score and weight to the column corresponding to metric type

The CERP tool now includes new data


Datasets

- Intrinsic Potential (Coho and Steelhead) - Coastal Landscape and Analysis Modeling Study (CLAMS)
- Intrinsic Potential (Chum and Chinook) - Wild Salmon Center (WSC)
- Hydrography - CLAMS
- 7th Field Watersheds - CLAMS
- Vegetation - CLAMS
- Stream Reaches Prioritized for Restoration - ODFW
- Juvenile Snorkel Surveys – 2005 and 2006 Rapid Bio Assessment (RBA) Surveys - TEP
- Public Ownership - ODF
- Roads - Environmental Systems Research Institute (ESRI)
- Roads - ODF
- Aquatic Habitat Inventory Surveys - ODFW
- Land-use (Zoning) – Tillamook County
- Fish Passage - ODFW
- Past Restoration Activity - Oregon Watershed Restoration Inventory (OWRI)
- Geology - United States Geological Service (USGS)
- Soils - USGS
- Landslide Risk Potential - Department of Geology and Mineral Industries (DOGAMI)
- Recent Timber Harvest - WSC
- Aerial Photography - Oregon Explorer

Reports

Numerous reports have been produced for the purposes of understanding watershed processes and prioritizing restoration activities in the TBW. In many cases, the information and findings of these reports is directly integrated into the CERP tool due to the similar GIS datasets utilized. Additionally, the reports provided the core information needed to develop the 5th field summaries included below. Finally, information from the reports was used to guide and logic check the development of the specific priorities. The reports used in the Data Synthesis include:

- Miami River Watershed Assessment
- Miami River Watershed Analysis
- Kilchis River Watershed Analysis
- Wilson River Watershed Assessment
- Trask River Watershed Assessment
- Trask River Watershed Analysis
- 2005, 2006, & 2007 Rapid Bio Assessment Reports
- Tillamook Bay Feasibility Study
- Tillamook Bay Integrated River Management Strategy
- Tillamook Bay Comprehensive Conservation and Management Plan
- Tillamook Bay Total Maximum Daily Load
- 2005 Oregon Coastal Coho Assessment
- Fish Habitat Assessment in the Oregon Department of Forestry Tillamook Study Area
- Fish Habitat Assessment in the Oregon Department of Forestry Miami Study Area
- North Coast Stream Project Guide to In-stream and Riparian Restoration Sites and Site Selection



Top 10 Immediate Coho Restoration Priorities

- 1 - Middle North Fork Trask
- 2 - Lower Devils Lake
- 3 - Upper Miami Mainstem
- 4 - Lower Little North Fork Trask
- 5 - Middle Devils Lake Fork
- 6 - Lower North Fork Trask
- 7 - Middle Elk Horn
- 8 - Lower Cedar
- 9 - Lower South Fork Wilson
- 10 - Lower Elk Horn
- Priorities 11-94

0 12
Miles



Maps

Base Maps - Base Maps were prepared at the level of the TBW for the datasets listed below.

- Geology
- Land Cover
- Ownership
- Zoning
- Aerial Photography
- Intrinsic Potential (multiple species)
- Barriers to Passage
- Past Restoration Activities
- Roads
- Recent Timber Harvest
- Landslide Risk

Ranking Maps - A variety of maps were produced using the CERP ranking tool and can be found in Appendix B. The goal of these rankings was to guide the development of map products which would be useful when implementing future planing and implementation projects. The maps produced from this process represent the relative rank of each 7th field based on the information synthesized in the priority tool.

- Average Coho Intrinsic Potential
- Average Steelhead Intrinsic Potential
- Average Chinook Intrinsic Potential
- Average Chum Intrinsic Potential
- Juvenile Coho Abundance
- Juvenile Coho Density
- Steelhead Abundance
- Steelhead Density
- Road Density
- Riparian Road Density
- Road Crossings
- Fish Passage Barriers
- Recent Timber Harvests
- Ownership
- Land-use
- Past Restoration Activity
- Lithology
- Knotweed Presence
- %Pool Area
- Key Woody Debris/100m
- Wood Volume/100m
- Active Erosion
- %Shade
- %Gravel in Riffles
- %SAFN in Riffles

Priority Maps - An example priority map can be seen on the previous page. The remaining priority maps listed in the following section can be found in Appendix B.

CERP Priorities

The CERP tool explicitly does not result in a single set of priorities to meet all possible needs and satisfy all of the stakeholders involved in the process of habitat restoration. Instead, a variety of priorities were developed utilizing different combinations of data metrics and weights. The CERP tool was designed to allow land managers and stewards to set unique parameters to guide prioritization each time the tool was used. In this way each priority has a specific objective related to the unique conservation and/or restoration needs of that steward. Preliminary priorities were developed to guide work-plan development and land-owner outreach by the TBWC and partners. The initial combination of metrics and weights used to develop these first priorities were simplified for ease of explanation both to readers and to land-owners who will be contacted as a result of this process.

Consideration of current habitat quality is critical to effective and efficient restoration planning. Aquatic Habitat Inventories (AQI) data was used for short-term multiple species restoration prioritization although coverage is much less consistent at a 7th field level. Twelve sub-basins have no AQI data and most of those with data are incomplete. For this reason AQI data was only used in the short-term restoration priorities as these priorities assume that there is no time to collect complete data sets. As data gaps are filled, AQI data can be used to improve long-term restoration priorities. Collection of additional habitat data should be considered a priority for future projects. Additionally, the RANKS sheet of the priority matrix contains a descriptive field which indicates how far above or below ODFW habitat benchmarks each 7th field is based on existing wood volume and shade data. Finally, analysis by ODFW has indicated that essentially the entire TBW contains poor quality habitat for Coho. The logical conclusion is that restoration work is needed nearly everywhere.



Weights

The weights used in the following section are relative to one another and do not necessarily reflect the absolute importance of the metrics. CERP tool users are encouraged to use a variety of weights that are appropriate to their understanding of the metrics and the relationship these metrics have with the priority of interest. For example, if Coho abundance is the users first priority for ranking 7th fields, this metric would have a weight greater than all other metrics. All weights are initially zero assuming that no metric is inherently more important than another.

Intensive land-owner Outreach Priorities

This prioritization focuses on areas with good intrinsic potential, high private (non-industrial) ownership, and existing Coho abundance (to a lesser extent). The goal of this run was to identify basins for intensive land-owner outreach with the long term goal of expanding the availability of high quality habitat that can be seeded by existing salmonid populations. This priority set addresses the primary objective of this project. The weights that were entered to run this priority set are:

Coho Intrinsic Potential: 2
% Private Non Industrial: 2
Average of 2005/2006 Coho Abundance: 1

Immediate Multiple Species Restoration Priorities

This prioritization set focuses on areas with the lowest wood volume and the highest abundance for the species of interest. The goal of this run was to identify basins that needed immediate work to support existing salmonid populations. The weights entered to run this priority set are:

Salmon spp. Abundance: 4
Deviation from Wood Volume/100 m Benchmark: 1

Immediate Multiple Species Conservation Priorities

This prioritization set focuses on the highest current juvenile abundance for the species of interest, best habitat parameters based on available data, and lowest disturbance. The goal of this run was to identify basins for conservation actions such as riparian set asides, purchase, or easements. The weights entered to run this priority set are:

Salmon spp. Abundance: 20
Wood Volume/100m: 2
Key Pieces/100m: 2
Shade: 2
% Watershed Harvested: 2
% Stream Buffer Harvested: 2
Riparian Road Density: 2
Road Density: 2
Road Crossings: 2
%Bare Land: 2

Long Term Multiple Species Priorities

This prioritization set focuses on basins with the highest intrinsic potential and moderate disturbance. The goal of this run was to identify basins for conservation which need additional restoration efforts and will take a significant amount of time to reach conservation potential. The weights that were entered to run this priority set are:

Salmon spp. Intrinsic Potential: 8
Riparian Road Density: -2
Road Density: -2

Results

CERP Priorities for the TBW

Basins for outreach

- 1)Bewley
- 2)Coal Murphy
- 3)Mills Joe
- 4)Middle Mainstem Wilson
- 5)Lower Trask Mainstem Holden
- 6)Middle Trask Mainstem
- 7)Hoquarton Dougherty Slough
- 8)Sutton Creek
- 9)Upper Tillamook Mainstem
- 10)Hall Slough
- 11)Lower Tillamook Mainstem
- 12)Lower Mainstem Wilson
- 13)Mill
- 14)Vaughn
- 15)Myrtle Mapes

Basins for Immediate Coho Restoration

- 1)Middle North Fork Trask
- 2)Lower Devils Lake
- 3)Upper Miami Mainstem
- 4)Lower Little North Fork Trask
- 5)Middle Devils Lake Fork
- 6)Lower North Fork Trask
- 7)Middle Elk Horn
- 8)Lower Cedar
- 9)Lower South Fork
- 10)Lower Elk Horn

Basins for Immediate Chinook Restoration

- 1)Upper Trask Mainstem
- 2)Bill Rawe Samson
- 3)Lower North Fork Trask
- 4)Coal Murphy
- 5)Myrtle Mapes
- 6)Middle Trask Mainstem
- 7)Hatchery
- 8)Lower South Fork Trask
- 9)Lower to Middle Mainstem Kilchis
- 10)Lower Little North Fork Wilson

Basins for Immediate Steelhead Restoration

- 1) Bill Rawe Samson
- 2) Minich Samson
- 3) Coal Murphy
- 4) Lower Little North Fork Wilson
- 5) Upper Miami Mainstem
- 6) Lower to Middle Mainstem Kilchis
- 7) Upper Trask Mainstem
- 8) Lower South Fork South Fork Trask
- 9) Middle South Fork Trask
- 10) Fox South Wolf

Basins for Immediate Coho Conservation

- 1) Lower Little North Fork Wilson
- 2) Lower South Fork Wilson
- 3) Moore Ben Smith
- 4) Lower West Fork North Fork Wilson
- 5) Lower Devils Lake Fork
- 6) Boundary Stretch
- 7) Upper Miami Mainstem
- 8) Middle Elk Horn
- 9) Middle North Fork Trask
- 10) Triangulation Fick

Basins for Immediate Chinook Conservation

- 1) Lower Little North Fork Wilson
- 2) Upper Trask Mainstem
- 3) Fox South Wolf
- 4) Moore Ben Smith
- 5) Coal Murphy
- 6) Bill Rawe Samson
- 7) Myrtle Mapes
- 8) Wolf
- 9) Jones Runyon
- 10) Middle Trask Mainstem

Basins for Immediate Steelhead Conservation

- 1) Lower Little North Fork
- 2) Moore Ben Smith
- 3) Fox South Wolf Muesial
- 4) Lower South Fork Wilson
- 5) Bates Mesabi Steampot
- 6) Middle South Fork Trask
- 7) Minich Peterson
- 8) Upper Miami Mainstem
- 9) Lower West Fork North Fork Wilson
- 10) Wolf

Basins for Longterm Coho Restoration and Conservation Efforts

- 1)Lower Trask Mainstem Holden
- 2)Lower Mainstem Wilson
- 3)Hoquarton Dougherty
- 4)Lower Tillamook Mainstem
- 5)Sutton Creek
- 6)Hall Slough
- 7)Bay Ocean Spit* Artifact of data
- 8)Middle Trask Mainstem
- 9)Vaughn
- 10)Mill
- 11)Bewley

Basins for Longterm Chinook Restoration and Conservation Efforts

- 1)Lower Mainstem Wilson
- 2)Lower Trask Mainstem Holden
- 3)Bear Kansas
- 4)Middle Mainstem Wilson
- 5)Myrtle Mapes
- 6)Fox South Wolf Muesial
- 7)Middle Trask Mainstem
- 8)Lower South Fork Trask
- 9)Hatchery
- 10)Zig Zag Negro Jack

Basins for Longterm Steelhead Restoration and Conservation Efforts

- 1)Simmons
- 2)North Fork Kilchis
- 3)Lower Bark Shanty
- 4)Triangulation Fick
- 5)Lower North Fork North Fork Trask
- 6)Blue Bus Scotch Pigeon
- 7)Fawcett
- 8)Myrtle Mapes
- 9)Lower Devils Lake
- 10)Fitch

Basins for Longterm Chum Restoration and Conservation Efforts

- 1)Lower Mainstem Wilson
- 2)Lower Trask Mainstem Holden
- 3)Lower Tillamook Mainstem
- 4)Hall Slough
- 5)Middle Trask Mainstem
- 6)Middle Mainstem Wilson
- 7)Bear Kansas
- 8)Sutton
- 9)Vaughn
- 10)Myrtle Mapes

After running the initial prioritizations, a list of the top five recommended 7th fields for outreach was created using a combination of the priorities found above, history of projects within the basin, and best professional judgment. The justification follows the basin identification. In no particular order, priority basins are:

- **Bewley** – *Listed as outreach priority #1, long-term Coho priority #10.** A Limiting Factors Analysis is taking place within Tillamook River Basin. Coho abundance, intrinsic potential, and land-use data were the primary factors in the outreach determination. Additionally, disturbance scores drove the long-term priority score. Outreach within this basin might focus on long-term actions aimed at restoring Coho populations such as increasing channel complexity and shade. This basin should be part of a broader Tillamook River outreach effort including the mainstem.
- **Upper and Lower Tillamook Mainstem** – *Upper Tillamook Mainstem is #8 on the outreach priorities. Lower Tillamook mainstem is outreach priority # 11, long-term Coho priority #4, long-term Chum priority #3.* A Limiting Factors Analysis is taking place within Tillamook River Basin. Outreach activities within this basin might focus on long-term restorative actions aimed at increasing Coho populations such as increasing channel complexity and shade. Additionally, Chum usage in the lower watershed should be evaluated. Immediate actions could include riparian plantings, wood placement, and wetland reconnection.
- **Coal Murphy** – *Listed as outreach priority #2, immediate Chinook restoration #4, immediate Steelhead #3, and Immediate Chinook Conservation #5.* There has been one known dam removal within basin. Outreach efforts might focus on large wood placement in mainstem channels and set-asides in large wood supply basins. Discussions of natural wood migration might be important within this basin. Riparian set asides and property purchase should also be considered in minimally disturbed areas. Restoration of tidal wetlands will benefit existing Chinook and Chum populations.
- **Lower Trask Mainstem Holden** – *Outreach priority #5, long-term Coho priority #1, long-term Chinook priority #2, long-term Chum priority #2.* There is ongoing water quality testing within the basin. This basin has been severely modified. With the high urban and rural residential development that occurs on the banks of Holden Creek and the significant entrenchment of other tributaries within the basin, any restoration efforts within the basin will take many years to complete. Outreach within this basin might be more effective if conducted in multiple stages with the assumption that properties may change hands within the time it takes to complete restoration projects. Additionally, outreach may be most effective by addressing high and low density areas separately. This basin should be addressed as part of the broader Trask outreach efforts which includes the Middle Trask Mainstem.
- **Middle Mainstem Trask** – *Outreach priority #6, immediate Chinook restoration #6, immediate Chinook conservation #10, long-term Coho priority #8, long-term Chinook priorities #7, long-term Chum restoration #5.* Outreach efforts should be consistent with restoring habitat function for all Salmonid species. Additionally, mainstem riparian easements or acquisition should be discussed in Chinook spawning areas.


Review of Written Assessments

A number of habitat assessments and written restoration prioritizations have been conducted or were in process at the time this document was created. ODFW has collected data on aquatic habitat throughout the basin over the past two decades. The quality of aquatic habitat and its ability to support Coho populations in particular have been evaluated. The core finding of this effort is that with the exception of the Upper Wilson River (i.e., the basins including and adjacent to Devil's Lake Fork) the habitat quality is universally poor throughout the basin. The upper Wilson and the lower most portion of the five rivers received good scores for winter habitat potential; the lower river sections were rated highly largely due to the high percentage of pool habitat. Field observations conducted as part of this study indicate that those reaches contain minimal off channel habitat, floodplain connectivity, and channel complexity. Additionally, only the upper Wilson contained high quality summer habitat. All of the five rivers in the TBW are considered water quality limited by excess summer temperatures, supporting the identification of these areas as poor quality for summer rearing. Collectively these results suggest that essentially the entire TBW would benefit from restoration activities. This finding has guided the development of the specific restoration priorities identified in this document. A number of projects have been completed in the TBW to identify potential restoration opportunities. ODFW has identified numerous stream reaches as priorities for restoration based on GIS analysis and field surveys. This information is summarized in Appendix D. Two projects have been completed which attempt to reconcile flood mitigation with salmon recovery; the Army Corps Feasibility Study and the EPA/USFWS/ACOE funded Integrated River Management Strategy (IRMS). Both of these projects identify actions, primarily within the lower watershed, which can potentially improve riverine habitat conditions. The feasibility study focused primarily on specific projects which would reduce flooding. A core finding of that study was that levee setbacks would have the largest effect on flooding while improving available habitat. Social constraints have prevented implementation of this recommendation. The IRMS focused on general management activities which would restore natural processes with the expectation that these would reduce flood related impacts. Specific projects were not identified. A detailed description of the findings of these projects is beyond the scope of this report. The reader is encouraged to consult the original documents if interested in implementing restoration projects in the TBW lowlands. Additionally, there are a number of current projects focused on habitat assessment and restoration planning within the TBW. At the time this report was completed, the TBWC was developing a limiting factors analysis (LFA) and site specific restoration plan for the Tillamook River. During the LFA, surveys were conducted to identify potential limiting factors for several salmonid species, predominantly Coho, and restoration prescriptions were developed. The results of the LFA will inform and support landowner outreach, the next phase of the Data Synthesis project. TEP and ODF are in the second year of a long term monitoring and assessment program focusing on direct water quality impacts of in-stream sediments. Finally, the Wild Salmon Center is developing a set of priority sub basins (7th fields) for conservation and/or restoration throughout the North Coast of Oregon. The WSC project uses a judgment based decision making approach rather than metrics values and relative scores.

Data Gaps


The following data gaps were identified (in no particular order) as priorities for future data collection;

- Significant portions of the TBW lack the quantitative assessment of in-stream and riparian habitat necessary to effectively plan and monitor restoration projects. AQI surveys should be conducted in basins which have not been surveyed or had GIS data developed. Information on which basins need surveys as well as rough estimates of survey length are included in the 7th field data summaries.
- Comprehensive culvert prioritization similar to the Nestucca Neskowin Watershed Culvert Prioritization and Action Plan for Fish Passage. Significant culvert data exists in the TBW, but it has not been systematically related to the quality and length of upstream habitat. Additionally, the data needs to be updated to reflect improvements made since the original culvert surveys were completed.
- Juvenile snorkel surveys (i.e., Rapid Bio Assessment) during years with extremely poor ocean conditions should be collected. This data would allow quantitative determination of the spatial distribution of Coho utilization under low abundance conditions.
- Winter snorkel surveys of basins with high summer abundance should be collected. This data would allow quantitative understanding of Coho utilization of product basins during summer and winter.
- An assessment of spatial and temporal distribution of fish utilization of the estuary should be conducted. Although sampling has been conducted to evaluate fish utilization of the estuary, it did not provide the spatial and temporal resolution needed to effectively identify limiting factors and restoration prescriptions.



5th Field Summaries

These summaries are based primarily on Watershed Assessments and/or Analyses, the Tillamook TMDL, the Rapid Bio Assessment Final Report, the numerous GIS layers synthesized in this project, and the professional knowledge of local experts. The summaries are primarily intended as introductory materials for land-owners interested in learning more about their watershed or those unfamiliar with the TBW. Those interested in more detail are advised to consult the relevant documents directly, or to review the 7th Field Data Summaries included in Appendix A of this document.



Miami River 5th Field Summary

Physical Setting

The Miami River is the northernmost and smallest of the five rivers within the TBW. The outflow of the Miami drains directly into the northern portion of the bay. Although the watershed is dominated by a resistant volcanic lithology, these volcanics are prone to fissures which lead to large quantities of small cobbles and gravels with few areas dominated by boulders or bedrock. Additionally the mixed erodible lithology has led to ancient landslides which are common along the western border of the lower watershed. The Miami encompasses roughly 27 sq miles and has a peak elevation of 2780 ft.

Land-use & Ownership

The Miami River watershed is dominated by public and private industrial forestry throughout the watershed. Green Diamond Resource Company (GDRC) is the major industrial land-owner. Dairying is common in the floodplain of the lower mainstem. The Miami is unique among the five rivers in that it has few dikes and levees. Gravel mining was conducted in the lower basin historically but was suspended due to its detrimental impacts on salmonid populations, specifically Chum. The entire Miami is designated as a Salmon Anchor Habitat watershed by ODF.

Riparian and Upland Vegetation

Vegetation is dominated by small diameter conifers as a result of the Tillamook Burn and extensive logging operations although there are small areas of mature Sitka in the upper watershed. Open pasture is common in the lower half of the mainstem floodplain. Hardwood and mixed hardwood/conifer communities are common along riparian corridors. Knotweed is present in the basin up to RM 9 (upstream of Prouty Creek).

Fish Utilization

Cutthroat, Chum, Steelhead, Chinook, and Coho Salmon are present throughout the basin. Rapid Bio Assessment Juvenile Snorkel Surveys were conducted in 2005, 2006, and 2007. The Miami was the least productive basin for Coho of the five rivers in all three survey years. The mainstem produces the vast majority of the Coho, with Moss, Illingsworth, Peterson, and Prouty housing significant populations as well. The lower river has excellent potential for Chum production.

In-stream Habitat

The Miami River is unique in the TBW in that the majority of the high quality habitat is found in the mainstem river. The lower mainstem is heavily impacted by past and present land-use. This has resulted in minimal habitat suitable for Coho and Steelhead rearing. LWD is nearly non-existent along the lower mainstem. This may have resulted in a lack of well sorted gravels needed for spawning by Chum and Coho in the lower watershed. The upper mainstem, in comparison to the rest of the TBW, has an abundance of off-channel habitat. LWD remains low in this portion however and may be a limiting factor for salmonid production. Additionally, the Miami exceeds water quality standards for temperature. The lower mainstem is particularly prone to high summer temperatures, making it unsuitable for summer rearing by juvenile Coho.

Kilchis 5th Field Summary

Physical Setting

The Kilchis River is the third largest drainage in the TBW. The Kilchis River is dominated by a highly resistant volcanic lithology which forms the high-gradient, confined stream channels found throughout much of the stream network. The lowest reaches of the mainstem consist of an interconnected network of sloughs and tidal wetlands. The watershed encompasses ~65 sq miles and has a peak elevation of 3,294 ft.

Land-use & Ownership

The higher elevations of the Kilchis River are predominantly managed for forestry with ODF the major land-owner. The major private timber owner is GDRC. The Bureau of Land Management owns significant portions of land within the basin as well. In the lower elevations, dairying and rural residential land-use is common. The Kilchis County Park lies along a portion of the mainstem Kilchis River. The Kilchis Park contains a rare remnant pocket of old growth forest and undisturbed river corridor.

Riparian and Upland Vegetation

The majority of the Kilchis watershed burned during the series of fires in the first half of the 20th century collectively known as the Tillamook Burn. As a result, the majority of the watershed is composed of relatively young conifers. Douglas Fir is dominant in the upper watershed, although the Swiss Needle Cast virus has motivated conversion of many forestry lands to Western Hemlock. Portions of the lower watershed are dominated by grasses as a result of dairying. The majority of the riparian corridor is dominated by Red Alder and riparian shrub species such as Salmonberry. Historically much of the riparian corridor was dominated by large conifers. Recent timber harvest in the upper Kilchis has been low due to the steep slopes and inaccessible terrain. Knotweed is present at a dump site and not present along the riparian zone.

Fish Utilization

The Kilchis river supports populations of Coho, Steelhead, Chinook, Cutthroat, as well as Chum in the lower basin. It is the third largest producer of Coho among the five rivers. The major destinations for Coho spawning and rearing are the mainstem and the North and South Fork Mainstems. Chum salmon utilize the lower watershed extensively.

In-stream Habitat

Like many coastal rivers, LWD was actively removed during the 1970s in an effort to improve fish passage and address concerns about low dissolved oxygen. The net result is a simplified stream channel throughout much of the stream network resulting in low quality habitat. Water quality in the Kilchis River is considered impaired by excess summer temperatures.

Wilson 5th Field Summary

Physical Setting & Vegetation

The Wilson River is the largest drainage in the TBW. The Wilson River is dominated by a resistant, volcanic lithology. This results in relatively high gradient, confined stream channels throughout much of the upper stream network. However, local areas of low gradient, broad floodplain channels are found throughout the upper basins. Devil's Lake Fork is an example of such a segment. The lower portion of the mainstem forms an interconnected network of sloughs and tidal wetlands in conjunction with the Tillamook, Trask, and Kilchis Rivers. The watershed encompasses ~194 sq miles and has a peak elevation of 3,691 ft.

Land-use & Ownership

The upper portion of the Wilson is predominantly managed for forestry with ODF as the majority land-owner. Weyerhaeuser and Mid Valley Resources own industrial timberland in the upper watershed. BLM owns a relatively small portion of the watershed. The Wilson has a broad alluvial floodplain which is used primarily for dairying. The lower mainstem is extensively diked and is prone flooding. The Wilson river floodplain contains the lowest portion of State Highway 101. Commercial development has occupied the majority of this corridor.

Riparian and Upland Vegetation

The majority of the Wilson watershed burned during the Tillamook Burn. As a result, the majority of the watershed is composed of relatively young conifers. Douglas Fir is dominant in the upper watershed, although the Swiss Needle Cast virus has motivated conversion of many forestry lands to Western Hemlock. Large portions of the lower watershed are dominated by grasses as a result of dairying. The majority of the riparian corridor is dominated by Red Alder and riparian shrub species such as Salmonberry. Historically much of the riparian corridor was dominated by large conifers. Knotweed is present up to Idiot Creek.

Fish Utilization

The Wilson is the single largest producer of Coho in the TBW. Additionally, the Wilson supports Steelhead, Chinook, and a small Chum population. The Little North Fork, Devil's Lake Fork, Jordan Creek, and the North Fork Wilson represent the most important destinations for Coho spawning and rearing. Like the other four rivers, areas of high Coho production are restricted to land in the upper watershed currently managed for timber production.

In-stream Habitat

Like many coastal rivers, LWD was actively removed during the 1970s and naturally occurring logjams are still actively removed to allow for boat passage. The net result is a simplified stream channel throughout much of the stream network resulting in low quality habitat. In contrast, the upper Wilson River contains the best habitat in the five rivers for juvenile Coho. Finally, water quality in the Wilson River is considered impaired by excess summer temperatures.

Trask 5th Field Summary

Physical Setting

The Trask River is the second largest drainage in the TBW. The Trask has a mixed volcanic/sedimentary lithology. This results in a complex mix of stream channel types in the upper watershed ranging from high gradient, confined to broad, low gradient reaches. Upon leaving the Coast Range, the Trask enters a broad, alluvial floodplain. The lower portion of the mainstem forms an interconnected network of sloughs and tidal wetlands. The watershed encompasses ~175 sq miles and has a peak elevation of 3442 ft.

Land-use & Ownership

The upper Trask is primarily managed for forestry. ODF is the major land-owner in the basin with Weyerhaeuser, Green Diamond Resource Company, and the BLM also managing land within the watershed. The lower Trask river is extensively used for dairying. Holden Creek, one the few urban streams within the watershed, drains into the lower Trask river.

Riparian and Upland Vegetation

Like the rest of the TBW, the majority of the Trask watershed was adversely impacted by the Tillamook Burn. As a result, the majority of the watershed is composed of relatively young conifers. Douglas Fir is dominant in the upper watershed, although the Swiss Needle Cast virus has motivated conversion of many lower lying forestry lands to Western Hemlock. Large portions of the lower watershed are dominated by grasses as a result of dairying. The majority of the riparian corridor is dominated by Red Alder and riparian shrub species. Historically much of the riparian corridor was dominated by large conifers. Additionally, tidal and freshwater wetlands once dominated much of the lower watershed. Knotweed is present past RM 15.5 on the mainstem.

Fish Utilization

The Trask Watershed supports large populations of Coho, Steelhead, and Chinook. The Trask is second to the Wilson in Coho abundance. The primary spawning destinations of Coho are Elkhorn Creek and the East Fork Trask. The mainstem Trask provides important habitat for summer and fall Chinook. Major sub-basins in the lower watershed such as Holden Creek, Gold Creek, and Mill Creeks support minimal salmonid populations due to water quality issues and barriers to passage.

In-stream Habitat

Like many coastal rivers, LWD was actively removed during the 1970s in an effort to improve fish passage and address concerns about low dissolved oxygen. The Tillamook Burn and subsequent salvage logging operations decreased the quantity of wood available for future recruitment to the stream channel. The net result is a simplified stream channel throughout much of the stream network. Water quality in the Trask River is also considered impaired by excess summer temperatures. The Trask River is unique in that the mouth of the mainstem was moved. The artificial mainstem channel is overly resulting in heavy flooding.

Tillamook 5th Field Summary

Physical Setting

The Tillamook River is the southernmost basin in the TBW. The Western portion of the watershed is underlain by sandstone geology, resulting in low gradient streams with broad floodplains. The eastern portion of the watershed is dominated by a volcanic geology, resulting in higher gradient streams, with larger substrate size and narrower floodplains. Historically the lower portion of the mainstem formed the same interconnected network of sloughs and tidal wetlands as the other four rivers although diking reduces much of this historical network. The basin is ~60 square miles.

Land-use and Ownership

The watershed supports forestry, which is predominant at higher elevations, dairying, and rural residential land-uses which are both predominant in lower elevations. The majority of the forestry lands are privately owned with Stimson and Green Diamond the majority owners. A small portion of the eastern watershed is managed by ODF and a sliver of the southern border contains USFS lands. Large portions of the lower watershed have been diked to allow for expansion of the dairy industry.

Riparian and Upland Vegetation

Douglas Fir and Western Hemlock are common throughout higher elevations while open pastures dominate the lower elevations. Red Alder and Big Leaf Maple are common riparian trees throughout the watershed. Historically, much of the riparian corridor was dominated by large conifers. Additionally, large portions of the lower watershed were historically dominated by Sitka Spruce wetlands but only small pockets now remain. Knotweed is present up to RM 5.4 on the mainstem up to Munson.

Fish Utilization

Coho, Steelhead, Cutthroat, Sturgeon, and Chum utilize portions of the Tillamook River Basin. Steelhead populations are largest within the higher gradient, volcanic streams of the Eastern Basin (Killam, Fawcett, Munson, and Simmons). Coho populations are largest in the upper Mainstem and Bewley Creek. The Eastern tributaries also support significant populations, albeit at a lower level of abundance. Large numbers of juvenile Coho are found during certain years in Esther Creek as well.

In-stream Habitat

The lower Tillamook River has been extensively diked to allow for expansion of dairy farms throughout the basin. This has resulted in the loss in nearly all off channel habitat in this portion of the stream network. The result is a highly simplified stream channel with minimal potential to provide over-wintering habitat for juvenile salmonids. Additionally, the lack of LWD and riparian vegetation result in limited over hanging cover to protect juvenile salmonids from predation. In spite of its degraded condition, intrinsic potential modeling identifies this section of the stream network as potentially very productive for Coho. Finally, water quality in the Tillamook River is impaired by excess summer temperatures and bacteria.

References

- Bio-Surveys LLC. Tillamook Bay Rapid Bio Assessment. 2005.
- Bio-Surveys LLC. Tillamook Bay Rapid Bio Assessment. 2006.
- Bio-Surveys LLC. Tillamook Bay Rapid Bio Assessment. 2007.
- E&S Environmental Chemistry, Inc. Trask River Watershed Analysis. 2003.
- E&S Environmental Chemistry, Inc. Miami River Watershed Assessment. 2001.
- E&S Environmental Chemistry, Inc. Wilson River Watershed Assessment. 2001.
- Governor's Natural Resource Office. Oregon Coastal Coho Assessment. 2006.
- Jenkins, J., Gill, R., Reinwald, T., Vesely, D. Miami River Watershed Analysis. 2005.
- Kavanagh, P. S., Jones, K. K., and C.H. Stein. Oregon Department of Fish and Wildlife, Fish Habitat Assessment in the Oregon Department of Forestry Tillamook Study Area, 2005.
- Kavanagh, P. S., Stein, C. H., Talabere, A. F., and K. K. Jones. Oregon Department of Fish and Wildlife, Fish Habitat Assessment in the Oregon Department of Forestry Miami Study Area 2005.
- Oregon Department of Environmental Quality, Tillamook Bay Total Maximum Daily Load. 2002.
- PhillipWilliams & Associates Ltd. Tillamook Bay Integrated River Management Strategy. 2002.
- Thom, B. and K. Moore. North Coast Stream Project Guide to Instream and Riparian Restoration Sites and Site Selection. Oregon Department of Fish and Wildlife. 1997.
- Tillamook Bay National Estuary Project. Kilchis River Watershed Analysis. 1998.
- Tillamook Bay National Estuary Project. Trask River Watershed Assessment. 1998.
- Tillamook Bay National Estuary Project, Tillamook Bay Comprehensive Conservation and Management Plan. 1999
- US Army Corps of Engineers. Tillamook Bay and Estuary Oregon General Investigation Feasibility Report. 2005.

Digital References

DATA TYPE: Watershed Assessments, Watershed Analyses, Rapid Bio Assessment Reporting and GIS Data, Tillamook Feasibility Study, Tillamook County Comprehensive Management Plan

ONLINE SOURCE: Tillamook Estuaries Partnership

URL: www.tbnep.org

DATA TYPE: Aquatic Habitat Surveys

ONLINE SOURCE: Oregon Department of Fish and Wildlife

URL: <http://oregonstate.edu/dept/ODFW/freshwater/inventory/index.htm>

DATA TYPE: Fish Passage

ONLINE SOURCE: Oregon Department of Fish and Wildlife

URL: <http://rainbow.dfw.state.or.us/nrimp/information/fishbarrierdata.htm>

DATA TYPE: Roads, Public Ownership, Swiss Needle Cast

ONLINE SOURCE: Oregon Department of Forestry

URL: http://egov.oregon.gov/ODF/GIS/gis_home.shtml

DATA TYPE: Past Restoration Activities (OWRI)

ONLINE SOURCE: Oregon Watershed Enhancement Board

URL: <http://www.governor.state.or.us/OWEB/MONITOR/OWRI.shtml>

DATA TYPE: Watershed Boundaries, Coho and Steelhead Intrinsic Potential, Vegetation, Hydrography

ONLINE SOURCE: Coastal Landscape and Analysis Modeling Study

URL: <http://www.fsl.orst.edu/clams/>

DATA TYPE: Geology

ONLINE SOURCE: United States Geological Survey

URL: <http://geopubs.wr.usgs.gov/docs/geologic/or/oregon.html>

DATA TYPE: Soils

ONLINE SOURCE: United States Geological Survey

URL: <http://websoilsurvey.nrcs.usda.gov/app/>

DATA TYPE: 2005 Aerial Photos

ONLINE SOURCE: Oregon Explorer

URL: <http://oregonexplorer.info/>

DATA TYPE: Wetlands

ONLINE SOURCE: United States Fish and Wildlife Service

URL: <http://www.fws.gov/nwi/>

Appendices A-F

A - 7th Field Data Summaries	32 - 313
B - Maps	314 - 346
C - ODFW Habitat Benchmarks	347
D - Past Prioritizations	348 - 350
E - Data Layer Sources	351 - 353
F - CLAMS Attributes	354

METRIC NAME	DATA
5TH FIELD WATERSHED	KILCHIS RIVER
7TH FIELD WATERSHED	NORTH_FORK_KILCHIS
PRIOR_ID	1
CLAMS MODELED STREAM LENGTH (FT)	32204.80
TOTAL STREAM LENGTH (FT)	169781.21
WATERSHED AREA (ACRES)	2453.04
TOTAL ROAD LENGTH (FT)	60373.28
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.36
RIPARIAN ROAD DENSITY	0.84
NUMBER OF ROAD CROSSINGS	58.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	0.00%
% WATERSHED AREA HARVESTED 1972-2007	0.00%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	21013.49
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	12.38%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	6733517.64
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	20059.90
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	1574.51
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	5047.38
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	13477.66
AVERAGE COHO INTRINSIC POTENTIAL	0.40
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.68
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.35
AVERAGE CHUM INTRINSIC POTENTIAL	0.73
RBA 05 COHO COUNT	515.00
RBA 05 COHO DENSITY	0.04
RBA 05 ZERO+ COUNT	609.00
RBA 05 ZERO+ DENSITY	0.11
RBA 05 STEELHEAD COUNT	40.00
RBA 05 STEELHEAD DENSITY	0.01

RBA 05 CUTTHROAT COUNT	39.00
RBA 05 CUTTHROAT DENSITY	0.04
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.04
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	1.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	1633.00
RBA 06 COHO DENSITY	0.61
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.23
RBA 06 CHINOOK COUNT	6.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	19.00
RBA 06 CUTTHROAT DENSITY	0.01
RBA 06 STEELHEAD COUNT	101.00
RBA 06 STEELHEAD DENSITY	0.05
AVERAGE RBA COHO COUNT	1074.00
AVERAGE RBA COHO DENSITY	0.33
AVERAGE RBA ZERO+ COUNT	520.00
AVERAGE RBA ZERO+ DENSITY	0.17
AVERAGE RBA CHINOOK COUNT	3.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	29.00
AVERAGE RBA CUTTHROAT DENSITY	0.02
AVERAGE RBA STEELHEAD COUNT	70.50
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	17077.14
%NHD STREAM LENGTH WITH AQI DATA	100.00%
NEEDS AQI DATA?	N
AQI LENGTH TO SURVEY (FT)	0.00
% UNDERCUT BANK	1.92%
% ACTIVE_EROSION	5.04%
% SHADE	38.07%
% SILTS & ORGANICS	0.23%
% SAND	9.98%

% GRAVELS	29.82%
% COBBLES	29.77%
% BOULDERS	16.11%
% BEDROCK	14.10%
% POOL AREA	30.28%
NUMBER OF DEEP POOLS (>1M)/100M	0.01
% GRAVEL IN RIFFLES	33.26%
% SAFN IN RIFFLES	12.80%
NUMBER OF BOULDERS/100M	21.00
NUMBER OF PIECES OF LWD/100M	3.00
NUMBER OF KEY PIECES OF LWD/100M	0.02
WOOD VOLUME/100M	4.12
% PUBLIC OWNERSHIP	100.00%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	0.00%
% PUBLIC FORESTRY	100.00%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	23.91%
% LARGE CONIFER	2.68%
% HARDWOOD	6.35%
% MIXED HARDWOOD/CONIFER	63.68%
% OPEN (10% < COVER < 40%)	1.31%
% BARE LAND (<10% COVER)	2.07%
% 100FT STREAM BUFFER CONIFER	9.15%
% 100FT STREAM BUFFER LARGE CONIFER	1.83%
% 100FT STREAM BUFFER HARDWOOD	10.24%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	76.19%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	2.58%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	ELLIOTT
PRIOR_ID	2
CLAMS MODELED STREAM LENGTH (FT)	48317.17
TOTAL STREAM LENGTH (FT)	97680.91
WATERSHED AREA (ACRES)	2126.64
TOTAL ROAD LENGTH (FT)	45033.54
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.46
RIPARIAN ROAD DENSITY	0.41
NUMBER OF ROAD CROSSINGS	20.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	4.00%
% WATERSHED AREA HARVESTED 1972-2007	6.70%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	75894.61
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	77.70%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	9556.54
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	9.78%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	9556.54
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	884543.83
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	8389.38
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	16689.15
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.42
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.47
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.09
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	304.00
RBA 05 COHO DENSITY	0.70
RBA 05 ZERO+ COUNT	24.00
RBA 05 ZERO+ DENSITY	0.10
RBA 05 STEELHEAD COUNT	13.00
RBA 05 STEELHEAD DENSITY	0.04

RBA 05 CUTTHROAT COUNT	15.00
RBA 05 CUTTHROAT DENSITY	0.04
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.04
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	757.00
RBA 06 COHO DENSITY	1.83
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.10
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	12.00
RBA 06 CUTTHROAT DENSITY	0.02
RBA 06 STEELHEAD COUNT	12.00
RBA 06 STEELHEAD DENSITY	0.03
AVERAGE RBA COHO COUNT	530.50
AVERAGE RBA COHO DENSITY	1.26
AVERAGE RBA ZERO+ COUNT	35.50
AVERAGE RBA ZERO+ DENSITY	0.10
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	13.50
AVERAGE RBA CUTTHROAT DENSITY	0.03
AVERAGE RBA STEELHEAD COUNT	12.50
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	6463.12
%NHD STREAM LENGTH WITH AQI DATA	35.05%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	11979.10
% UNDERCUT BANK	7.93%
% ACTIVE_EROSION	39.45%
% SHADE	76.00%
% SILTS & ORGANICS	9.46%
% SAND	17.68%

% GRAVELS	27.83%
% COBBLES	32.12%
% BOULDERS	12.62%
% BEDROCK	0.31%
% POOL AREA	23.89%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
%GRAVEL IN RIFFLES	28.68%
%SAFN IN RIFFLES	22.90%
NUMBER OF BOULDERS/100M	32.39
NUMBER OF PIECES OF LWD/100M	34.00
NUMBER OF KEY PIECES OF LWD/100M	0.51
WOOD VOLUME/100M	32.09
% PUBLIC OWNERSHIP	94.90%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	5.11%
% PUBLIC FORESTRY	94.89%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	62.06%
% LARGE CONIFER	20.29%
% HARDWOOD	0.63%
% MIXED HARDWOOD/CONIFER	13.96%
% OPEN (10% < COVER < 40%)	0.77%
% BARE LAND (<10% COVER)	2.29%
% 100FT STREAM BUFFER CONIFER	46.45%
% 100FT STREAM BUFFER LARGE CONIFER	20.89%
% 100FT STREAM BUFFER HARDWOOD	2.05%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	30.34%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.27%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	HOQUARTON_DOUGHERTY_SLOUGH
PRIOR_ID	3
CLAMS MODELED STREAM LENGTH (FT)	24911.65
TOTAL STREAM LENGTH (FT)	25116.53
WATERSHED AREA (ACRES)	3148.79
TOTAL ROAD LENGTH (FT)	237683.18
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	9.46
RIPARIAN ROAD DENSITY	0.53
NUMBER OF ROAD CROSSINGS	7.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	0.00%
% WATERSHED AREA HARVESTED 1972-2007	0.00%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	25116.53
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	100.00%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	23595.16
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	93.94%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	23595.16
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	68086.68
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	11.64
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.96
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.47
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.15
AVERAGE CHUM INTRINSIC POTENTIAL	0.24
RBA 05 COHO COUNT	0.00
RBA 05 COHO DENSITY	0.00
RBA 05 ZERO+ COUNT	0.00
RBA 05 ZERO+ DENSITY	0.00
RBA 05 STEELHEAD COUNT	0.00
RBA 05 STEELHEAD DENSITY	0.00

RBA 05 CUTTHROAT COUNT	0.00
RBA 05 CUTTHROAT DENSITY	0.00
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.00
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	0.00
RBA 06 COHO DENSITY	0.00
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.00
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	0.00
RBA 06 CUTTHROAT DENSITY	0.00
RBA 06 STEELHEAD COUNT	0.00
RBA 06 STEELHEAD DENSITY	0.00
AVERAGE RBA COHO COUNT	0.00
AVERAGE RBA COHO DENSITY	0.00
AVERAGE RBA ZERO+ COUNT	0.00
AVERAGE RBA ZERO+ DENSITY	0.00
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	0.00
AVERAGE RBA CUTTHROAT DENSITY	0.00
AVERAGE RBA STEELHEAD COUNT	0.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	150.03
%NHD STREAM LENGTH WITH AQI DATA	0.35%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	42207.51
% UNDERCUT BANK	0.00%
% ACTIVE_EROSION	50.00%
% SHADE	11.10%
% SILTS & ORGANICS	40.00%
% SAND	30.00%

% GRAVELS	30.00%
% COBBLES	0.00%
% BOULDERS	0.00%
% BEDROCK	0.00%
% POOL AREA	0.00%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	NA
% SAFN IN RIFFLES	NA
NUMBER OF BOULDERS/100M	0.00
NUMBER OF PIECES OF LWD/100M	0.00
NUMBER OF KEY PIECES OF LWD/100M	0.00
WOOD VOLUME/100M	0.00
% PUBLIC OWNERSHIP	0.00%
% PRIVATE NON-INDUSTRIAL	99.99%
% PRIVATE FORESTRY	0.01%
% PUBLIC FORESTRY	0.00%
% AGRICULTURE	80.01%
% RURAL RESIDENTIAL	2.95%
% URBAN	17.02%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	10.01%
% LARGE CONIFER	0.02%
% HARDWOOD	0.00%
% MIXED HARDWOOD/CONIFER	0.90%
% OPEN (10% < COVER < 40%)	8.26%
% BARE LAND (<10% COVER)	80.80%
% 100FT STREAM BUFFER CONIFER	27.26%
% 100FT STREAM BUFFER LARGE CONIFER	0.33%
% 100FT STREAM BUFFER HARDWOOD	0.00%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	2.16%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	70.25%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	LOWER_SOUTH_FORK_TRASK
PRIOR_ID	4
CLAMS MODELED STREAM LENGTH (FT)	31220.10
TOTAL STREAM LENGTH (FT)	103547.19
WATERSHED AREA (ACRES)	1820.98
TOTAL ROAD LENGTH (FT)	62407.20
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.60
RIPARIAN ROAD DENSITY	0.45
NUMBER OF ROAD CROSSINGS	27.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	5.62%
% WATERSHED AREA HARVESTED 1972-2007	9.70%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	38784.40
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	37.46%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	554.64
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.54%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	554.64
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	6673330.38
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	14107.34
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	1907.25
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	9030.33
CHUM HIGH INTRINSIC POTENTIAL (FT)	6918.21
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	724.37
AVERAGE COHO INTRINSIC POTENTIAL	0.34
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.52
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.49
AVERAGE CHUM INTRINSIC POTENTIAL	0.79
RBA 05 COHO COUNT	77.00
RBA 05 COHO DENSITY	0.01
RBA 05 ZERO+ COUNT	273.00
RBA 05 ZERO+ DENSITY	0.06
RBA 05 STEELHEAD COUNT	133.00
RBA 05 STEELHEAD DENSITY	0.03

RBA 05 CUTTHROAT COUNT	91.00
RBA 05 CUTTHROAT DENSITY	0.02
RBA 05 CHINOOK COUNT	351.00
RBA 05 CHINOOK DENSITY	0.02
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	304.00
RBA 06 COHO DENSITY	0.06
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.04
RBA 06 CHINOOK COUNT	402.00
RBA 06 CHINOOK DENSITY	0.09
RBA 06 CUTTHROAT COUNT	66.00
RBA 06 CUTTHROAT DENSITY	0.01
RBA 06 STEELHEAD COUNT	185.00
RBA 06 STEELHEAD DENSITY	0.04
AVERAGE RBA COHO COUNT	190.50
AVERAGE RBA COHO DENSITY	0.04
AVERAGE RBA ZERO+ COUNT	255.00
AVERAGE RBA ZERO+ DENSITY	0.05
AVERAGE RBA CHINOOK COUNT	376.50
AVERAGE RBA CHINOOK DENSITY	0.08
AVERAGE RBA CUTTHROAT COUNT	78.50
AVERAGE RBA CUTTHROAT DENSITY	0.02
AVERAGE RBA STEELHEAD COUNT	159.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	10436.88
%NHD STREAM LENGTH WITH AQI DATA	99.99%
NEEDS AQI DATA?	N
AQI LENGTH TO SURVEY (FT)	0.00
% UNDERCUT BANK	0.00%
% ACTIVE_EROSION	1.11%
% SHADE	73.44%
% SILTS & ORGANICS	8.61%
% SAND	10.45%

% GRAVELS	15.47%
% COBBLES	20.55%
% BOULDERS	24.17%
% BEDROCK	20.75%
% POOL AREA	35.78%
NUMBER OF DEEP POOLS (>1M)/100M	0.01
% GRAVEL IN RIFFLES	17.03%
% SAFN IN RIFFLES	12.34%
NUMBER OF BOULDERS/100M	29.80
NUMBER OF PIECES OF LWD/100M	2.00
NUMBER OF KEY PIECES OF LWD/100M	0.03
WOOD VOLUME/100M	0.92
% PUBLIC OWNERSHIP	86.70%
% PRIVATE NON-INDUSTRIAL	6.10%
% PRIVATE FORESTRY	7.21%
% PUBLIC FORESTRY	86.03%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	6.57%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.18%
% CONIFER	23.37%
% LARGE CONIFER	0.59%
% HARDWOOD	15.30%
% MIXED HARDWOOD/CONIFER	49.46%
% OPEN (10% < COVER < 40%)	6.83%
% BARE LAND (<10% COVER)	4.44%
% 100FT STREAM BUFFER CONIFER	10.94%
% 100FT STREAM BUFFER LARGE CONIFER	0.08%
% 100FT STREAM BUFFER HARDWOOD	20.35%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	62.24%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	6.39%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	UPPER_NORTH_FORK_WILSON
PRIOR_ID	5
CLAMS MODELED STREAM LENGTH (FT)	73976.13
TOTAL STREAM LENGTH (FT)	500658.50
WATERSHED AREA (ACRES)	7019.52
TOTAL ROAD LENGTH (FT)	156336.53
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.31
RIPARIAN ROAD DENSITY	0.76
NUMBER OF ROAD CROSSINGS	129.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	8.00%
% WATERSHED AREA HARVESTED 1972-2007	9.86%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	61506.22
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	12.29%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	6052898.00
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	31360.62
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	10464.25
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.28
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.60
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.20
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	535.00
RBA 05 COHO DENSITY	0.32
RBA 05 ZERO+ COUNT	488.00
RBA 05 ZERO+ DENSITY	0.36
RBA 05 STEELHEAD COUNT	172.00
RBA 05 STEELHEAD DENSITY	0.11

RBA 05 CUTTHROAT COUNT	113.00
RBA 05 CUTTHROAT DENSITY	0.11
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.11
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	4.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	2187.00
RBA 06 COHO DENSITY	0.67
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.28
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	65.00
RBA 06 CUTTHROAT DENSITY	0.02
RBA 06 STEELHEAD COUNT	198.00
RBA 06 STEELHEAD DENSITY	0.07
AVERAGE RBA COHO COUNT	1361.00
AVERAGE RBA COHO DENSITY	0.50
AVERAGE RBA ZERO+ COUNT	544.00
AVERAGE RBA ZERO+ DENSITY	0.32
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	89.00
AVERAGE RBA CUTTHROAT DENSITY	0.07
AVERAGE RBA STEELHEAD COUNT	185.00
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	0.09
%NHD STREAM LENGTH WITH AQI DATA	0.00%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	46809.51
% UNDERCUT BANK	0.00%
% ACTIVE_EROSION	0.00%
% SHADE	77.81%
% SILTS & ORGANICS	0.00%
% SAND	4.80%

% GRAVELS	9.50%
% COBBLES	28.60%
% BOULDERS	57.11%
% BEDROCK	0.00%
% POOL AREA	0.00%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	NA
% SAFN IN RIFFLES	NA
NUMBER OF BOULDERS/100M	NA
NUMBER OF PIECES OF LWD/100M	0.00
NUMBER OF KEY PIECES OF LWD/100M	0.00
WOOD VOLUME/100M	0.00
% PUBLIC OWNERSHIP	39.10%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	60.79%
% PUBLIC FORESTRY	39.08%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	46.52%
% LARGE CONIFER	17.95%
% HARDWOOD	2.30%
% MIXED HARDWOOD/CONIFER	25.31%
% OPEN (10% < COVER < 40%)	1.36%
% BARE LAND (<10% COVER)	6.56%
% 100FT STREAM BUFFER CONIFER	43.24%
% 100FT STREAM BUFFER LARGE CONIFER	14.89%
% 100FT STREAM BUFFER HARDWOOD	4.57%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	35.44%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	1.86%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	UPPER_WEST_FORK_NORTH_FORK_WILSON
PRIOR_ID	6
CLAMS MODELED STREAM LENGTH (FT)	34447.33
TOTAL STREAM LENGTH (FT)	243224.02
WATERSHED AREA (ACRES)	3184.45
TOTAL ROAD LENGTH (FT)	116024.62
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.48
RIPARIAN ROAD DENSITY	0.48
NUMBER OF ROAD CROSSINGS	79.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	4.81%
% WATERSHED AREA HARVESTED 1972-2007	5.09%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	30790.49
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	12.66%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	295816.00
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	12495.47
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	3076.84
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.23
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.52
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.14
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	511.00
RBA 05 COHO DENSITY	0.31
RBA 05 ZERO+ COUNT	451.00
RBA 05 ZERO+ DENSITY	0.45
RBA 05 STEELHEAD COUNT	82.00
RBA 05 STEELHEAD DENSITY	0.06

RBA 05 CUTTHROAT COUNT	62.00
RBA 05 CUTTHROAT DENSITY	0.07
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.07
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	5.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	924.00
RBA 06 COHO DENSITY	0.79
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.41
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	52.00
RBA 06 CUTTHROAT DENSITY	0.08
RBA 06 STEELHEAD COUNT	64.00
RBA 06 STEELHEAD DENSITY	0.09
AVERAGE RBA COHO COUNT	717.50
AVERAGE RBA COHO DENSITY	0.55
AVERAGE RBA ZERO+ COUNT	397.50
AVERAGE RBA ZERO+ DENSITY	0.43
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	57.00
AVERAGE RBA CUTTHROAT DENSITY	0.08
AVERAGE RBA STEELHEAD COUNT	73.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	16911.59
%NHD STREAM LENGTH WITH AQI DATA	85.66%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	2830.37
% UNDERCUT BANK	0.03%
% ACTIVE_EROSION	17.72%
% SHADE	65.58%
% SILTS & ORGANICS	6.84%
% SAND	12.33%

% GRAVELS	23.99%
% COBBLES	35.91%
% BOULDERS	19.76%
% BEDROCK	1.18%
% POOL AREA	18.95%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	31.89%
% SAFN IN RIFFLES	19.61%
NUMBER OF BOULDERS/100M	38.28
NUMBER OF PIECES OF LWD/100M	20.00
NUMBER OF KEY PIECES OF LWD/100M	0.14
WOOD VOLUME/100M	19.79
% PUBLIC OWNERSHIP	80.90%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	19.00%
% PUBLIC FORESTRY	80.77%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	54.58%
% LARGE CONIFER	7.11%
% HARDWOOD	1.71%
% MIXED HARDWOOD/CONIFER	31.72%
% OPEN (10% < COVER < 40%)	1.19%
% BARE LAND (<10% COVER)	3.69%
% 100FT STREAM BUFFER CONIFER	42.64%
% 100FT STREAM BUFFER LARGE CONIFER	5.71%
% 100FT STREAM BUFFER HARDWOOD	3.08%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	46.72%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	1.84%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	ELK
PRIOR_ID	7
CLAMS MODELED STREAM LENGTH (FT)	55302.74
TOTAL STREAM LENGTH (FT)	301660.58
WATERSHED AREA (ACRES)	4932.15
TOTAL ROAD LENGTH (FT)	116109.93
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.38
RIPARIAN ROAD DENSITY	0.61
NUMBER OF ROAD CROSSINGS	65.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	10.67%
% WATERSHED AREA HARVESTED 1972-2007	14.86%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	62274.93
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	20.64%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	1996972.98
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	27133.81
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	5503.79
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.27
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.61
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.18
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	429.00
RBA 05 COHO DENSITY	0.16
RBA 05 ZERO+ COUNT	413.00
RBA 05 ZERO+ DENSITY	0.15
RBA 05 STEELHEAD COUNT	88.00
RBA 05 STEELHEAD DENSITY	0.04

RBA 05 CUTTHROAT COUNT	83.00
RBA 05 CUTTHROAT DENSITY	0.06
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.06
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	6.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	1050.00
RBA 06 COHO DENSITY	0.56
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.25
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	32.00
RBA 06 CUTTHROAT DENSITY	0.02
RBA 06 STEELHEAD COUNT	94.00
RBA 06 STEELHEAD DENSITY	0.07
AVERAGE RBA COHO COUNT	739.50
AVERAGE RBA COHO DENSITY	0.36
AVERAGE RBA ZERO+ COUNT	364.50
AVERAGE RBA ZERO+ DENSITY	0.20
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	57.50
AVERAGE RBA CUTTHROAT DENSITY	0.04
AVERAGE RBA STEELHEAD COUNT	91.00
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	35449.17
%NHD STREAM LENGTH WITH AQI DATA	69.63%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	15463.18
% UNDERCUT BANK	0.04%
% ACTIVE_EROSION	28.36%
% SHADE	83.58%
% SILTS & ORGANICS	4.57%
% SAND	4.26%

% GRAVELS	20.11%
% COBBLES	30.66%
% BOULDERS	35.73%
% BEDROCK	4.69%
% POOL AREA	11.89%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	19.51%
% SAFN IN RIFFLES	10.96%
NUMBER OF BOULDERS/100M	76.53
NUMBER OF PIECES OF LWD/100M	23.00
NUMBER OF KEY PIECES OF LWD/100M	1.07
WOOD VOLUME/100M	45.96
% PUBLIC OWNERSHIP	47.60%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	52.35%
% PUBLIC FORESTRY	47.61%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	52.69%
% LARGE CONIFER	17.36%
% HARDWOOD	3.37%
% MIXED HARDWOOD/CONIFER	20.51%
% OPEN (10% < COVER < 40%)	0.41%
% BARE LAND (<10% COVER)	5.67%
% 100FT STREAM BUFFER CONIFER	39.09%
% 100FT STREAM BUFFER LARGE CONIFER	18.35%
% 100FT STREAM BUFFER HARDWOOD	8.24%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	33.76%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.55%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	LOWER_DEVILS_LAKE_FORK_WILSON
PRIOR_ID	8
CLAMS MODELED STREAM LENGTH (FT)	92740.26
TOTAL STREAM LENGTH (FT)	436466.00
WATERSHED AREA (ACRES)	7743.38
TOTAL ROAD LENGTH (FT)	223098.03
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.51
RIPARIAN ROAD DENSITY	0.68
NUMBER OF ROAD CROSSINGS	126.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	11.20%
% WATERSHED AREA HARVESTED 1972-2007	21.20%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	202172.62
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	46.32%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	7246311.32
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	51887.86
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	11864.37
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.30
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.64
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.27
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	1589.00
RBA 05 COHO DENSITY	0.45
RBA 05 ZERO+ COUNT	1016.00
RBA 05 ZERO+ DENSITY	0.27
RBA 05 STEELHEAD COUNT	319.00
RBA 05 STEELHEAD DENSITY	0.04

RBA 05 CUTTHROAT COUNT	73.00
RBA 05 CUTTHROAT DENSITY	0.03
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.03
RBA 06 KNOTWEED SITINGS	5.00
RBA 06 LANDSLIDES	9.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	3391.00
RBA 06 COHO DENSITY	1.49
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.28
RBA 06 CHINOOK COUNT	1.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	35.00
RBA 06 CUTTHROAT DENSITY	0.03
RBA 06 STEELHEAD COUNT	110.00
RBA 06 STEELHEAD DENSITY	0.04
AVERAGE RBA COHO COUNT	2490.00
AVERAGE RBA COHO DENSITY	0.97
AVERAGE RBA ZERO+ COUNT	778.00
AVERAGE RBA ZERO+ DENSITY	0.28
AVERAGE RBA CHINOOK COUNT	0.50
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	54.00
AVERAGE RBA CUTTHROAT DENSITY	0.03
AVERAGE RBA STEELHEAD COUNT	214.50
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	56171.03
%NHD STREAM LENGTH WITH AQI DATA	65.49%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	29598.66
% UNDERCUT BANK	1.61%
% ACTIVE_EROSION	10.16%
% SHADE	84.07%
% SILTS & ORGANICS	1.95%
% SAND	9.43%

% GRAVELS	38.36%
% COBBLES	28.13%
% BOULDERS	8.77%
% BEDROCK	13.38%
% POOL AREA	35.24%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	39.82%
% SAFN IN RIFFLES	11.74%
NUMBER OF BOULDERS/100M	35.86
NUMBER OF PIECES OF LWD/100M	10.00
NUMBER OF KEY PIECES OF LWD/100M	0.13
WOOD VOLUME/100M	9.14
% PUBLIC OWNERSHIP	86.70%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	13.24%
% PUBLIC FORESTRY	86.70%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	70.96%
% LARGE CONIFER	13.13%
% HARDWOOD	0.57%
% MIXED HARDWOOD/CONIFER	12.19%
% OPEN (10% < COVER < 40%)	0.23%
% BARE LAND (<10% COVER)	2.92%
% 100FT STREAM BUFFER CONIFER	58.69%
% 100FT STREAM BUFFER LARGE CONIFER	16.00%
% 100FT STREAM BUFFER HARDWOOD	1.73%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	22.99%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.58%

METRIC NAME	DATA
5TH FIELD WATERSHED	MIAMI RIVER
7TH FIELD WATERSHED	UPPER_MIAMI_MAINSTEM_AND_TRIBS
PRIOR_ID	9
CLAMS MODELED STREAM LENGTH (FT)	143828.18
TOTAL STREAM LENGTH (FT)	777080.81
WATERSHED AREA (ACRES)	11104.40
TOTAL ROAD LENGTH (FT)	311543.94
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.40
RIPARIAN ROAD DENSITY	0.58
NUMBER OF ROAD CROSSINGS	264.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	5.71%
% WATERSHED AREA HARVESTED 1972-2007	7.45%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	176650.59
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	22.73%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	5904.52
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.76%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	11620.12
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	12185660.60
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	62942.17
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	29409.86
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	18171.32
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	16300.63
AVERAGE COHO INTRINSIC POTENTIAL	0.36
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.60
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.24
AVERAGE CHUM INTRINSIC POTENTIAL	0.59
RBA 05 COHO COUNT	1454.00
RBA 05 COHO DENSITY	0.11
RBA 05 ZERO+ COUNT	1868.00
RBA 05 ZERO+ DENSITY	0.17
RBA 05 STEELHEAD COUNT	427.00
RBA 05 STEELHEAD DENSITY	0.03

RBA 05 CUTTHROAT COUNT	251.00
RBA 05 CUTTHROAT DENSITY	0.07
RBA 05 CHINOOK COUNT	148.00
RBA 05 CHINOOK DENSITY	0.07
RBA 06 KNOTWEED SITINGS	3.00
RBA 06 LANDSLIDES	4.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	4028.00
RBA 06 COHO DENSITY	0.54
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.35
RBA 06 CHINOOK COUNT	135.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	204.00
RBA 06 CUTTHROAT DENSITY	0.08
RBA 06 STEELHEAD COUNT	438.00
RBA 06 STEELHEAD DENSITY	0.03
AVERAGE RBA COHO COUNT	2741.00
AVERAGE RBA COHO DENSITY	0.33
AVERAGE RBA ZERO+ COUNT	1606.50
AVERAGE RBA ZERO+ DENSITY	0.26
AVERAGE RBA CHINOOK COUNT	141.50
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	227.50
AVERAGE RBA CUTTHROAT DENSITY	0.07
AVERAGE RBA STEELHEAD COUNT	432.50
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	40827.17
%NHD STREAM LENGTH WITH AQI DATA	45.08%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	49730.31
% UNDERCUT BANK	6.68%
% ACTIVE_EROSION	7.79%
% SHADE	82.62%
% SILTS & ORGANICS	6.28%
% SAND	18.97%

% GRAVELS	24.53%
% COBBLES	27.65%
% BOULDERS	20.45%
% BEDROCK	2.12%
% POOL AREA	31.42%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	28.28%
% SAFN IN RIFFLES	19.66%
NUMBER OF BOULDERS/100M	45.67
NUMBER OF PIECES OF LWD/100M	12.00
NUMBER OF KEY PIECES OF LWD/100M	0.00
WOOD VOLUME/100M	18.34
% PUBLIC OWNERSHIP	95.00%
% PRIVATE NON-INDUSTRIAL	1.31%
% PRIVATE FORESTRY	3.50%
% PUBLIC FORESTRY	94.79%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	1.57%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	21.30%
% LARGE CONIFER	5.61%
% HARDWOOD	13.50%
% MIXED HARDWOOD/CONIFER	53.46%
% OPEN (10% < COVER < 40%)	4.15%
% BARE LAND (<10% COVER)	1.99%
% 100FT STREAM BUFFER CONIFER	11.09%
% 100FT STREAM BUFFER LARGE CONIFER	4.58%
% 100FT STREAM BUFFER HARDWOOD	22.30%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	55.66%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	6.37%

METRIC NAME	DATA
5TH FIELD WATERSHED	KILCHIS RIVER
7TH FIELD WATERSHED	SCHROEDER_FRENCH
PRIOR_ID	10
CLAMS MODELED STREAM LENGTH (FT)	32158.86
TOTAL STREAM LENGTH (FT)	212906.96
WATERSHED AREA (ACRES)	2815.59
TOTAL ROAD LENGTH (FT)	72833.05
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.34
RIPARIAN ROAD DENSITY	0.39
NUMBER OF ROAD CROSSINGS	62.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	0.00%
% WATERSHED AREA HARVESTED 1972-2007	0.01%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	37233.58
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	17.49%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	1622318.60
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	17498.80
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	1503.24
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	5426.11
AVERAGE COHO INTRINSIC POTENTIAL	0.31
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.64
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.19
AVERAGE CHUM INTRINSIC POTENTIAL	0.44
RBA 05 COHO COUNT	293.00
RBA 05 COHO DENSITY	0.28
RBA 05 ZERO+ COUNT	196.00
RBA 05 ZERO+ DENSITY	0.25
RBA 05 STEELHEAD COUNT	5.00
RBA 05 STEELHEAD DENSITY	0.01

RBA 05 CUTTHROAT COUNT	33.00
RBA 05 CUTTHROAT DENSITY	0.07
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.07
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	6.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	703.00
RBA 06 COHO DENSITY	0.90
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.21
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	24.00
RBA 06 CUTTHROAT DENSITY	0.04
RBA 06 STEELHEAD COUNT	56.00
RBA 06 STEELHEAD DENSITY	0.09
AVERAGE RBA COHO COUNT	498.00
AVERAGE RBA COHO DENSITY	0.59
AVERAGE RBA ZERO+ COUNT	180.00
AVERAGE RBA ZERO+ DENSITY	0.23
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	28.50
AVERAGE RBA CUTTHROAT DENSITY	0.05
AVERAGE RBA STEELHEAD COUNT	30.50
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	0.00
%NHD STREAM LENGTH WITH AQI DATA	0.00%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	23354.45
% UNDERCUT BANK	NA
% ACTIVE_EROSION	NA
% SHADE	NA
% SILTS & ORGANICS	NA
% SAND	NA

% GRAVELS	NA
% COBBLES	NA
% BOULDERS	NA
% BEDROCK	NA
% POOL AREA	NA
NUMBER OF DEEP POOLS (>1M)/100M	NA
% GRAVEL IN RIFFLES	NA
% SAFN IN RIFFLES	NA
NUMBER OF BOULDERS/100M	NA
NUMBER OF PIECES OF LWD/100M	NA
NUMBER OF KEY PIECES OF LWD/100M	NA
WOOD VOLUME/100M	NA
% PUBLIC OWNERSHIP	100.00%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	0.00%
% PUBLIC FORESTRY	99.82%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	35.65%
% LARGE CONIFER	2.91%
% HARDWOOD	4.85%
% MIXED HARDWOOD/CONIFER	51.54%
% OPEN (10% < COVER < 40%)	2.07%
% BARE LAND (<10% COVER)	2.97%
% 100FT STREAM BUFFER CONIFER	18.12%
% 100FT STREAM BUFFER LARGE CONIFER	3.20%
% 100FT STREAM BUFFER HARDWOOD	6.52%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	69.10%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	3.06%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	LOWER_WEST_FORK_NORTH_FORK_WILSON
PRIOR_ID	11
CLAMS MODELED STREAM LENGTH (FT)	55498.84
TOTAL STREAM LENGTH (FT)	307153.38
WATERSHED AREA (ACRES)	4226.69
TOTAL ROAD LENGTH (FT)	157091.47
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.51
RIPARIAN ROAD DENSITY	0.50
NUMBER OF ROAD CROSSINGS	128.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	0.90%
% WATERSHED AREA HARVESTED 1972-2007	2.34%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	48506.59
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	15.79%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	7125096.30
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	28805.63
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	2730.32
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.31
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.61
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.23
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	683.00
RBA 05 COHO DENSITY	0.44
RBA 05 ZERO+ COUNT	683.00
RBA 05 ZERO+ DENSITY	0.63
RBA 05 STEELHEAD COUNT	121.00
RBA 05 STEELHEAD DENSITY	0.09

RBA 05 CUTTHROAT COUNT	74.00
RBA 05 CUTTHROAT DENSITY	0.06
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.06
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	6.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	2142.00
RBA 06 COHO DENSITY	2.09
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.45
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	51.00
RBA 06 CUTTHROAT DENSITY	0.05
RBA 06 STEELHEAD COUNT	216.00
RBA 06 STEELHEAD DENSITY	0.10
AVERAGE RBA COHO COUNT	1412.50
AVERAGE RBA COHO DENSITY	1.27
AVERAGE RBA ZERO+ COUNT	673.50
AVERAGE RBA ZERO+ DENSITY	0.54
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	62.50
AVERAGE RBA CUTTHROAT DENSITY	0.06
AVERAGE RBA STEELHEAD COUNT	168.50
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	30725.35
%NHD STREAM LENGTH WITH AQI DATA	100.00%
NEEDS AQI DATA?	N
AQI LENGTH TO SURVEY (FT)	0.00
% UNDERCUT BANK	1.27%
% ACTIVE_EROSION	20.92%
% SHADE	83.01%
% SILTS & ORGANICS	0.73%
% SAND	3.24%

% GRAVELS	17.84%
% COBBLES	28.30%
% BOULDERS	41.76%
% BEDROCK	8.13%
% POOL AREA	23.33%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	25.04%
% SAFN IN RIFFLES	6.36%
NUMBER OF BOULDERS/100M	62.17
NUMBER OF PIECES OF LWD/100M	19.00
NUMBER OF KEY PIECES OF LWD/100M	0.41
WOOD VOLUME/100M	39.23
% PUBLIC OWNERSHIP	100.00%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	0.00%
% PUBLIC FORESTRY	99.88%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	46.81%
% LARGE CONIFER	4.38%
% HARDWOOD	2.90%
% MIXED HARDWOOD/CONIFER	40.30%
% OPEN (10% < COVER < 40%)	0.94%
% BARE LAND (<10% COVER)	4.67%
% 100FT STREAM BUFFER CONIFER	31.99%
% 100FT STREAM BUFFER LARGE CONIFER	3.60%
% 100FT STREAM BUFFER HARDWOOD	5.23%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	57.00%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	2.18%

METRIC NAME	DATA
5TH FIELD WATERSHED	KILCHIS RIVER
7TH FIELD WATERSHED	TRIANGULATION_FICK
PRIOR_ID	12
CLAMS MODELED STREAM LENGTH (FT)	57804.62
TOTAL STREAM LENGTH (FT)	347737.58
WATERSHED AREA (ACRES)	4976.23
TOTAL ROAD LENGTH (FT)	150217.74
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.43
RIPARIAN ROAD DENSITY	0.62
NUMBER OF ROAD CROSSINGS	81.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	0.00%
% WATERSHED AREA HARVESTED 1972-2007	0.00%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	47641.71
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	13.70%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	4825520.35
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	31035.92
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	5470.86
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	40.86
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	14600.55
AVERAGE COHO INTRINSIC POTENTIAL	0.31
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.65
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.20
AVERAGE CHUM INTRINSIC POTENTIAL	0.51
RBA 05 COHO COUNT	767.00
RBA 05 COHO DENSITY	0.16
RBA 05 ZERO+ COUNT	558.00
RBA 05 ZERO+ DENSITY	0.12
RBA 05 STEELHEAD COUNT	32.00
RBA 05 STEELHEAD DENSITY	0.01

RBA 05 CUTTHROAT COUNT	84.00
RBA 05 CUTTHROAT DENSITY	0.05
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.05
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	4.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	1905.00
RBA 06 COHO DENSITY	1.40
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.40
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	44.00
RBA 06 CUTTHROAT DENSITY	0.06
RBA 06 STEELHEAD COUNT	148.00
RBA 06 STEELHEAD DENSITY	0.05
AVERAGE RBA COHO COUNT	1336.00
AVERAGE RBA COHO DENSITY	0.78
AVERAGE RBA ZERO+ COUNT	487.50
AVERAGE RBA ZERO+ DENSITY	0.26
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	64.00
AVERAGE RBA CUTTHROAT DENSITY	0.05
AVERAGE RBA STEELHEAD COUNT	90.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	27290.46
%NHD STREAM LENGTH WITH AQI DATA	77.87%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	7754.03
% UNDERCUT BANK	2.26%
% ACTIVE_EROSION	30.93%
% SHADE	74.16%
% SILTS & ORGANICS	0.13%
% SAND	6.32%

% GRAVELS	32.45%
% COBBLES	36.13%
% BOULDERS	20.94%
% BEDROCK	4.05%
% POOL AREA	11.95%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	37.83%
% SAFN IN RIFFLES	10.26%
NUMBER OF BOULDERS/100M	39.26
NUMBER OF PIECES OF LWD/100M	23.00
NUMBER OF KEY PIECES OF LWD/100M	0.67
WOOD VOLUME/100M	34.48
% PUBLIC OWNERSHIP	100.00%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	0.00%
% PUBLIC FORESTRY	99.96%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	34.05%
% LARGE CONIFER	4.65%
% HARDWOOD	5.01%
% MIXED HARDWOOD/CONIFER	49.30%
% OPEN (10% < COVER < 40%)	1.44%
% BARE LAND (<10% COVER)	5.54%
% 100FT STREAM BUFFER CONIFER	20.74%
% 100FT STREAM BUFFER LARGE CONIFER	3.93%
% 100FT STREAM BUFFER HARDWOOD	7.99%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	64.28%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	3.05%

METRIC NAME	DATA
5TH FIELD WATERSHED	MIAMI RIVER
7TH FIELD WATERSHED	MINICH_PETERSON
PRIOR_ID	13
CLAMS MODELED STREAM LENGTH (FT)	134875.36
TOTAL STREAM LENGTH (FT)	482674.22
WATERSHED AREA (ACRES)	6974.05
TOTAL ROAD LENGTH (FT)	366848.50
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.76
RIPARIAN ROAD DENSITY	0.54
NUMBER OF ROAD CROSSINGS	158.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	31.05%
% WATERSHED AREA HARVESTED 1972-2007	36.18%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	248532.05
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	51.49%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	10631.12
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	2.20%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	26430.15
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	5229332.21
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	30813.68
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	38953.67
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	24170.91
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.40
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.47
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.27
AVERAGE CHUM INTRINSIC POTENTIAL	0.72
RBA 05 COHO COUNT	1237.00
RBA 05 COHO DENSITY	0.13
RBA 05 ZERO+ COUNT	1260.00
RBA 05 ZERO+ DENSITY	0.19
RBA 05 STEELHEAD COUNT	802.00
RBA 05 STEELHEAD DENSITY	0.03

RBA 05 CUTTHROAT COUNT	219.00
RBA 05 CUTTHROAT DENSITY	0.08
RBA 05 CHINOOK COUNT	500.00
RBA 05 CHINOOK DENSITY	0.08
RBA 06 KNOTWEED SITINGS	9.00
RBA 06 LANDSLIDES	2.00
RBA 06 BEAVER DAMS	1.00
RBA 06 COHO COUNT	717.00
RBA 06 COHO DENSITY	0.14
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.29
RBA 06 CHINOOK COUNT	153.00
RBA 06 CHINOOK DENSITY	0.01
RBA 06 CUTTHROAT COUNT	101.00
RBA 06 CUTTHROAT DENSITY	0.07
RBA 06 STEELHEAD COUNT	239.00
RBA 06 STEELHEAD DENSITY	0.07
AVERAGE RBA COHO COUNT	977.00
AVERAGE RBA COHO DENSITY	0.14
AVERAGE RBA ZERO+ COUNT	970.00
AVERAGE RBA ZERO+ DENSITY	0.24
AVERAGE RBA CHINOOK COUNT	326.50
AVERAGE RBA CHINOOK DENSITY	0.01
AVERAGE RBA CUTTHROAT COUNT	160.00
AVERAGE RBA CUTTHROAT DENSITY	0.07
AVERAGE RBA STEELHEAD COUNT	520.50
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	30214.22
%NHD STREAM LENGTH WITH AQI DATA	60.87%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	19424.86
% UNDERCUT BANK	3.31%
% ACTIVE_EROSION	11.89%
% SHADE	48.93%
% SILTS & ORGANICS	15.49%
% SAND	15.48%

% GRAVELS	31.55%
% COBBLES	18.35%
% BOULDERS	1.37%
% BEDROCK	0.44%
% POOL AREA	35.36%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	39.99%
% SAFN IN RIFFLES	19.05%
NUMBER OF BOULDERS/100M	1.86
NUMBER OF PIECES OF LWD/100M	8.00
NUMBER OF KEY PIECES OF LWD/100M	0.04
WOOD VOLUME/100M	11.35
% PUBLIC OWNERSHIP	14.70%
% PRIVATE NON-INDUSTRIAL	8.71%
% PRIVATE FORESTRY	76.39%
% PUBLIC FORESTRY	14.12%
% AGRICULTURE	8.22%
% RURAL RESIDENTIAL	1.09%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	45.92%
% LARGE CONIFER	1.06%
% HARDWOOD	3.43%
% MIXED HARDWOOD/CONIFER	22.49%
% OPEN (10% < COVER < 40%)	21.84%
% BARE LAND (<10% COVER)	5.26%
% 100FT STREAM BUFFER CONIFER	41.87%
% 100FT STREAM BUFFER LARGE CONIFER	0.81%
% 100FT STREAM BUFFER HARDWOOD	6.18%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	29.45%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	21.70%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	MIDDLE_DEVILS_LAKE_FORK_WILSON
PRIOR_ID	14
CLAMS MODELED STREAM LENGTH (FT)	76194.82
TOTAL STREAM LENGTH (FT)	173519.64
WATERSHED AREA (ACRES)	3928.36
TOTAL ROAD LENGTH (FT)	115720.38
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.67
RIPARIAN ROAD DENSITY	0.58
NUMBER OF ROAD CROSSINGS	65.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	13.13%
% WATERSHED AREA HARVESTED 1972-2007	18.53%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	140753.21
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	81.12%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	21828.32
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	12.58%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	21828.32
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	5159162.55
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	17860.70
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	32652.43
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.58
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.57
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.15
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	1343.00
RBA 05 COHO DENSITY	0.38
RBA 05 ZERO+ COUNT	105.00
RBA 05 ZERO+ DENSITY	0.04
RBA 05 STEELHEAD COUNT	37.00
RBA 05 STEELHEAD DENSITY	0.01

RBA 05 CUTTHROAT COUNT	60.00
RBA 05 CUTTHROAT DENSITY	0.02
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.02
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	3.00
RBA 06 BEAVER DAMS	2.00
RBA 06 COHO COUNT	3357.00
RBA 06 COHO DENSITY	1.77
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.02
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	31.00
RBA 06 CUTTHROAT DENSITY	0.03
RBA 06 STEELHEAD COUNT	33.00
RBA 06 STEELHEAD DENSITY	0.01
AVERAGE RBA COHO COUNT	2350.00
AVERAGE RBA COHO DENSITY	1.07
AVERAGE RBA ZERO+ COUNT	107.50
AVERAGE RBA ZERO+ DENSITY	0.03
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	45.50
AVERAGE RBA CUTTHROAT DENSITY	0.02
AVERAGE RBA STEELHEAD COUNT	35.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	40506.17
%NHD STREAM LENGTH WITH AQI DATA	97.14%
NEEDS AQI DATA?	N
AQI LENGTH TO SURVEY (FT)	0.00
% UNDERCUT BANK	4.85%
% ACTIVE_EROSION	10.79%
% SHADE	74.07%
% SILTS & ORGANICS	13.27%
% SAND	12.47%

% GRAVELS	19.64%
% COBBLES	26.93%
% BOULDERS	9.45%
% BEDROCK	18.25%
% POOL AREA	41.27%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	25.56%
% SAFN IN RIFFLES	19.99%
NUMBER OF BOULDERS/100M	26.24
NUMBER OF PIECES OF LWD/100M	11.00
NUMBER OF KEY PIECES OF LWD/100M	0.42
WOOD VOLUME/100M	12.94
% PUBLIC OWNERSHIP	90.80%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	9.05%
% PUBLIC FORESTRY	90.86%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	62.88%
% LARGE CONIFER	13.66%
% HARDWOOD	0.92%
% MIXED HARDWOOD/CONIFER	12.97%
% OPEN (10% < COVER < 40%)	6.32%
% BARE LAND (<10% COVER)	3.25%
% 100FT STREAM BUFFER CONIFER	49.56%
% 100FT STREAM BUFFER LARGE CONIFER	18.08%
% 100FT STREAM BUFFER HARDWOOD	1.52%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	25.37%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	5.47%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	MOORE_BEN_SMITH
PRIOR_ID	15
CLAMS MODELED STREAM LENGTH (FT)	100336.10
TOTAL STREAM LENGTH (FT)	431051.12
WATERSHED AREA (ACRES)	5950.00
TOTAL ROAD LENGTH (FT)	125491.02
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.29
RIPARIAN ROAD DENSITY	0.75
NUMBER OF ROAD CROSSINGS	110.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	0.83%
% WATERSHED AREA HARVESTED 1972-2007	1.95%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	134389.38
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	31.18%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	4787.24
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	1.11%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	13907.39
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	12473329.20
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	39520.86
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	18196.71
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	12851.42
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.37
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.55
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.41
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	1630.00
RBA 05 COHO DENSITY	0.47
RBA 05 ZERO+ COUNT	1514.00
RBA 05 ZERO+ DENSITY	0.34
RBA 05 STEELHEAD COUNT	325.00
RBA 05 STEELHEAD DENSITY	0.02

RBA 05 CUTTHROAT COUNT	136.00
RBA 05 CUTTHROAT DENSITY	0.13
RBA 05 CHINOOK COUNT	39.00
RBA 05 CHINOOK DENSITY	0.13
RBA 06 KNOTWEED SITINGS	2.00
RBA 06 LANDSLIDES	2.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	1304.00
RBA 06 COHO DENSITY	1.14
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.34
RBA 06 CHINOOK COUNT	194.00
RBA 06 CHINOOK DENSITY	0.01
RBA 06 CUTTHROAT COUNT	90.00
RBA 06 CUTTHROAT DENSITY	0.09
RBA 06 STEELHEAD COUNT	176.00
RBA 06 STEELHEAD DENSITY	0.04
AVERAGE RBA COHO COUNT	1467.00
AVERAGE RBA COHO DENSITY	0.80
AVERAGE RBA ZERO+ COUNT	981.50
AVERAGE RBA ZERO+ DENSITY	0.34
AVERAGE RBA CHINOOK COUNT	116.50
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	113.00
AVERAGE RBA CUTTHROAT DENSITY	0.11
AVERAGE RBA STEELHEAD COUNT	250.50
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	9200.48
%NHD STREAM LENGTH WITH AQI DATA	20.27%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	36190.44
% UNDERCUT BANK	3.94%
% ACTIVE_EROSION	0.51%
% SHADE	93.28%
% SILTS & ORGANICS	3.12%
% SAND	15.18%

% GRAVELS	34.80%
% COBBLES	24.74%
% BOULDERS	19.04%
% BEDROCK	3.12%
% POOL AREA	13.40%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	38.97%
% SAFN IN RIFFLES	19.89%
NUMBER OF BOULDERS/100M	65.97
NUMBER OF PIECES OF LWD/100M	35.00
NUMBER OF KEY PIECES OF LWD/100M	0.78
WOOD VOLUME/100M	39.57
% PUBLIC OWNERSHIP	88.80%
% PRIVATE NON-INDUSTRIAL	2.45%
% PRIVATE FORESTRY	8.71%
% PUBLIC FORESTRY	88.84%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	2.29%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.16%
% CONIFER	40.73%
% LARGE CONIFER	5.59%
% HARDWOOD	6.80%
% MIXED HARDWOOD/CONIFER	35.59%
% OPEN (10% < COVER < 40%)	1.53%
% BARE LAND (<10% COVER)	9.76%
% 100FT STREAM BUFFER CONIFER	33.25%
% 100FT STREAM BUFFER LARGE CONIFER	4.24%
% 100FT STREAM BUFFER HARDWOOD	12.73%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	48.15%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	1.63%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	LOWER_NORTH_FORK_WILSON
PRIOR_ID	16
CLAMS MODELED STREAM LENGTH (FT)	44182.66
TOTAL STREAM LENGTH (FT)	215990.98
WATERSHED AREA (ACRES)	2834.92
TOTAL ROAD LENGTH (FT)	73156.13
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.34
RIPARIAN ROAD DENSITY	0.57
NUMBER OF ROAD CROSSINGS	52.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	3.96%
% WATERSHED AREA HARVESTED 1972-2007	7.24%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	61825.94
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	28.62%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	8064181.35
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	19705.74
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	3771.68
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.29
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.54
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.42
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	177.00
RBA 05 COHO DENSITY	0.14
RBA 05 ZERO+ COUNT	345.00
RBA 05 ZERO+ DENSITY	0.29
RBA 05 STEELHEAD COUNT	29.00
RBA 05 STEELHEAD DENSITY	0.03

RBA 05 CUTTHROAT COUNT	47.00
RBA 05 CUTTHROAT DENSITY	0.09
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.09
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	359.00
RBA 06 COHO DENSITY	0.87
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.54
RBA 06 CHINOOK COUNT	5.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	44.00
RBA 06 CUTTHROAT DENSITY	0.27
RBA 06 STEELHEAD COUNT	68.00
RBA 06 STEELHEAD DENSITY	0.12
AVERAGE RBA COHO COUNT	268.00
AVERAGE RBA COHO DENSITY	0.51
AVERAGE RBA ZERO+ COUNT	297.50
AVERAGE RBA ZERO+ DENSITY	0.41
AVERAGE RBA CHINOOK COUNT	2.50
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	45.50
AVERAGE RBA CUTTHROAT DENSITY	0.18
AVERAGE RBA STEELHEAD COUNT	48.50
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	0.00
%NHD STREAM LENGTH WITH AQI DATA	0.00%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	28347.68
% UNDERCUT BANK	NA
% ACTIVE_EROSION	NA
% SHADE	NA
% SILTS & ORGANICS	NA
% SAND	NA

% GRAVELS	NA
% COBBLES	NA
% BOULDERS	NA
% BEDROCK	NA
% POOL AREA	NA
NUMBER OF DEEP POOLS (>1M)/100M	NA
% GRAVEL IN RIFFLES	NA
% SAFN IN RIFFLES	NA
NUMBER OF BOULDERS/100M	NA
NUMBER OF PIECES OF LWD/100M	NA
NUMBER OF KEY PIECES OF LWD/100M	NA
WOOD VOLUME/100M	NA
% PUBLIC OWNERSHIP	92.10%
% PRIVATE NON-INDUSTRIAL	3.30%
% PRIVATE FORESTRY	4.59%
% PUBLIC FORESTRY	91.81%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	3.59%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	47.03%
% LARGE CONIFER	2.96%
% HARDWOOD	7.34%
% MIXED HARDWOOD/CONIFER	35.88%
% OPEN (10% < COVER < 40%)	0.88%
% BARE LAND (<10% COVER)	5.91%
% 100FT STREAM BUFFER CONIFER	35.96%
% 100FT STREAM BUFFER LARGE CONIFER	2.45%
% 100FT STREAM BUFFER HARDWOOD	10.85%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	49.77%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.97%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	UPPER_CEDAR
PRIOR_ID	17
CLAMS MODELED STREAM LENGTH (FT)	43305.07
TOTAL STREAM LENGTH (FT)	242994.44
WATERSHED AREA (ACRES)	3167.37
TOTAL ROAD LENGTH (FT)	113600.97
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.47
RIPARIAN ROAD DENSITY	0.60
NUMBER OF ROAD CROSSINGS	86.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	3.01%
% WATERSHED AREA HARVESTED 1972-2007	3.73%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	64102.23
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	26.38%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	711675.33
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	13244.06
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	5131.38
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.22
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.48
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.15
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	132.00
RBA 05 COHO DENSITY	0.15
RBA 05 ZERO+ COUNT	285.00
RBA 05 ZERO+ DENSITY	0.34
RBA 05 STEELHEAD COUNT	30.00
RBA 05 STEELHEAD DENSITY	0.05

RBA 05 CUTTHROAT COUNT	54.00
RBA 05 CUTTHROAT DENSITY	0.08
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.08
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	3.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	1025.00
RBA 06 COHO DENSITY	1.12
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.29
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	24.00
RBA 06 CUTTHROAT DENSITY	0.02
RBA 06 STEELHEAD COUNT	69.00
RBA 06 STEELHEAD DENSITY	0.09
AVERAGE RBA COHO COUNT	578.50
AVERAGE RBA COHO DENSITY	0.63
AVERAGE RBA ZERO+ COUNT	253.00
AVERAGE RBA ZERO+ DENSITY	0.31
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	39.00
AVERAGE RBA CUTTHROAT DENSITY	0.05
AVERAGE RBA STEELHEAD COUNT	49.50
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	16732.22
%NHD STREAM LENGTH WITH AQI DATA	100.00%
NEEDS AQI DATA?	N
AQI LENGTH TO SURVEY (FT)	0.00
% UNDERCUT BANK	7.08%
% ACTIVE_EROSION	11.08%
% SHADE	87.45%
% SILTS & ORGANICS	3.80%
% SAND	7.28%

% GRAVELS	34.02%
% COBBLES	26.81%
% BOULDERS	20.96%
% BEDROCK	7.13%
% POOL AREA	13.76%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	40.96%
% SAFN IN RIFFLES	6.95%
NUMBER OF BOULDERS/100M	61.29
NUMBER OF PIECES OF LWD/100M	52.00
NUMBER OF KEY PIECES OF LWD/100M	1.67
WOOD VOLUME/100M	66.38
% PUBLIC OWNERSHIP	100.00%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	0.00%
% PUBLIC FORESTRY	100.00%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	45.81%
% LARGE CONIFER	2.48%
% HARDWOOD	4.58%
% MIXED HARDWOOD/CONIFER	42.17%
% OPEN (10% < COVER < 40%)	0.34%
% BARE LAND (<10% COVER)	4.62%
% 100FT STREAM BUFFER CONIFER	29.43%
% 100FT STREAM BUFFER LARGE CONIFER	3.20%
% 100FT STREAM BUFFER HARDWOOD	8.85%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	57.78%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.74%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	LOWER_CEDAR
PRIOR_ID	18
CLAMS MODELED STREAM LENGTH (FT)	47225.99
TOTAL STREAM LENGTH (FT)	230056.26
WATERSHED AREA (ACRES)	2869.15
TOTAL ROAD LENGTH (FT)	115320.59
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.50
RIPARIAN ROAD DENSITY	0.59
NUMBER OF ROAD CROSSINGS	82.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	5.42%
% WATERSHED AREA HARVESTED 1972-2007	6.84%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	62245.46
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	27.06%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	6191331.30
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	23895.75
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	3410.60
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.32
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.60
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.26
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	460.00
RBA 05 COHO DENSITY	0.11
RBA 05 ZERO+ COUNT	395.00
RBA 05 ZERO+ DENSITY	0.22
RBA 05 STEELHEAD COUNT	47.00
RBA 05 STEELHEAD DENSITY	0.03

RBA 05 CUTTHROAT COUNT	99.00
RBA 05 CUTTHROAT DENSITY	0.10
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.10
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	3.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	2522.00
RBA 06 COHO DENSITY	1.12
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.62
RBA 06 CHINOOK COUNT	3.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	97.00
RBA 06 CUTTHROAT DENSITY	0.18
RBA 06 STEELHEAD COUNT	196.00
RBA 06 STEELHEAD DENSITY	0.10
AVERAGE RBA COHO COUNT	1491.00
AVERAGE RBA COHO DENSITY	0.62
AVERAGE RBA ZERO+ COUNT	615.50
AVERAGE RBA ZERO+ DENSITY	0.42
AVERAGE RBA CHINOOK COUNT	1.50
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	98.00
AVERAGE RBA CUTTHROAT DENSITY	0.14
AVERAGE RBA STEELHEAD COUNT	121.50
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	15185.16
%NHD STREAM LENGTH WITH AQI DATA	68.51%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	6979.35
% UNDERCUT BANK	4.76%
% ACTIVE_EROSION	59.54%
% SHADE	63.05%
% SILTS & ORGANICS	6.79%
% SAND	14.42%

% GRAVELS	23.81%
% COBBLES	25.27%
% BOULDERS	19.60%
% BEDROCK	10.13%
% POOL AREA	20.86%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	25.22%
% SAFN IN RIFFLES	20.37%
NUMBER OF BOULDERS/100M	18.06
NUMBER OF PIECES OF LWD/100M	11.00
NUMBER OF KEY PIECES OF LWD/100M	0.11
WOOD VOLUME/100M	9.61
% PUBLIC OWNERSHIP	100.00%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	0.00%
% PUBLIC FORESTRY	100.00%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	50.44%
% LARGE CONIFER	3.03%
% HARDWOOD	6.92%
% MIXED HARDWOOD/CONIFER	37.45%
% OPEN (10% < COVER < 40%)	0.52%
% BARE LAND (<10% COVER)	1.65%
% 100FT STREAM BUFFER CONIFER	37.26%
% 100FT STREAM BUFFER LARGE CONIFER	2.84%
% 100FT STREAM BUFFER HARDWOOD	11.72%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	47.52%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.66%

METRIC NAME	DATA
5TH FIELD WATERSHED	KILCHIS RIVER
7TH FIELD WATERSHED	MIDDLE_MAINSTEM_KILCHIS
PRIOR_ID	19
CLAMS MODELED STREAM LENGTH (FT)	62882.14
TOTAL STREAM LENGTH (FT)	311775.45
WATERSHED AREA (ACRES)	4440.58
TOTAL ROAD LENGTH (FT)	65404.61
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.21
RIPARIAN ROAD DENSITY	0.73
NUMBER OF ROAD CROSSINGS	51.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	1.35%
% WATERSHED AREA HARVESTED 1972-2007	2.75%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	65607.88
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	21.04%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	388.38
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.12%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	388.38
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	9284288.40
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	23575.93
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	6232.84
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	2790.28
CHUM HIGH INTRINSIC POTENTIAL (FT)	14749.57
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	1186.86
AVERAGE COHO INTRINSIC POTENTIAL	0.30
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.50
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.44
AVERAGE CHUM INTRINSIC POTENTIAL	0.73
RBA 05 COHO COUNT	1253.00
RBA 05 COHO DENSITY	0.07
RBA 05 ZERO+ COUNT	1227.00
RBA 05 ZERO+ DENSITY	0.18
RBA 05 STEELHEAD COUNT	229.00
RBA 05 STEELHEAD DENSITY	0.02

RBA 05 CUTTHROAT COUNT	91.00
RBA 05 CUTTHROAT DENSITY	0.13
RBA 05 CHINOOK COUNT	208.00
RBA 05 CHINOOK DENSITY	0.13
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	1.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	642.00
RBA 06 COHO DENSITY	0.63
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.45
RBA 06 CHINOOK COUNT	87.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	54.00
RBA 06 CUTTHROAT DENSITY	0.12
RBA 06 STEELHEAD COUNT	113.00
RBA 06 STEELHEAD DENSITY	0.05
AVERAGE RBA COHO COUNT	947.50
AVERAGE RBA COHO DENSITY	0.35
AVERAGE RBA ZERO+ COUNT	760.50
AVERAGE RBA ZERO+ DENSITY	0.31
AVERAGE RBA CHINOOK COUNT	147.50
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	72.50
AVERAGE RBA CUTTHROAT DENSITY	0.13
AVERAGE RBA STEELHEAD COUNT	171.00
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	15114.45
%NHD STREAM LENGTH WITH AQI DATA	54.03%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	12861.25
% UNDERCUT BANK	0.37%
% ACTIVE_EROSION	0.00%
% SHADE	75.55%
% SILTS & ORGANICS	2.25%
% SAND	10.93%

% GRAVELS	27.80%
% COBBLES	27.70%
% BOULDERS	9.11%
% BEDROCK	22.21%
% POOL AREA	39.46%
NUMBER OF DEEP POOLS (>1M)/100M	0.01
% GRAVEL IN RIFFLES	35.62%
% SAFN IN RIFFLES	8.35%
NUMBER OF BOULDERS/100M	14.87
NUMBER OF PIECES OF LWD/100M	3.00
NUMBER OF KEY PIECES OF LWD/100M	0.09
WOOD VOLUME/100M	4.63
% PUBLIC OWNERSHIP	100.00%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	0.00%
% PUBLIC FORESTRY	100.00%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	12.65%
% LARGE CONIFER	4.66%
% HARDWOOD	16.15%
% MIXED HARDWOOD/CONIFER	61.28%
% OPEN (10% < COVER < 40%)	3.44%
% BARE LAND (<10% COVER)	1.83%
% 100FT STREAM BUFFER CONIFER	4.60%
% 100FT STREAM BUFFER LARGE CONIFER	4.24%
% 100FT STREAM BUFFER HARDWOOD	24.57%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	61.42%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	5.18%

METRIC NAME	DATA
5TH FIELD WATERSHED	KILCHIS RIVER
7TH FIELD WATERSHED	COMPANY
PRIOR_ID	20
CLAMS MODELED STREAM LENGTH (FT)	39851.20
TOTAL STREAM LENGTH (FT)	213999.36
WATERSHED AREA (ACRES)	2837.87
TOTAL ROAD LENGTH (FT)	48409.40
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.23
RIPARIAN ROAD DENSITY	0.44
NUMBER OF ROAD CROSSINGS	63.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	0.00%
% WATERSHED AREA HARVESTED 1972-2007	0.00%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	27754.79
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	12.97%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	1010.88
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.47%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	1010.88
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	6109660.80
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	26046.71
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	1787.35
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	40.86
AVERAGE COHO INTRINSIC POTENTIAL	0.40
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.69
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.25
AVERAGE CHUM INTRINSIC POTENTIAL	0.72
RBA 05 COHO COUNT	454.00
RBA 05 COHO DENSITY	0.28
RBA 05 ZERO+ COUNT	419.00
RBA 05 ZERO+ DENSITY	0.14
RBA 05 STEELHEAD COUNT	93.00
RBA 05 STEELHEAD DENSITY	0.03

RBA 05 CUTTHROAT COUNT	51.00
RBA 05 CUTTHROAT DENSITY	0.05
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.05
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	4.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	908.00
RBA 06 COHO DENSITY	1.43
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.30
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	36.00
RBA 06 CUTTHROAT DENSITY	0.08
RBA 06 STEELHEAD COUNT	119.00
RBA 06 STEELHEAD DENSITY	0.09
AVERAGE RBA COHO COUNT	681.00
AVERAGE RBA COHO DENSITY	0.85
AVERAGE RBA ZERO+ COUNT	268.50
AVERAGE RBA ZERO+ DENSITY	0.22
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	43.50
AVERAGE RBA CUTTHROAT DENSITY	0.07
AVERAGE RBA STEELHEAD COUNT	106.00
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	17312.63
%NHD STREAM LENGTH WITH AQI DATA	70.51%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	7240.48
% UNDERCUT BANK	3.70%
% ACTIVE_EROSION	25.31%
% SHADE	90.37%
% SILTS & ORGANICS	3.65%
% SAND	12.84%

% GRAVELS	23.66%
% COBBLES	32.09%
% BOULDERS	19.61%
% BEDROCK	8.16%
% POOL AREA	23.25%
NUMBER OF DEEP POOLS (>1M)/100M	0.01
% GRAVEL IN RIFFLES	28.64%
% SAFN IN RIFFLES	12.15%
NUMBER OF BOULDERS/100M	37.01
NUMBER OF PIECES OF LWD/100M	11.00
NUMBER OF KEY PIECES OF LWD/100M	0.23
WOOD VOLUME/100M	16.57
% PUBLIC OWNERSHIP	100.00%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	0.00%
% PUBLIC FORESTRY	100.00%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	14.83%
% LARGE CONIFER	4.69%
% HARDWOOD	11.17%
% MIXED HARDWOOD/CONIFER	64.32%
% OPEN (10% < COVER < 40%)	2.26%
% BARE LAND (<10% COVER)	2.72%
% 100FT STREAM BUFFER CONIFER	5.45%
% 100FT STREAM BUFFER LARGE CONIFER	4.13%
% 100FT STREAM BUFFER HARDWOOD	15.41%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	70.91%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	4.10%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	UPPER_DEVILS_LAKE_FORK_WILSON
PRIOR_ID	21
CLAMS MODELED STREAM LENGTH (FT)	56166.68
TOTAL STREAM LENGTH (FT)	122158.88
WATERSHED AREA (ACRES)	3138.60
TOTAL ROAD LENGTH (FT)	70263.37
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.58
RIPARIAN ROAD DENSITY	0.63
NUMBER OF ROAD CROSSINGS	36.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	40.58%
% WATERSHED AREA HARVESTED 1972-2007	50.15%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	113871.84
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	93.22%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	20674.25
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	16.92%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	20674.25
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	598817.45
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	1748.92
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	22042.90
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.54
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.40
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.13
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	0.00
RBA 05 COHO DENSITY	0.00
RBA 05 ZERO+ COUNT	4.00
RBA 05 ZERO+ DENSITY	0.03
RBA 05 STEELHEAD COUNT	0.00
RBA 05 STEELHEAD DENSITY	0.00

RBA 05 CUTTHROAT COUNT	9.00
RBA 05 CUTTHROAT DENSITY	0.02
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.02
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	0.00
RBA 06 COHO DENSITY	0.00
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.00
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	0.00
RBA 06 CUTTHROAT DENSITY	0.00
RBA 06 STEELHEAD COUNT	0.00
RBA 06 STEELHEAD DENSITY	0.00
AVERAGE RBA COHO COUNT	0.00
AVERAGE RBA COHO DENSITY	0.00
AVERAGE RBA ZERO+ COUNT	2.00
AVERAGE RBA ZERO+ DENSITY	0.02
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	4.50
AVERAGE RBA CUTTHROAT DENSITY	0.01
AVERAGE RBA STEELHEAD COUNT	0.00
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	583.86
%NHD STREAM LENGTH WITH AQI DATA	2.23%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	25600.36
% UNDERCUT BANK	0.00%
% ACTIVE_EROSION	0.00%
% SHADE	56.73%
% SILTS & ORGANICS	11.84%
% SAND	8.00%

% GRAVELS	24.63%
% COBBLES	16.12%
% BOULDERS	1.20%
% BEDROCK	38.22%
% POOL AREA	46.41%
NUMBER OF DEEP POOLS (>1M)/100M	0.01
% GRAVEL IN RIFFLES	8.09%
% SAFN IN RIFFLES	3.28%
NUMBER OF BOULDERS/100M	2.81
NUMBER OF PIECES OF LWD/100M	0.00
NUMBER OF KEY PIECES OF LWD/100M	0.00
WOOD VOLUME/100M	0.00
% PUBLIC OWNERSHIP	14.70%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	84.70%
% PUBLIC FORESTRY	14.71%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	72.03%
% LARGE CONIFER	16.90%
% HARDWOOD	0.22%
% MIXED HARDWOOD/CONIFER	3.00%
% OPEN (10% < COVER < 40%)	5.69%
% BARE LAND (<10% COVER)	2.15%
% 100FT STREAM BUFFER CONIFER	67.82%
% 100FT STREAM BUFFER LARGE CONIFER	20.51%
% 100FT STREAM BUFFER HARDWOOD	0.56%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	6.91%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	4.20%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	JONES_RUNYON
PRIOR_ID	22
CLAMS MODELED STREAM LENGTH (FT)	51431.84
TOTAL STREAM LENGTH (FT)	188529.14
WATERSHED AREA (ACRES)	2378.56
TOTAL ROAD LENGTH (FT)	76832.08
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.41
RIPARIAN ROAD DENSITY	0.59
NUMBER OF ROAD CROSSINGS	59.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	11.75%
% WATERSHED AREA HARVESTED 1972-2007	11.56%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	78944.72
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	41.87%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	1521.49
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.81%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	3978.88
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	7783403.79
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	15731.16
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	5454.93
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	11212.07
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.34
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.47
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.45
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	88.00
RBA 05 COHO DENSITY	0.30
RBA 05 ZERO+ COUNT	335.00
RBA 05 ZERO+ DENSITY	0.25
RBA 05 STEELHEAD COUNT	53.00
RBA 05 STEELHEAD DENSITY	0.04

RBA 05 CUTTHROAT COUNT	23.00
RBA 05 CUTTHROAT DENSITY	0.06
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.06
RBA 06 KNOTWEED SITINGS	1.00
RBA 06 LANDSLIDES	1.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	694.00
RBA 06 COHO DENSITY	1.02
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.15
RBA 06 CHINOOK COUNT	459.00
RBA 06 CHINOOK DENSITY	0.05
RBA 06 CUTTHROAT COUNT	59.00
RBA 06 CUTTHROAT DENSITY	0.03
RBA 06 STEELHEAD COUNT	157.00
RBA 06 STEELHEAD DENSITY	0.06
AVERAGE RBA COHO COUNT	391.00
AVERAGE RBA COHO DENSITY	0.66
AVERAGE RBA ZERO+ COUNT	239.50
AVERAGE RBA ZERO+ DENSITY	0.20
AVERAGE RBA CHINOOK COUNT	229.50
AVERAGE RBA CHINOOK DENSITY	0.02
AVERAGE RBA CUTTHROAT COUNT	41.00
AVERAGE RBA CUTTHROAT DENSITY	0.05
AVERAGE RBA STEELHEAD COUNT	105.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	7187.11
%NHD STREAM LENGTH WITH AQI DATA	27.52%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	18932.01
% UNDERCUT BANK	9.58%
% ACTIVE_EROSION	2.09%
% SHADE	95.80%
% SILTS & ORGANICS	4.79%
% SAND	5.40%

% GRAVELS	41.79%
% COBBLES	33.13%
% BOULDERS	12.27%
% BEDROCK	2.63%
% POOL AREA	19.76%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	41.76%
% SAFN IN RIFFLES	13.82%
NUMBER OF BOULDERS/100M	39.90
NUMBER OF PIECES OF LWD/100M	31.00
NUMBER OF KEY PIECES OF LWD/100M	0.64
WOOD VOLUME/100M	29.30
% PUBLIC OWNERSHIP	76.20%
% PRIVATE NON-INDUSTRIAL	0.20%
% PRIVATE FORESTRY	21.44%
% PUBLIC FORESTRY	76.15%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	2.16%
% OTHER LAND USE	0.00%
% CONIFER	38.04%
% LARGE CONIFER	3.20%
% HARDWOOD	10.34%
% MIXED HARDWOOD/CONIFER	43.17%
% OPEN (10% < COVER < 40%)	1.76%
% BARE LAND (<10% COVER)	3.49%
% 100FT STREAM BUFFER CONIFER	28.97%
% 100FT STREAM BUFFER LARGE CONIFER	3.34%
% 100FT STREAM BUFFER HARDWOOD	14.21%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	51.04%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	2.43%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	UPPER_SOUTH_FORK_WILSON
PRIOR_ID	23
CLAMS MODELED STREAM LENGTH (FT)	112829.67
TOTAL STREAM LENGTH (FT)	332112.62
WATERSHED AREA (ACRES)	6515.29
TOTAL ROAD LENGTH (FT)	164749.84
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.50
RIPARIAN ROAD DENSITY	0.68
NUMBER OF ROAD CROSSINGS	97.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	4.69%
% WATERSHED AREA HARVESTED 1972-2007	9.92%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	205931.74
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	62.01%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	2227811.61
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	31578.22
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	14710.01
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.24
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.46
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.16
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	253.00
RBA 05 COHO DENSITY	0.27
RBA 05 ZERO+ COUNT	174.00
RBA 05 ZERO+ DENSITY	0.11
RBA 05 STEELHEAD COUNT	69.00
RBA 05 STEELHEAD DENSITY	0.06

RBA 05 CUTTHROAT COUNT	39.00
RBA 05 CUTTHROAT DENSITY	0.07
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.07
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	2.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	161.00
RBA 06 COHO DENSITY	0.88
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.30
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	34.00
RBA 06 CUTTHROAT DENSITY	0.15
RBA 06 STEELHEAD COUNT	10.00
RBA 06 STEELHEAD DENSITY	0.01
AVERAGE RBA COHO COUNT	207.00
AVERAGE RBA COHO DENSITY	0.57
AVERAGE RBA ZERO+ COUNT	131.00
AVERAGE RBA ZERO+ DENSITY	0.20
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	36.50
AVERAGE RBA CUTTHROAT DENSITY	0.11
AVERAGE RBA STEELHEAD COUNT	39.50
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	23487.05
%NHD STREAM LENGTH WITH AQI DATA	41.17%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	33564.92
% UNDERCUT BANK	4.03%
% ACTIVE_EROSION	14.35%
% SHADE	88.77%
% SILTS & ORGANICS	8.43%
% SAND	7.63%

% GRAVELS	18.97%
% COBBLES	31.62%
% BOULDERS	27.94%
% BEDROCK	5.41%
% POOL AREA	11.77%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	26.98%
% SAFN IN RIFFLES	16.74%
NUMBER OF BOULDERS/100M	32.66
NUMBER OF PIECES OF LWD/100M	27.00
NUMBER OF KEY PIECES OF LWD/100M	6.96
WOOD VOLUME/100M	162.95
% PUBLIC OWNERSHIP	98.70%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	1.32%
% PUBLIC FORESTRY	98.66%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	71.79%
% LARGE CONIFER	7.16%
% HARDWOOD	0.99%
% MIXED HARDWOOD/CONIFER	18.81%
% OPEN (10% < COVER < 40%)	0.11%
% BARE LAND (<10% COVER)	1.15%
% 100FT STREAM BUFFER CONIFER	53.23%
% 100FT STREAM BUFFER LARGE CONIFER	7.92%
% 100FT STREAM BUFFER HARDWOOD	2.65%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	35.94%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.26%

METRIC NAME	DATA
5TH FIELD WATERSHED	KILCHIS RIVER
7TH FIELD WATERSHED	FITCH
PRIOR_ID	24
CLAMS MODELED STREAM LENGTH (FT)	47854.82
TOTAL STREAM LENGTH (FT)	281722.88
WATERSHED AREA (ACRES)	3746.42
TOTAL ROAD LENGTH (FT)	39748.81
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.14
RIPARIAN ROAD DENSITY	0.00
NUMBER OF ROAD CROSSINGS	27.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	0.00%
% WATERSHED AREA HARVESTED 1972-2007	0.54%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	50394.23
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	17.89%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	1808897.60
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	26264.72
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	5241.03
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.26
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.64
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.16
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	7.00
RBA 05 COHO DENSITY	0.01
RBA 05 ZERO+ COUNT	47.00
RBA 05 ZERO+ DENSITY	0.23
RBA 05 STEELHEAD COUNT	4.00
RBA 05 STEELHEAD DENSITY	0.01

RBA 05 CUTTHROAT COUNT	6.00
RBA 05 CUTTHROAT DENSITY	0.06
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.06
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	0.00
RBA 06 COHO DENSITY	0.00
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.00
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	0.00
RBA 06 CUTTHROAT DENSITY	0.00
RBA 06 STEELHEAD COUNT	0.00
RBA 06 STEELHEAD DENSITY	0.00
AVERAGE RBA COHO COUNT	3.50
AVERAGE RBA COHO DENSITY	0.00
AVERAGE RBA ZERO+ COUNT	23.50
AVERAGE RBA ZERO+ DENSITY	0.11
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	3.00
AVERAGE RBA CUTTHROAT DENSITY	0.03
AVERAGE RBA STEELHEAD COUNT	2.00
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	16601.41
%NHD STREAM LENGTH WITH AQI DATA	89.24%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	2001.91
% UNDERCUT BANK	3.11%
% ACTIVE_EROSION	30.14%
% SHADE	96.36%
% SILTS & ORGANICS	2.96%
% SAND	10.14%

% GRAVELS	18.20%
% COBBLES	25.88%
% BOULDERS	27.79%
% BEDROCK	15.04%
% POOL AREA	18.39%
NUMBER OF DEEP POOLS (>1M)/100M	0.01
% GRAVEL IN RIFFLES	20.00%
% SAFN IN RIFFLES	10.00%
NUMBER OF BOULDERS/100M	51.64
NUMBER OF PIECES OF LWD/100M	37.00
NUMBER OF KEY PIECES OF LWD/100M	1.44
WOOD VOLUME/100M	59.68
% PUBLIC OWNERSHIP	100.00%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	0.00%
% PUBLIC FORESTRY	100.00%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	25.80%
% LARGE CONIFER	6.87%
% HARDWOOD	8.18%
% MIXED HARDWOOD/CONIFER	47.62%
% OPEN (10% < COVER < 40%)	0.71%
% BARE LAND (<10% COVER)	10.82%
% 100FT STREAM BUFFER CONIFER	14.31%
% 100FT STREAM BUFFER LARGE CONIFER	5.44%
% 100FT STREAM BUFFER HARDWOOD	13.27%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	65.15%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	1.83%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	LOWER_SOUTH_FORK_WILSON
PRIOR_ID	25
CLAMS MODELED STREAM LENGTH (FT)	68344.35
TOTAL STREAM LENGTH (FT)	230859.23
WATERSHED AREA (ACRES)	3688.41
TOTAL ROAD LENGTH (FT)	71528.93
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.31
RIPARIAN ROAD DENSITY	0.57
NUMBER OF ROAD CROSSINGS	55.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	1.92%
% WATERSHED AREA HARVESTED 1972-2007	4.68%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	91849.13
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	39.79%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	5689209.70
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	23773.83
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	6536.13
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.27
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.46
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.27
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	1731.00
RBA 05 COHO DENSITY	0.45
RBA 05 ZERO+ COUNT	836.00
RBA 05 ZERO+ DENSITY	0.28
RBA 05 STEELHEAD COUNT	231.00
RBA 05 STEELHEAD DENSITY	0.07

RBA 05 CUTTHROAT COUNT	46.00
RBA 05 CUTTHROAT DENSITY	0.03
RBA 05 CHINOOK COUNT	1.00
RBA 05 CHINOOK DENSITY	0.03
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	1.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	3019.00
RBA 06 COHO DENSITY	1.35
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.57
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	91.00
RBA 06 CUTTHROAT DENSITY	0.09
RBA 06 STEELHEAD COUNT	236.00
RBA 06 STEELHEAD DENSITY	0.07
AVERAGE RBA COHO COUNT	2375.00
AVERAGE RBA COHO DENSITY	0.90
AVERAGE RBA ZERO+ COUNT	690.50
AVERAGE RBA ZERO+ DENSITY	0.43
AVERAGE RBA CHINOOK COUNT	0.50
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	68.50
AVERAGE RBA CUTTHROAT DENSITY	0.06
AVERAGE RBA STEELHEAD COUNT	233.50
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	32402.25
%NHD STREAM LENGTH WITH AQI DATA	99.98%
NEEDS AQI DATA?	N
AQI LENGTH TO SURVEY (FT)	0.00
% UNDERCUT BANK	1.46%
% ACTIVE_EROSION	52.98%
% SHADE	83.68%
% SILTS & ORGANICS	10.17%
% SAND	3.22%

% GRAVELS	26.07%
% COBBLES	32.38%
% BOULDERS	22.07%
% BEDROCK	6.09%
% POOL AREA	29.89%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	23.51%
% SAFN IN RIFFLES	10.26%
NUMBER OF BOULDERS/100M	41.30
NUMBER OF PIECES OF LWD/100M	14.00
NUMBER OF KEY PIECES OF LWD/100M	1.79
WOOD VOLUME/100M	35.52
% PUBLIC OWNERSHIP	100.00%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	0.00%
% PUBLIC FORESTRY	100.00%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	50.70%
% LARGE CONIFER	3.57%
% HARDWOOD	2.36%
% MIXED HARDWOOD/CONIFER	39.79%
% OPEN (10% < COVER < 40%)	0.23%
% BARE LAND (<10% COVER)	3.34%
% 100FT STREAM BUFFER CONIFER	35.06%
% 100FT STREAM BUFFER LARGE CONIFER	2.00%
% 100FT STREAM BUFFER HARDWOOD	5.33%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	57.31%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.30%

METRIC NAME	DATA
5TH FIELD WATERSHED	KILCHIS RIVER
7TH FIELD WATERSHED	LOWER_TO_MIDDLE_MAINSTEM_KILCHIS
PRIOR_ID	26
CLAMS MODELED STREAM LENGTH (FT)	50394.45
TOTAL STREAM LENGTH (FT)	264819.68
WATERSHED AREA (ACRES)	3845.25
TOTAL ROAD LENGTH (FT)	101404.31
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.38
RIPARIAN ROAD DENSITY	0.62
NUMBER OF ROAD CROSSINGS	59.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	9.00%
% WATERSHED AREA HARVESTED 1972-2007	10.16%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	46974.72
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	17.74%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	21.41
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.01%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	21.41
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	12448920.45
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	25014.77
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	2522.84
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	17365.37
CHUM HIGH INTRINSIC POTENTIAL (FT)	23987.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.37
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.55
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.51
AVERAGE CHUM INTRINSIC POTENTIAL	0.79
RBA 05 COHO COUNT	966.00
RBA 05 COHO DENSITY	0.07
RBA 05 ZERO+ COUNT	1351.00
RBA 05 ZERO+ DENSITY	0.23
RBA 05 STEELHEAD COUNT	404.00
RBA 05 STEELHEAD DENSITY	0.03

RBA 05 CUTTHROAT COUNT	77.00
RBA 05 CUTTHROAT DENSITY	0.09
RBA 05 CHINOOK COUNT	410.00
RBA 05 CHINOOK DENSITY	0.09
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	399.00
RBA 06 COHO DENSITY	0.34
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.44
RBA 06 CHINOOK COUNT	257.00
RBA 06 CHINOOK DENSITY	0.01
RBA 06 CUTTHROAT COUNT	40.00
RBA 06 CUTTHROAT DENSITY	0.13
RBA 06 STEELHEAD COUNT	97.00
RBA 06 STEELHEAD DENSITY	0.02
AVERAGE RBA COHO COUNT	682.50
AVERAGE RBA COHO DENSITY	0.20
AVERAGE RBA ZERO+ COUNT	832.50
AVERAGE RBA ZERO+ DENSITY	0.34
AVERAGE RBA CHINOOK COUNT	333.50
AVERAGE RBA CHINOOK DENSITY	0.01
AVERAGE RBA CUTTHROAT COUNT	58.50
AVERAGE RBA CUTTHROAT DENSITY	0.11
AVERAGE RBA STEELHEAD COUNT	250.50
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	21914.70
%NHD STREAM LENGTH WITH AQI DATA	100.00%
NEEDS AQI DATA?	N
AQI LENGTH TO SURVEY (FT)	0.00
% UNDERCUT BANK	0.00%
% ACTIVE_EROSION	2.10%
% SHADE	68.17%
% SILTS & ORGANICS	14.31%
% SAND	24.57%

% GRAVELS	25.71%
% COBBLES	20.93%
% BOULDERS	7.86%
% BEDROCK	6.62%
% POOL AREA	54.30%
NUMBER OF DEEP POOLS (>1M)/100M	0.01
% GRAVEL IN RIFFLES	31.19%
% SAFN IN RIFFLES	22.77%
NUMBER OF BOULDERS/100M	18.20
NUMBER OF PIECES OF LWD/100M	1.00
NUMBER OF KEY PIECES OF LWD/100M	0.12
WOOD VOLUME/100M	4.02
% PUBLIC OWNERSHIP	87.40%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	12.62%
% PUBLIC FORESTRY	65.27%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	22.10%
% OTHER LAND USE	0.00%
% CONIFER	21.27%
% LARGE CONIFER	10.14%
% HARDWOOD	17.69%
% MIXED HARDWOOD/CONIFER	45.10%
% OPEN (10% < COVER < 40%)	3.94%
% BARE LAND (<10% COVER)	1.86%
% 100FT STREAM BUFFER CONIFER	10.16%
% 100FT STREAM BUFFER LARGE CONIFER	8.77%
% 100FT STREAM BUFFER HARDWOOD	28.46%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	47.81%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	4.80%

METRIC NAME	DATA
5TH FIELD WATERSHED	MIAMI RIVER
7TH FIELD WATERSHED	ILLINGSWORTH_HOBSON
PRIOR_ID	27
CLAMS MODELED STREAM LENGTH (FT)	35450.00
TOTAL STREAM LENGTH (FT)	134519.38
WATERSHED AREA (ACRES)	1965.28
TOTAL ROAD LENGTH (FT)	109210.50
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.81
RIPARIAN ROAD DENSITY	0.63
NUMBER OF ROAD CROSSINGS	62.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	26.22%
% WATERSHED AREA HARVESTED 1972-2007	27.74%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	61412.81
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	45.65%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	4868.21
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	3.62%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	10110.92
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	1383351.75
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	5675.05
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	12568.79
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	3770.58
CHUM HIGH INTRINSIC POTENTIAL (FT)	5437.57
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	104.02
AVERAGE COHO INTRINSIC POTENTIAL	0.49
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.49
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.23
AVERAGE CHUM INTRINSIC POTENTIAL	0.59
RBA 05 COHO COUNT	190.00
RBA 05 COHO DENSITY	0.15
RBA 05 ZERO+ COUNT	281.00
RBA 05 ZERO+ DENSITY	0.28
RBA 05 STEELHEAD COUNT	171.00
RBA 05 STEELHEAD DENSITY	0.02

RBA 05 CUTTHROAT COUNT	75.00
RBA 05 CUTTHROAT DENSITY	0.11
RBA 05 CHINOOK COUNT	70.00
RBA 05 CHINOOK DENSITY	0.11
RBA 06 KNOTWEED SITINGS	2.00
RBA 06 LANDSLIDES	1.00
RBA 06 BEAVER DAMS	1.00
RBA 06 COHO COUNT	170.00
RBA 06 COHO DENSITY	0.64
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.34
RBA 06 CHINOOK COUNT	2.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	39.00
RBA 06 CUTTHROAT DENSITY	0.19
RBA 06 STEELHEAD COUNT	22.00
RBA 06 STEELHEAD DENSITY	0.04
AVERAGE RBA COHO COUNT	180.00
AVERAGE RBA COHO DENSITY	0.40
AVERAGE RBA ZERO+ COUNT	190.50
AVERAGE RBA ZERO+ DENSITY	0.31
AVERAGE RBA CHINOOK COUNT	36.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	57.00
AVERAGE RBA CUTTHROAT DENSITY	0.15
AVERAGE RBA STEELHEAD COUNT	96.50
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	6834.73
%NHD STREAM LENGTH WITH AQI DATA	25.70%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	19755.07
% UNDERCUT BANK	10.86%
% ACTIVE_EROSION	52.15%
% SHADE	57.82%
% SILTS & ORGANICS	21.61%
% SAND	16.38%

% GRAVELS	24.18%
% COBBLES	37.84%
% BOULDERS	0.00%
% BEDROCK	0.00%
% POOL AREA	32.11%
NUMBER OF DEEP POOLS (>1M)/100M	0.01
% GRAVEL IN RIFFLES	18.65%
% SAFN IN RIFFLES	13.42%
NUMBER OF BOULDERS/100M	0.00
NUMBER OF PIECES OF LWD/100M	12.00
NUMBER OF KEY PIECES OF LWD/100M	0.38
WOOD VOLUME/100M	6.38
% PUBLIC OWNERSHIP	67.90%
% PRIVATE NON-INDUSTRIAL	12.25%
% PRIVATE FORESTRY	18.46%
% PUBLIC FORESTRY	67.17%
% AGRICULTURE	9.45%
% RURAL RESIDENTIAL	2.89%
% URBAN	0.01%
% PARK	0.00%
% OTHER LAND USE	0.72%
% CONIFER	50.78%
% LARGE CONIFER	3.23%
% HARDWOOD	3.61%
% MIXED HARDWOOD/CONIFER	23.33%
% OPEN (10% < COVER < 40%)	9.07%
% BARE LAND (<10% COVER)	9.99%
% 100FT STREAM BUFFER CONIFER	43.52%
% 100FT STREAM BUFFER LARGE CONIFER	3.39%
% 100FT STREAM BUFFER HARDWOOD	6.38%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	32.81%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	13.90%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	UPPER_LITTLE_NORTH_FORK_WILSON
PRIOR_ID	28
CLAMS MODELED STREAM LENGTH (FT)	79454.37
TOTAL STREAM LENGTH (FT)	375933.69
WATERSHED AREA (ACRES)	5046.48
TOTAL ROAD LENGTH (FT)	217650.44
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.58
RIPARIAN ROAD DENSITY	0.52
NUMBER OF ROAD CROSSINGS	97.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	3.35%
% WATERSHED AREA HARVESTED 1972-2007	7.24%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	131854.74
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	35.07%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	191.30
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.05%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	191.30
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	3768240.90
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	41276.47
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	10072.19
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.30
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.63
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.16
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	1139.00
RBA 05 COHO DENSITY	0.37
RBA 05 ZERO+ COUNT	1440.00
RBA 05 ZERO+ DENSITY	0.53
RBA 05 STEELHEAD COUNT	109.00
RBA 05 STEELHEAD DENSITY	0.04

RBA 05 CUTTHROAT COUNT	133.00
RBA 05 CUTTHROAT DENSITY	0.07
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.07
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	2.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	1780.00
RBA 06 COHO DENSITY	1.51
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.69
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	56.00
RBA 06 CUTTHROAT DENSITY	0.05
RBA 06 STEELHEAD COUNT	205.00
RBA 06 STEELHEAD DENSITY	0.15
AVERAGE RBA COHO COUNT	1459.50
AVERAGE RBA COHO DENSITY	0.94
AVERAGE RBA ZERO+ COUNT	1118.00
AVERAGE RBA ZERO+ DENSITY	0.61
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	94.50
AVERAGE RBA CUTTHROAT DENSITY	0.06
AVERAGE RBA STEELHEAD COUNT	157.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	34522.66
%NHD STREAM LENGTH WITH AQI DATA	89.06%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	4239.13
% UNDERCUT BANK	4.36%
% ACTIVE_EROSION	11.79%
% SHADE	95.76%
% SILTS & ORGANICS	1.77%
% SAND	15.53%

% GRAVELS	28.68%
% COBBLES	33.15%
% BOULDERS	16.50%
% BEDROCK	4.37%
% POOL AREA	21.59%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	44.30%
% SAFN IN RIFFLES	14.19%
NUMBER OF BOULDERS/100M	43.14
NUMBER OF PIECES OF LWD/100M	22.00
NUMBER OF KEY PIECES OF LWD/100M	0.90
WOOD VOLUME/100M	43.02
% PUBLIC OWNERSHIP	100.00%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	0.00%
% PUBLIC FORESTRY	100.00%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	44.97%
% LARGE CONIFER	3.42%
% HARDWOOD	4.51%
% MIXED HARDWOOD/CONIFER	45.97%
% OPEN (10% < COVER < 40%)	0.15%
% BARE LAND (<10% COVER)	0.99%
% 100FT STREAM BUFFER CONIFER	28.90%
% 100FT STREAM BUFFER LARGE CONIFER	2.38%
% 100FT STREAM BUFFER HARDWOOD	6.63%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	61.80%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.28%

METRIC NAME	DATA
5TH FIELD WATERSHED	TILLAMOOK BAY
7TH FIELD WATERSHED	SMITH
PRIOR_ID	29
CLAMS MODELED STREAM LENGTH (FT)	34073.46
TOTAL STREAM LENGTH (FT)	135611.58
WATERSHED AREA (ACRES)	2261.53
TOTAL ROAD LENGTH (FT)	174057.10
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	1.28
RIPARIAN ROAD DENSITY	0.95
NUMBER OF ROAD CROSSINGS	103.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	14.03%
% WATERSHED AREA HARVESTED 1972-2007	14.80%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	83254.30
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	61.39%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	2372.35
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	1.75%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	3548.82
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	276943.29
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	6744.06
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	7602.96
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.31
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.43
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.06
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	0.00
RBA 05 COHO DENSITY	0.00
RBA 05 ZERO+ COUNT	18.00
RBA 05 ZERO+ DENSITY	0.52
RBA 05 STEELHEAD COUNT	0.00
RBA 05 STEELHEAD DENSITY	0.00

RBA 05 CUTTHROAT COUNT	13.00
RBA 05 CUTTHROAT DENSITY	0.35
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.35
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	0.00
RBA 06 COHO DENSITY	0.00
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.29
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	2.00
RBA 06 CUTTHROAT DENSITY	0.12
RBA 06 STEELHEAD COUNT	0.00
RBA 06 STEELHEAD DENSITY	0.00
AVERAGE RBA COHO COUNT	0.00
AVERAGE RBA COHO DENSITY	0.00
AVERAGE RBA ZERO+ COUNT	12.00
AVERAGE RBA ZERO+ DENSITY	0.40
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	7.50
AVERAGE RBA CUTTHROAT DENSITY	0.24
AVERAGE RBA STEELHEAD COUNT	0.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	64.35
%NHD STREAM LENGTH WITH AQI DATA	0.43%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	14996.51
% UNDERCUT BANK	40.00%
% ACTIVE_EROSION	100.00%
% SHADE	17.20%
% SILTS & ORGANICS	90.00%
% SAND	5.00%

% GRAVELS	5.00%
% COBBLES	0.00%
% BOULDERS	0.00%
% BEDROCK	0.00%
% POOL AREA	0.00%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	0.00%
% SAFN IN RIFFLES	0.00%
NUMBER OF BOULDERS/100M	0.00
NUMBER OF PIECES OF LWD/100M	25.00
NUMBER OF KEY PIECES OF LWD/100M	5.10
WOOD VOLUME/100M	32.22
% PUBLIC OWNERSHIP	20.10%
% PRIVATE NON-INDUSTRIAL	16.15%
% PRIVATE FORESTRY	50.39%
% PUBLIC FORESTRY	20.20%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	1.06%
% URBAN	16.80%
% PARK	3.25%
% OTHER LAND USE	6.53%
% CONIFER	40.69%
% LARGE CONIFER	1.77%
% HARDWOOD	2.15%
% MIXED HARDWOOD/CONIFER	24.06%
% OPEN (10% < COVER < 40%)	6.17%
% BARE LAND (<10% COVER)	25.17%
% 100FT STREAM BUFFER CONIFER	43.43%
% 100FT STREAM BUFFER LARGE CONIFER	1.44%
% 100FT STREAM BUFFER HARDWOOD	3.63%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	42.04%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	9.47%

METRIC NAME	DATA
5TH FIELD WATERSHED	MIAMI RIVER
7TH FIELD WATERSHED	MOSS
PRIOR_ID	30
CLAMS MODELED STREAM LENGTH (FT)	36666.65
TOTAL STREAM LENGTH (FT)	213816.88
WATERSHED AREA (ACRES)	2993.34
TOTAL ROAD LENGTH (FT)	127785.21
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.60
RIPARIAN ROAD DENSITY	0.67
NUMBER OF ROAD CROSSINGS	70.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	21.99%
% WATERSHED AREA HARVESTED 1972-2007	22.82%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	55509.90
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	25.96%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	2533.75
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	1.19%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	2533.75
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	1710289.29
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	12770.42
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	4152.29
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	32.82
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	4115.75
AVERAGE COHO INTRINSIC POTENTIAL	0.35
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.52
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.17
AVERAGE CHUM INTRINSIC POTENTIAL	0.42
RBA 05 COHO COUNT	166.00
RBA 05 COHO DENSITY	0.21
RBA 05 ZERO+ COUNT	95.00
RBA 05 ZERO+ DENSITY	0.19
RBA 05 STEELHEAD COUNT	71.00
RBA 05 STEELHEAD DENSITY	0.13

RBA 05 CUTTHROAT COUNT	31.00
RBA 05 CUTTHROAT DENSITY	0.09
RBA 05 CHINOOK COUNT	8.00
RBA 05 CHINOOK DENSITY	0.09
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	2.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	252.00
RBA 06 COHO DENSITY	0.41
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.33
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	9.00
RBA 06 CUTTHROAT DENSITY	0.02
RBA 06 STEELHEAD COUNT	27.00
RBA 06 STEELHEAD DENSITY	0.10
AVERAGE RBA COHO COUNT	209.00
AVERAGE RBA COHO DENSITY	0.31
AVERAGE RBA ZERO+ COUNT	117.50
AVERAGE RBA ZERO+ DENSITY	0.26
AVERAGE RBA CHINOOK COUNT	4.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	20.00
AVERAGE RBA CUTTHROAT DENSITY	0.05
AVERAGE RBA STEELHEAD COUNT	49.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	7035.93
%NHD STREAM LENGTH WITH AQI DATA	43.40%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	9177.28
% UNDERCUT BANK	0.00%
% ACTIVE_EROSION	9.67%
% SHADE	70.92%
% SILTS & ORGANICS	1.06%
% SAND	8.63%

% GRAVELS	22.85%
% COBBLES	41.56%
% BOULDERS	24.53%
% BEDROCK	1.37%
% POOL AREA	11.86%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	30.00%
% SAFN IN RIFFLES	20.00%
NUMBER OF BOULDERS/100M	110.61
NUMBER OF PIECES OF LWD/100M	7.00
NUMBER OF KEY PIECES OF LWD/100M	0.61
WOOD VOLUME/100M	18.99
% PUBLIC OWNERSHIP	60.40%
% PRIVATE NON-INDUSTRIAL	4.11%
% PRIVATE FORESTRY	35.49%
% PUBLIC FORESTRY	60.32%
% AGRICULTURE	2.95%
% RURAL RESIDENTIAL	1.25%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	34.98%
% LARGE CONIFER	4.81%
% HARDWOOD	10.78%
% MIXED HARDWOOD/CONIFER	37.38%
% OPEN (10% < COVER < 40%)	9.24%
% BARE LAND (<10% COVER)	2.81%
% 100FT STREAM BUFFER CONIFER	26.13%
% 100FT STREAM BUFFER LARGE CONIFER	4.79%
% 100FT STREAM BUFFER HARDWOOD	18.98%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	39.33%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	10.76%

METRIC NAME	DATA
5TH FIELD WATERSHED	KILCHIS RIVER
7TH FIELD WATERSHED	LITTLE_SOUTH_FORK_KILCHIS
PRIOR_ID	31
CLAMS MODELED STREAM LENGTH (FT)	36184.95
TOTAL STREAM LENGTH (FT)	224576.58
WATERSHED AREA (ACRES)	3206.69
TOTAL ROAD LENGTH (FT)	82121.87
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.37
RIPARIAN ROAD DENSITY	0.52
NUMBER OF ROAD CROSSINGS	53.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	3.57%
% WATERSHED AREA HARVESTED 1972-2007	5.18%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	45150.56
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	20.10%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	1450651.74
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	15454.06
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	5525.11
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	3184.54
AVERAGE COHO INTRINSIC POTENTIAL	0.28
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.60
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.16
AVERAGE CHUM INTRINSIC POTENTIAL	0.56
RBA 05 COHO COUNT	185.00
RBA 05 COHO DENSITY	0.15
RBA 05 ZERO+ COUNT	34.00
RBA 05 ZERO+ DENSITY	0.06
RBA 05 STEELHEAD COUNT	104.00
RBA 05 STEELHEAD DENSITY	0.16

RBA 05 CUTTHROAT COUNT	27.00
RBA 05 CUTTHROAT DENSITY	0.04
RBA 05 CHINOOK COUNT	1.00
RBA 05 CHINOOK DENSITY	0.04
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	1.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	1436.00
RBA 06 COHO DENSITY	0.60
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.62
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	80.00
RBA 06 CUTTHROAT DENSITY	0.15
RBA 06 STEELHEAD COUNT	202.00
RBA 06 STEELHEAD DENSITY	0.09
AVERAGE RBA COHO COUNT	810.50
AVERAGE RBA COHO DENSITY	0.37
AVERAGE RBA ZERO+ COUNT	472.50
AVERAGE RBA ZERO+ DENSITY	0.34
AVERAGE RBA CHINOOK COUNT	0.50
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	53.50
AVERAGE RBA CUTTHROAT DENSITY	0.10
AVERAGE RBA STEELHEAD COUNT	153.00
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	20272.26
%NHD STREAM LENGTH WITH AQI DATA	100.00%
NEEDS AQI DATA?	N
AQI LENGTH TO SURVEY (FT)	0.00
% UNDERCUT BANK	0.95%
% ACTIVE_EROSION	10.07%
% SHADE	49.61%
% SILTS & ORGANICS	0.70%
% SAND	5.71%

% GRAVELS	27.96%
% COBBLES	36.10%
% BOULDERS	22.31%
% BEDROCK	7.21%
% POOL AREA	9.59%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	40.06%
% SAFN IN RIFFLES	4.56%
NUMBER OF BOULDERS/100M	42.43
NUMBER OF PIECES OF LWD/100M	20.00
NUMBER OF KEY PIECES OF LWD/100M	2.61
WOOD VOLUME/100M	66.62
% PUBLIC OWNERSHIP	100.00%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	0.00%
% PUBLIC FORESTRY	100.00%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	17.15%
% LARGE CONIFER	10.39%
% HARDWOOD	11.23%
% MIXED HARDWOOD/CONIFER	55.51%
% OPEN (10% < COVER < 40%)	2.78%
% BARE LAND (<10% COVER)	2.95%
% 100FT STREAM BUFFER CONIFER	8.03%
% 100FT STREAM BUFFER LARGE CONIFER	12.49%
% 100FT STREAM BUFFER HARDWOOD	15.46%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	59.93%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	4.10%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	WOLF
PRIOR_ID	32
CLAMS MODELED STREAM LENGTH (FT)	62139.78
TOTAL STREAM LENGTH (FT)	338679.01
WATERSHED AREA (ACRES)	4195.45
TOTAL ROAD LENGTH (FT)	94065.76
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.28
RIPARIAN ROAD DENSITY	0.60
NUMBER OF ROAD CROSSINGS	81.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	3.04%
% WATERSHED AREA HARVESTED 1972-2007	3.98%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	96858.74
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	28.60%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	17508245.92
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	27385.19
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	3940.38
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	21980.58
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.32
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.51
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.64
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	126.00
RBA 05 COHO DENSITY	0.02
RBA 05 ZERO+ COUNT	1246.00
RBA 05 ZERO+ DENSITY	0.26
RBA 05 STEELHEAD COUNT	462.00
RBA 05 STEELHEAD DENSITY	0.08

RBA 05 CUTTHROAT COUNT	68.00
RBA 05 CUTTHROAT DENSITY	0.09
RBA 05 CHINOOK COUNT	158.00
RBA 05 CHINOOK DENSITY	0.09
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	415.00
RBA 06 COHO DENSITY	0.14
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.55
RBA 06 CHINOOK COUNT	999.00
RBA 06 CHINOOK DENSITY	0.09
RBA 06 CUTTHROAT COUNT	115.00
RBA 06 CUTTHROAT DENSITY	0.20
RBA 06 STEELHEAD COUNT	235.00
RBA 06 STEELHEAD DENSITY	0.06
AVERAGE RBA COHO COUNT	270.50
AVERAGE RBA COHO DENSITY	0.08
AVERAGE RBA ZERO+ COUNT	773.00
AVERAGE RBA ZERO+ DENSITY	0.40
AVERAGE RBA CHINOOK COUNT	578.50
AVERAGE RBA CHINOOK DENSITY	0.05
AVERAGE RBA CUTTHROAT COUNT	91.50
AVERAGE RBA CUTTHROAT DENSITY	0.14
AVERAGE RBA STEELHEAD COUNT	348.50
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	0.00
%NHD STREAM LENGTH WITH AQI DATA	0.00%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	29233.62
% UNDERCUT BANK	NA
% ACTIVE_EROSION	NA
% SHADE	NA
% SILTS & ORGANICS	NA
% SAND	NA

% GRAVELS	NA
% COBBLES	NA
% BOULDERS	NA
% BEDROCK	NA
% POOL AREA	NA
NUMBER OF DEEP POOLS (>1M)/100M	NA
% GRAVEL IN RIFFLES	NA
% SAFN IN RIFFLES	NA
NUMBER OF BOULDERS/100M	NA
NUMBER OF PIECES OF LWD/100M	NA
NUMBER OF KEY PIECES OF LWD/100M	NA
WOOD VOLUME/100M	NA
% PUBLIC OWNERSHIP	90.30%
% PRIVATE NON-INDUSTRIAL	2.29%
% PRIVATE FORESTRY	7.46%
% PUBLIC FORESTRY	90.02%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	2.43%
% URBAN	0.00%
% PARK	0.09%
% OTHER LAND USE	0.00%
% CONIFER	37.63%
% LARGE CONIFER	3.25%
% HARDWOOD	10.11%
% MIXED HARDWOOD/CONIFER	43.56%
% OPEN (10% < COVER < 40%)	1.90%
% BARE LAND (<10% COVER)	3.56%
% 100FT STREAM BUFFER CONIFER	28.51%
% 100FT STREAM BUFFER LARGE CONIFER	2.55%
% 100FT STREAM BUFFER HARDWOOD	13.86%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	52.85%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	2.24%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	MIDDLE_JORDAN
PRIOR_ID	33
CLAMS MODELED STREAM LENGTH (FT)	96584.71
TOTAL STREAM LENGTH (FT)	475773.45
WATERSHED AREA (ACRES)	6863.54
TOTAL ROAD LENGTH (FT)	229770.85
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.48
RIPARIAN ROAD DENSITY	0.58
NUMBER OF ROAD CROSSINGS	131.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	1.40%
% WATERSHED AREA HARVESTED 1972-2007	2.00%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	135310.20
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	28.44%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	6156765.20
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	39737.01
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	9989.32
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.26
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.55
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.26
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	442.00
RBA 05 COHO DENSITY	0.17
RBA 05 ZERO+ COUNT	387.00
RBA 05 ZERO+ DENSITY	0.19
RBA 05 STEELHEAD COUNT	124.00
RBA 05 STEELHEAD DENSITY	0.06

RBA 05 CUTTHROAT COUNT	171.00
RBA 05 CUTTHROAT DENSITY	0.13
RBA 05 CHINOOK COUNT	5.00
RBA 05 CHINOOK DENSITY	0.13
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	1.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	1132.00
RBA 06 COHO DENSITY	0.42
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.43
RBA 06 CHINOOK COUNT	5.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	65.00
RBA 06 CUTTHROAT DENSITY	0.06
RBA 06 STEELHEAD COUNT	41.00
RBA 06 STEELHEAD DENSITY	0.02
AVERAGE RBA COHO COUNT	787.00
AVERAGE RBA COHO DENSITY	0.30
AVERAGE RBA ZERO+ COUNT	473.50
AVERAGE RBA ZERO+ DENSITY	0.31
AVERAGE RBA CHINOOK COUNT	5.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	118.00
AVERAGE RBA CUTTHROAT DENSITY	0.09
AVERAGE RBA STEELHEAD COUNT	82.50
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	23138.02
%NHD STREAM LENGTH WITH AQI DATA	44.39%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	28992.05
% UNDERCUT BANK	1.26%
% ACTIVE_EROSION	1.33%
% SHADE	89.28%
% SILTS & ORGANICS	6.21%
% SAND	9.17%

% GRAVELS	14.16%
% COBBLES	21.03%
% BOULDERS	33.50%
% BEDROCK	15.93%
% POOL AREA	37.73%
NUMBER OF DEEP POOLS (>1M)/100M	0.01
% GRAVEL IN RIFFLES	14.06%
% SAFN IN RIFFLES	12.41%
NUMBER OF BOULDERS/100M	59.60
NUMBER OF PIECES OF LWD/100M	8.00
NUMBER OF KEY PIECES OF LWD/100M	0.18
WOOD VOLUME/100M	9.16
% PUBLIC OWNERSHIP	95.00%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	4.98%
% PUBLIC FORESTRY	95.02%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	46.95%
% LARGE CONIFER	5.85%
% HARDWOOD	4.21%
% MIXED HARDWOOD/CONIFER	41.21%
% OPEN (10% < COVER < 40%)	0.70%
% BARE LAND (<10% COVER)	1.09%
% 100FT STREAM BUFFER CONIFER	32.48%
% 100FT STREAM BUFFER LARGE CONIFER	3.69%
% 100FT STREAM BUFFER HARDWOOD	8.47%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	54.56%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.81%

METRIC NAME	DATA
5TH FIELD WATERSHED	TILLAMOOK BAY
7TH FIELD WATERSHED	BAY_OCEAN_SPIT
PRIOR_ID	34
CLAMS MODELED STREAM LENGTH (FT)	32956.24
TOTAL STREAM LENGTH (FT)	70292.30
WATERSHED AREA (ACRES)	2326.94
TOTAL ROAD LENGTH (FT)	119018.02
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	1.69
RIPARIAN ROAD DENSITY	0.85
NUMBER OF ROAD CROSSINGS	25.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	33.86%
% WATERSHED AREA HARVESTED 1972-2007	16.65%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	65943.80
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	93.81%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	9832.09
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	13.99%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	9832.09
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	345801.37
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	4699.69
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.45
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.32
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.08
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	0.00
RBA 05 COHO DENSITY	0.00
RBA 05 ZERO+ COUNT	0.00
RBA 05 ZERO+ DENSITY	0.00
RBA 05 STEELHEAD COUNT	0.00
RBA 05 STEELHEAD DENSITY	0.00

RBA 05 CUTTHROAT COUNT	0.00
RBA 05 CUTTHROAT DENSITY	0.00
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.00
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	2.00
RBA 06 COHO COUNT	0.00
RBA 06 COHO DENSITY	0.00
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.06
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	7.00
RBA 06 CUTTHROAT DENSITY	0.12
RBA 06 STEELHEAD COUNT	0.00
RBA 06 STEELHEAD DENSITY	0.00
AVERAGE RBA COHO COUNT	0.00
AVERAGE RBA COHO DENSITY	0.00
AVERAGE RBA ZERO+ COUNT	0.50
AVERAGE RBA ZERO+ DENSITY	0.03
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	3.50
AVERAGE RBA CUTTHROAT DENSITY	0.06
AVERAGE RBA STEELHEAD COUNT	0.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	0.00
%NHD STREAM LENGTH WITH AQI DATA	0.00%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	31497.59
% UNDERCUT BANK	NA
% ACTIVE_EROSION	NA
% SHADE	NA
% SILTS & ORGANICS	NA
% SAND	NA

% GRAVELS	NA
% COBBLES	NA
% BOULDERS	NA
% BEDROCK	NA
% POOL AREA	NA
NUMBER OF DEEP POOLS (>1M)/100M	NA
% GRAVEL IN RIFFLES	NA
% SAFN IN RIFFLES	NA
NUMBER OF BOULDERS/100M	NA
NUMBER OF PIECES OF LWD/100M	NA
NUMBER OF KEY PIECES OF LWD/100M	NA
WOOD VOLUME/100M	NA
% PUBLIC OWNERSHIP	0.00%
% PRIVATE NON-INDUSTRIAL	29.50%
% PRIVATE FORESTRY	43.67%
% PUBLIC FORESTRY	0.00%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	7.05%
% URBAN	0.00%
% PARK	32.66%
% OTHER LAND USE	14.86%
% CONIFER	37.30%
% LARGE CONIFER	0.02%
% HARDWOOD	0.00%
% MIXED HARDWOOD/CONIFER	5.85%
% OPEN (10% < COVER < 40%)	4.42%
% BARE LAND (<10% COVER)	52.42%
% 100FT STREAM BUFFER CONIFER	73.67%
% 100FT STREAM BUFFER LARGE CONIFER	0.10%
% 100FT STREAM BUFFER HARDWOOD	0.00%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	19.40%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	6.82%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	UPPER_JORDAN
PRIOR_ID	35
CLAMS MODELED STREAM LENGTH (FT)	38832.81
TOTAL STREAM LENGTH (FT)	190730.14
WATERSHED AREA (ACRES)	3503.15
TOTAL ROAD LENGTH (FT)	101999.01
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.53
RIPARIAN ROAD DENSITY	0.67
NUMBER OF ROAD CROSSINGS	66.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	15.22%
% WATERSHED AREA HARVESTED 1972-2007	15.12%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	53186.21
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	27.89%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	0.00
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	10556.68
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	7443.78
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.16
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.46
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.12
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	0.00
RBA 05 COHO DENSITY	0.00
RBA 05 ZERO+ COUNT	0.00
RBA 05 ZERO+ DENSITY	0.00
RBA 05 STEELHEAD COUNT	0.00
RBA 05 STEELHEAD DENSITY	0.00

RBA 05 CUTTHROAT COUNT	0.00
RBA 05 CUTTHROAT DENSITY	0.00
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.00
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	0.00
RBA 06 COHO DENSITY	0.00
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.00
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	0.00
RBA 06 CUTTHROAT DENSITY	0.00
RBA 06 STEELHEAD COUNT	0.00
RBA 06 STEELHEAD DENSITY	0.00
AVERAGE RBA COHO COUNT	0.00
AVERAGE RBA COHO DENSITY	0.00
AVERAGE RBA ZERO+ COUNT	0.00
AVERAGE RBA ZERO+ DENSITY	0.00
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	0.00
AVERAGE RBA CUTTHROAT DENSITY	0.00
AVERAGE RBA STEELHEAD COUNT	0.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	13976.21
%NHD STREAM LENGTH WITH AQI DATA	47.05%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	15731.82
% UNDERCUT BANK	1.53%
% ACTIVE_EROSION	20.11%
% SHADE	96.01%
% SILTS & ORGANICS	6.05%
% SAND	12.17%

% GRAVELS	23.78%
% COBBLES	25.26%
% BOULDERS	23.00%
% BEDROCK	9.75%
% POOL AREA	13.46%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	29.94%
% SAFN IN RIFFLES	18.04%
NUMBER OF BOULDERS/100M	71.55
NUMBER OF PIECES OF LWD/100M	29.00
NUMBER OF KEY PIECES OF LWD/100M	2.58
WOOD VOLUME/100M	69.19
% PUBLIC OWNERSHIP	43.50%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	56.48%
% PUBLIC FORESTRY	43.52%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	57.84%
% LARGE CONIFER	4.73%
% HARDWOOD	1.44%
% MIXED HARDWOOD/CONIFER	30.60%
% OPEN (10% < COVER < 40%)	2.31%
% BARE LAND (<10% COVER)	3.08%
% 100FT STREAM BUFFER CONIFER	37.19%
% 100FT STREAM BUFFER LARGE CONIFER	4.11%
% 100FT STREAM BUFFER HARDWOOD	4.04%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	52.19%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	2.46%

METRIC NAME	DATA
5TH FIELD WATERSHED	KILCHIS RIVER
7TH FIELD WATERSHED	SAM_DOWNS
PRIOR_ID	36
CLAMS MODELED STREAM LENGTH (FT)	39041.82
TOTAL STREAM LENGTH (FT)	189993.63
WATERSHED AREA (ACRES)	2654.25
TOTAL ROAD LENGTH (FT)	83567.43
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.44
RIPARIAN ROAD DENSITY	0.66
NUMBER OF ROAD CROSSINGS	46.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	2.58%
% WATERSHED AREA HARVESTED 1972-2007	3.86%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	55381.02
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	29.15%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	943746.10
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	14892.94
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	3806.72
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	33.50
AVERAGE COHO INTRINSIC POTENTIAL	0.24
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.52
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.14
AVERAGE CHUM INTRINSIC POTENTIAL	0.70
RBA 05 COHO COUNT	300.00
RBA 05 COHO DENSITY	0.43
RBA 05 ZERO+ COUNT	173.00
RBA 05 ZERO+ DENSITY	0.36
RBA 05 STEELHEAD COUNT	49.00
RBA 05 STEELHEAD DENSITY	0.05

RBA 05 CUTTHROAT COUNT	51.00
RBA 05 CUTTHROAT DENSITY	0.09
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.09
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	4.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	959.00
RBA 06 COHO DENSITY	0.52
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.18
RBA 06 CHINOOK COUNT	7.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	51.00
RBA 06 CUTTHROAT DENSITY	0.09
RBA 06 STEELHEAD COUNT	92.00
RBA 06 STEELHEAD DENSITY	0.09
AVERAGE RBA COHO COUNT	629.50
AVERAGE RBA COHO DENSITY	0.48
AVERAGE RBA ZERO+ COUNT	174.00
AVERAGE RBA ZERO+ DENSITY	0.27
AVERAGE RBA CHINOOK COUNT	3.50
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	51.00
AVERAGE RBA CUTTHROAT DENSITY	0.09
AVERAGE RBA STEELHEAD COUNT	70.50
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	16542.78
%NHD STREAM LENGTH WITH AQI DATA	100.00%
NEEDS AQI DATA?	N
AQI LENGTH TO SURVEY (FT)	0.00
% UNDERCUT BANK	1.52%
% ACTIVE_EROSION	20.22%
% SHADE	43.22%
% SILTS & ORGANICS	2.30%
% SAND	8.96%

% GRAVELS	23.24%
% COBBLES	33.11%
% BOULDERS	25.42%
% BEDROCK	6.97%
% POOL AREA	13.26%
NUMBER OF DEEP POOLS (>1M)/100M	0.01
% GRAVEL IN RIFFLES	44.50%
% SAFN IN RIFFLES	19.49%
NUMBER OF BOULDERS/100M	63.36
NUMBER OF PIECES OF LWD/100M	16.00
NUMBER OF KEY PIECES OF LWD/100M	0.69
WOOD VOLUME/100M	34.58
% PUBLIC OWNERSHIP	100.00%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	0.00%
% PUBLIC FORESTRY	100.00%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	19.09%
% LARGE CONIFER	9.04%
% HARDWOOD	11.80%
% MIXED HARDWOOD/CONIFER	54.76%
% OPEN (10% < COVER < 40%)	3.38%
% BARE LAND (<10% COVER)	1.92%
% 100FT STREAM BUFFER CONIFER	8.01%
% 100FT STREAM BUFFER LARGE CONIFER	8.51%
% 100FT STREAM BUFFER HARDWOOD	16.04%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	60.96%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	6.47%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	LOWER_JORDAN
PRIOR_ID	37
CLAMS MODELED STREAM LENGTH (FT)	43807.89
TOTAL STREAM LENGTH (FT)	254194.93
WATERSHED AREA (ACRES)	3056.79
TOTAL ROAD LENGTH (FT)	77180.02
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.30
RIPARIAN ROAD DENSITY	0.49
NUMBER OF ROAD CROSSINGS	53.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	2.81%
% WATERSHED AREA HARVESTED 1972-2007	4.23%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	58457.69
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	23.00%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	7880474.45
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	23491.81
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	1582.43
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	172.07
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.33
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.59
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.38
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	89.00
RBA 05 COHO DENSITY	0.03
RBA 05 ZERO+ COUNT	570.00
RBA 05 ZERO+ DENSITY	0.20
RBA 05 STEELHEAD COUNT	215.00
RBA 05 STEELHEAD DENSITY	0.08

RBA 05 CUTTHROAT COUNT	91.00
RBA 05 CUTTHROAT DENSITY	0.04
RBA 05 CHINOOK COUNT	71.00
RBA 05 CHINOOK DENSITY	0.04
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	1.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	697.00
RBA 06 COHO DENSITY	0.26
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.16
RBA 06 CHINOOK COUNT	177.00
RBA 06 CHINOOK DENSITY	0.08
RBA 06 CUTTHROAT COUNT	34.00
RBA 06 CUTTHROAT DENSITY	0.01
RBA 06 STEELHEAD COUNT	97.00
RBA 06 STEELHEAD DENSITY	0.04
AVERAGE RBA COHO COUNT	393.00
AVERAGE RBA COHO DENSITY	0.14
AVERAGE RBA ZERO+ COUNT	462.50
AVERAGE RBA ZERO+ DENSITY	0.18
AVERAGE RBA CHINOOK COUNT	124.00
AVERAGE RBA CHINOOK DENSITY	0.05
AVERAGE RBA CUTTHROAT COUNT	62.50
AVERAGE RBA CUTTHROAT DENSITY	0.02
AVERAGE RBA STEELHEAD COUNT	156.00
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	16343.32
%NHD STREAM LENGTH WITH AQI DATA	61.13%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	10393.53
% UNDERCUT BANK	1.36%
% ACTIVE_EROSION	0.00%
% SHADE	86.71%
% SILTS & ORGANICS	3.22%
% SAND	7.24%

% GRAVELS	13.79%
% COBBLES	26.84%
% BOULDERS	36.46%
% BEDROCK	12.45%
% POOL AREA	31.15%
NUMBER OF DEEP POOLS (>1M)/100M	0.01
% GRAVEL IN RIFFLES	13.32%
% SAFN IN RIFFLES	9.47%
NUMBER OF BOULDERS/100M	40.91
NUMBER OF PIECES OF LWD/100M	7.00
NUMBER OF KEY PIECES OF LWD/100M	0.24
WOOD VOLUME/100M	10.18
% PUBLIC OWNERSHIP	99.90%
% PRIVATE NON-INDUSTRIAL	0.04%
% PRIVATE FORESTRY	0.04%
% PUBLIC FORESTRY	98.86%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.10%
% URBAN	0.00%
% PARK	0.99%
% OTHER LAND USE	0.00%
% CONIFER	28.20%
% LARGE CONIFER	1.09%
% HARDWOOD	9.51%
% MIXED HARDWOOD/CONIFER	59.33%
% OPEN (10% < COVER < 40%)	1.06%
% BARE LAND (<10% COVER)	0.81%
% 100FT STREAM BUFFER CONIFER	15.62%
% 100FT STREAM BUFFER LARGE CONIFER	0.68%
% 100FT STREAM BUFFER HARDWOOD	13.81%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	68.55%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	1.34%

METRIC NAME	DATA
5TH FIELD WATERSHED	TILLAMOOK BAY
7TH FIELD WATERSHED	VAUGHN
PRIOR_ID	38
CLAMS MODELED STREAM LENGTH (FT)	97533.71
TOTAL STREAM LENGTH (FT)	221074.81
WATERSHED AREA (ACRES)	5066.58
TOTAL ROAD LENGTH (FT)	369920.94
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	1.67
RIPARIAN ROAD DENSITY	0.81
NUMBER OF ROAD CROSSINGS	128.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	19.33%
% WATERSHED AREA HARVESTED 1972-2007	15.37%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	165955.00
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	75.07%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	46699.65
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	21.12%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	51391.58
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	971113.05
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	4429.27
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	55991.48
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	4814.44
CHUM HIGH INTRINSIC POTENTIAL (FT)	4814.44
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.63
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.48
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.14
AVERAGE CHUM INTRINSIC POTENTIAL	0.74
RBA 05 COHO COUNT	270.00
RBA 05 COHO DENSITY	0.15
RBA 05 ZERO+ COUNT	75.00
RBA 05 ZERO+ DENSITY	0.11
RBA 05 STEELHEAD COUNT	3.00
RBA 05 STEELHEAD DENSITY	0.01

RBA 05 CUTTHROAT COUNT	62.00
RBA 05 CUTTHROAT DENSITY	0.08
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.08
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	36.00
RBA 06 COHO DENSITY	0.05
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.02
RBA 06 CHINOOK COUNT	1.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	25.00
RBA 06 CUTTHROAT DENSITY	0.07
RBA 06 STEELHEAD COUNT	0.00
RBA 06 STEELHEAD DENSITY	0.00
AVERAGE RBA COHO COUNT	153.00
AVERAGE RBA COHO DENSITY	0.10
AVERAGE RBA ZERO+ COUNT	42.50
AVERAGE RBA ZERO+ DENSITY	0.07
AVERAGE RBA CHINOOK COUNT	0.50
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	43.50
AVERAGE RBA CUTTHROAT DENSITY	0.07
AVERAGE RBA STEELHEAD COUNT	1.50
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	2235.49
%NHD STREAM LENGTH WITH AQI DATA	4.02%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	53335.48
% UNDERCUT BANK	3.50%
% ACTIVE_EROSION	0.00%
% SHADE	33.17%
% SILTS & ORGANICS	6.64%
% SAND	13.59%

% GRAVELS	57.94%
% COBBLES	21.82%
% BOULDERS	0.00%
% BEDROCK	0.00%
% POOL AREA	15.75%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	0.00%
% SAFN IN RIFFLES	0.00%
NUMBER OF BOULDERS/100M	0.00
NUMBER OF PIECES OF LWD/100M	4.00
NUMBER OF KEY PIECES OF LWD/100M	0.00
WOOD VOLUME/100M	2.19
% PUBLIC OWNERSHIP	29.70%
% PRIVATE NON-INDUSTRIAL	54.65%
% PRIVATE FORESTRY	10.62%
% PUBLIC FORESTRY	29.54%
% AGRICULTURE	13.57%
% RURAL RESIDENTIAL	23.32%
% URBAN	17.99%
% PARK	2.38%
% OTHER LAND USE	1.76%
% CONIFER	23.27%
% LARGE CONIFER	2.42%
% HARDWOOD	1.25%
% MIXED HARDWOOD/CONIFER	14.30%
% OPEN (10% < COVER < 40%)	18.66%
% BARE LAND (<10% COVER)	40.09%
% 100FT STREAM BUFFER CONIFER	35.23%
% 100FT STREAM BUFFER LARGE CONIFER	4.17%
% 100FT STREAM BUFFER HARDWOOD	3.82%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	30.04%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	26.74%

METRIC NAME	DATA
5TH FIELD WATERSHED	KILCHIS RIVER
7TH FIELD WATERSHED	LOWER_LITTLE_SOUTH_FORK_KILCHIS
PRIOR_ID	39
CLAMS MODELED STREAM LENGTH (FT)	26937.75
TOTAL STREAM LENGTH (FT)	126259.36
WATERSHED AREA (ACRES)	1777.65
TOTAL ROAD LENGTH (FT)	49865.91
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.39
RIPARIAN ROAD DENSITY	0.57
NUMBER OF ROAD CROSSINGS	37.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	7.05%
% WATERSHED AREA HARVESTED 1972-2007	8.30%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	30938.37
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	24.50%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	1223.72
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	3471176.52
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	11969.81
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	2445.10
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	3623.66
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	7992.56
AVERAGE COHO INTRINSIC POTENTIAL	0.35
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.55
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.29
AVERAGE CHUM INTRINSIC POTENTIAL	0.71
RBA 05 COHO COUNT	95.00
RBA 05 COHO DENSITY	0.05
RBA 05 ZERO+ COUNT	96.00
RBA 05 ZERO+ DENSITY	0.17
RBA 05 STEELHEAD COUNT	75.00
RBA 05 STEELHEAD DENSITY	0.04

RBA 05 CUTTHROAT COUNT	17.00
RBA 05 CUTTHROAT DENSITY	0.02
RBA 05 CHINOOK COUNT	1.00
RBA 05 CHINOOK DENSITY	0.02
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	1105.00
RBA 06 COHO DENSITY	0.42
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.22
RBA 06 CHINOOK COUNT	56.00
RBA 06 CHINOOK DENSITY	0.02
RBA 06 CUTTHROAT COUNT	46.00
RBA 06 CUTTHROAT DENSITY	0.06
RBA 06 STEELHEAD COUNT	181.00
RBA 06 STEELHEAD DENSITY	0.08
AVERAGE RBA COHO COUNT	600.00
AVERAGE RBA COHO DENSITY	0.24
AVERAGE RBA ZERO+ COUNT	197.00
AVERAGE RBA ZERO+ DENSITY	0.19
AVERAGE RBA CHINOOK COUNT	28.50
AVERAGE RBA CHINOOK DENSITY	0.01
AVERAGE RBA CUTTHROAT COUNT	31.50
AVERAGE RBA CUTTHROAT DENSITY	0.04
AVERAGE RBA STEELHEAD COUNT	128.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	10771.46
%NHD STREAM LENGTH WITH AQI DATA	100.00%
NEEDS AQI DATA?	N
AQI LENGTH TO SURVEY (FT)	0.00
% UNDERCUT BANK	0.32%
% ACTIVE_EROSION	2.26%
% SHADE	50.01%
% SILTS & ORGANICS	0.14%
% SAND	7.48%

% GRAVELS	18.51%
% COBBLES	42.65%
% BOULDERS	22.41%
% BEDROCK	8.81%
% POOL AREA	22.19%
NUMBER OF DEEP POOLS (>1M)/100M	0.01
%GRAVEL IN RIFFLES	18.92%
%SAFN IN RIFFLES	3.89%
NUMBER OF BOULDERS/100M	26.99
NUMBER OF PIECES OF LWD/100M	3.00
NUMBER OF KEY PIECES OF LWD/100M	0.37
WOOD VOLUME/100M	7.68
% PUBLIC OWNERSHIP	100.00%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	0.00%
% PUBLIC FORESTRY	99.86%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.14%
% OTHER LAND USE	0.00%
% CONIFER	7.73%
% LARGE CONIFER	17.31%
% HARDWOOD	23.26%
% MIXED HARDWOOD/CONIFER	47.38%
% OPEN (10% < COVER < 40%)	3.79%
% BARE LAND (<10% COVER)	0.52%
% 100FT STREAM BUFFER CONIFER	2.66%
% 100FT STREAM BUFFER LARGE CONIFER	14.87%
% 100FT STREAM BUFFER HARDWOOD	30.43%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	47.04%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	5.01%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	FOX_SOUTH_WOLF_MUESIAL
PRIOR_ID	40
CLAMS MODELED STREAM LENGTH (FT)	90469.64
TOTAL STREAM LENGTH (FT)	483030.70
WATERSHED AREA (ACRES)	6337.31
TOTAL ROAD LENGTH (FT)	265701.90
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.55
RIPARIAN ROAD DENSITY	0.81
NUMBER OF ROAD CROSSINGS	193.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	3.05%
% WATERSHED AREA HARVESTED 1972-2007	6.87%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	142808.10
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	29.57%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	303.36
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.06%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	303.36
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	25267670.30
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	38901.24
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	9100.62
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	9232.38
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	16049.63
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.30
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.52
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.70
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	594.00
RBA 05 COHO DENSITY	0.12
RBA 05 ZERO+ COUNT	1599.00
RBA 05 ZERO+ DENSITY	0.37
RBA 05 STEELHEAD COUNT	684.00
RBA 05 STEELHEAD DENSITY	0.08

RBA 05 CUTTHROAT COUNT	134.00
RBA 05 CUTTHROAT DENSITY	0.10
RBA 05 CHINOOK COUNT	245.00
RBA 05 CHINOOK DENSITY	0.10
RBA 06 KNOTWEED SITINGS	1.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	381.00
RBA 06 COHO DENSITY	0.10
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.70
RBA 06 CHINOOK COUNT	1006.00
RBA 06 CHINOOK DENSITY	0.03
RBA 06 CUTTHROAT COUNT	131.00
RBA 06 CUTTHROAT DENSITY	0.17
RBA 06 STEELHEAD COUNT	430.00
RBA 06 STEELHEAD DENSITY	0.10
AVERAGE RBA COHO COUNT	487.50
AVERAGE RBA COHO DENSITY	0.11
AVERAGE RBA ZERO+ COUNT	1009.50
AVERAGE RBA ZERO+ DENSITY	0.54
AVERAGE RBA CHINOOK COUNT	625.50
AVERAGE RBA CHINOOK DENSITY	0.02
AVERAGE RBA CUTTHROAT COUNT	132.50
AVERAGE RBA CUTTHROAT DENSITY	0.14
AVERAGE RBA STEELHEAD COUNT	557.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	10396.67
%NHD STREAM LENGTH WITH AQI DATA	19.65%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	42511.87
% UNDERCUT BANK	3.51%
% ACTIVE_EROSION	0.81%
% SHADE	91.08%
% SILTS & ORGANICS	2.38%
% SAND	5.37%

% GRAVELS	29.13%
% COBBLES	35.24%
% BOULDERS	25.83%
% BEDROCK	2.04%
% POOL AREA	14.10%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	39.53%
% SAFN IN RIFFLES	8.25%
NUMBER OF BOULDERS/100M	67.85
NUMBER OF PIECES OF LWD/100M	35.00
NUMBER OF KEY PIECES OF LWD/100M	1.33
WOOD VOLUME/100M	46.63
% PUBLIC OWNERSHIP	94.40%
% PRIVATE NON-INDUSTRIAL	0.18%
% PRIVATE FORESTRY	5.44%
% PUBLIC FORESTRY	94.36%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.20%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	29.25%
% LARGE CONIFER	2.08%
% HARDWOOD	13.06%
% MIXED HARDWOOD/CONIFER	51.87%
% OPEN (10% < COVER < 40%)	1.29%
% BARE LAND (<10% COVER)	2.45%
% 100FT STREAM BUFFER CONIFER	17.38%
% 100FT STREAM BUFFER LARGE CONIFER	1.92%
% 100FT STREAM BUFFER HARDWOOD	17.41%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	62.07%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	1.22%

METRIC NAME	DATA
5TH FIELD WATERSHED	KILCHIS RIVER
7TH FIELD WATERSHED	COAL_MURPHY
PRIOR_ID	41
CLAMS MODELED STREAM LENGTH (FT)	76627.68
TOTAL STREAM LENGTH (FT)	207940.94
WATERSHED AREA (ACRES)	3249.74
TOTAL ROAD LENGTH (FT)	114438.60
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.55
RIPARIAN ROAD DENSITY	0.41
NUMBER OF ROAD CROSSINGS	45.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	20.47%
% WATERSHED AREA HARVESTED 1972-2007	23.21%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	94891.09
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	45.63%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	12045.24
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	5.79%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	33337.12
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	713081.88
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	14585.59
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	18444.18
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	21237.80
CHUM HIGH INTRINSIC POTENTIAL (FT)	21237.80
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.56
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.50
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.37
AVERAGE CHUM INTRINSIC POTENTIAL	0.83
RBA 05 COHO COUNT	470.00
RBA 05 COHO DENSITY	0.36
RBA 05 ZERO+ COUNT	87.00
RBA 05 ZERO+ DENSITY	0.11
RBA 05 STEELHEAD COUNT	244.00
RBA 05 STEELHEAD DENSITY	0.08

RBA 05 CUTTHROAT COUNT	43.00
RBA 05 CUTTHROAT DENSITY	0.07
RBA 05 CHINOOK COUNT	685.00
RBA 05 CHINOOK DENSITY	0.07
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	1989.00
RBA 06 COHO DENSITY	1.54
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.12
RBA 06 CHINOOK COUNT	1272.00
RBA 06 CHINOOK DENSITY	0.01
RBA 06 CUTTHROAT COUNT	119.00
RBA 06 CUTTHROAT DENSITY	0.19
RBA 06 STEELHEAD COUNT	290.00
RBA 06 STEELHEAD DENSITY	0.03
AVERAGE RBA COHO COUNT	1229.50
AVERAGE RBA COHO DENSITY	0.95
AVERAGE RBA ZERO+ COUNT	569.00
AVERAGE RBA ZERO+ DENSITY	0.11
AVERAGE RBA CHINOOK COUNT	978.50
AVERAGE RBA CHINOOK DENSITY	0.01
AVERAGE RBA CUTTHROAT COUNT	81.00
AVERAGE RBA CUTTHROAT DENSITY	0.13
AVERAGE RBA STEELHEAD COUNT	267.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	19102.11
%NHD STREAM LENGTH WITH AQI DATA	36.33%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	33478.73
% UNDERCUT BANK	5.69%
% ACTIVE_EROSION	36.81%
% SHADE	50.34%
% SILTS & ORGANICS	12.81%
% SAND	22.61%

% GRAVELS	37.40%
% COBBLES	23.11%
% BOULDERS	3.31%
% BEDROCK	0.77%
% POOL AREA	58.12%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	48.23%
% SAFN IN RIFFLES	24.44%
NUMBER OF BOULDERS/100M	3.38
NUMBER OF PIECES OF LWD/100M	2.00
NUMBER OF KEY PIECES OF LWD/100M	0.02
WOOD VOLUME/100M	2.20
% PUBLIC OWNERSHIP	40.20%
% PRIVATE NON-INDUSTRIAL	22.84%
% PRIVATE FORESTRY	29.77%
% PUBLIC FORESTRY	39.77%
% AGRICULTURE	21.74%
% RURAL RESIDENTIAL	1.49%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	19.58%
% LARGE CONIFER	15.15%
% HARDWOOD	7.98%
% MIXED HARDWOOD/CONIFER	25.74%
% OPEN (10% < COVER < 40%)	15.25%
% BARE LAND (<10% COVER)	16.31%
% 100FT STREAM BUFFER CONIFER	18.77%
% 100FT STREAM BUFFER LARGE CONIFER	18.56%
% 100FT STREAM BUFFER HARDWOOD	12.73%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	33.92%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	16.02%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	LOWER_LITTLE_NORTH_FORK_WILSON
PRIOR_ID	42
CLAMS MODELED STREAM LENGTH (FT)	103470.72
TOTAL STREAM LENGTH (FT)	547183.76
WATERSHED AREA (ACRES)	7573.07
TOTAL ROAD LENGTH (FT)	159391.43
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.29
RIPARIAN ROAD DENSITY	0.19
NUMBER OF ROAD CROSSINGS	66.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	7.76%
% WATERSHED AREA HARVESTED 1972-2007	9.45%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	102575.85
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	18.75%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	17457819.24
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	59130.96
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	6243.74
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	2418.17
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	36131.67
AVERAGE COHO INTRINSIC POTENTIAL	0.36
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.63
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.31
AVERAGE CHUM INTRINSIC POTENTIAL	0.72
RBA 05 COHO COUNT	3970.00
RBA 05 COHO DENSITY	0.34
RBA 05 ZERO+ COUNT	2593.00
RBA 05 ZERO+ DENSITY	0.23
RBA 05 STEELHEAD COUNT	683.00
RBA 05 STEELHEAD DENSITY	0.07

RBA 05 CUTTHROAT COUNT	208.00
RBA 05 CUTTHROAT DENSITY	0.05
RBA 05 CHINOOK COUNT	596.00
RBA 05 CHINOOK DENSITY	0.05
RBA 06 KNOTWEED SITINGS	6.00
RBA 06 LANDSLIDES	3.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	11123.00
RBA 06 COHO DENSITY	1.37
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.58
RBA 06 CHINOOK COUNT	272.00
RBA 06 CHINOOK DENSITY	0.01
RBA 06 CUTTHROAT COUNT	282.00
RBA 06 CUTTHROAT DENSITY	0.16
RBA 06 STEELHEAD COUNT	616.00
RBA 06 STEELHEAD DENSITY	0.09
AVERAGE RBA COHO COUNT	7546.50
AVERAGE RBA COHO DENSITY	0.86
AVERAGE RBA ZERO+ COUNT	2497.50
AVERAGE RBA ZERO+ DENSITY	0.41
AVERAGE RBA CHINOOK COUNT	434.00
AVERAGE RBA CHINOOK DENSITY	0.02
AVERAGE RBA CUTTHROAT COUNT	245.00
AVERAGE RBA CUTTHROAT DENSITY	0.11
AVERAGE RBA STEELHEAD COUNT	649.50
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	47220.90
%NHD STREAM LENGTH WITH AQI DATA	86.10%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	7621.99
% UNDERCUT BANK	1.23%
% ACTIVE_EROSION	18.32%
% SHADE	76.23%
% SILTS & ORGANICS	1.53%
% SAND	12.32%

% GRAVELS	23.23%
% COBBLES	33.26%
% BOULDERS	15.77%
% BEDROCK	12.88%
% POOL AREA	38.71%
NUMBER OF DEEP POOLS (>1M)/100M	0.01
% GRAVEL IN RIFFLES	25.87%
% SAFN IN RIFFLES	8.23%
NUMBER OF BOULDERS/100M	45.47
NUMBER OF PIECES OF LWD/100M	8.00
NUMBER OF KEY PIECES OF LWD/100M	0.64
WOOD VOLUME/100M	20.79
% PUBLIC OWNERSHIP	99.40%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	0.64%
% PUBLIC FORESTRY	99.34%
% AGRICULTURE	0.01%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	16.34%
% LARGE CONIFER	11.82%
% HARDWOOD	16.86%
% MIXED HARDWOOD/CONIFER	49.37%
% OPEN (10% < COVER < 40%)	2.48%
% BARE LAND (<10% COVER)	3.13%
% 100FT STREAM BUFFER CONIFER	7.70%
% 100FT STREAM BUFFER LARGE CONIFER	11.15%
% 100FT STREAM BUFFER HARDWOOD	23.51%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	54.98%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	2.66%

METRIC NAME	DATA
5TH FIELD WATERSHED	KILCHIS RIVER
7TH FIELD WATERSHED	MYRTLE_MAPES
PRIOR_ID	43
CLAMS MODELED STREAM LENGTH (FT)	39522.48
TOTAL STREAM LENGTH (FT)	183931.77
WATERSHED AREA (ACRES)	2664.90
TOTAL ROAD LENGTH (FT)	71738.47
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.39
RIPARIAN ROAD DENSITY	0.63
NUMBER OF ROAD CROSSINGS	55.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	9.90%
% WATERSHED AREA HARVESTED 1972-2007	14.78%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	42703.71
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	23.22%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	558.64
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.30%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	855.75
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	12605010.56
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	22416.23
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	3328.76
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	15853.64
CHUM HIGH INTRINSIC POTENTIAL (FT)	16619.49
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	879.57
AVERAGE COHO INTRINSIC POTENTIAL	0.44
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.59
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.53
AVERAGE CHUM INTRINSIC POTENTIAL	0.86
RBA 05 COHO COUNT	390.00
RBA 05 COHO DENSITY	0.08
RBA 05 ZERO+ COUNT	96.00
RBA 05 ZERO+ DENSITY	0.01
RBA 05 STEELHEAD COUNT	286.00
RBA 05 STEELHEAD DENSITY	0.19

RBA 05 CUTTHROAT COUNT	40.00
RBA 05 CUTTHROAT DENSITY	0.07
RBA 05 CHINOOK COUNT	730.00
RBA 05 CHINOOK DENSITY	0.07
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	1559.00
RBA 06 COHO DENSITY	0.48
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.55
RBA 06 CHINOOK COUNT	893.00
RBA 06 CHINOOK DENSITY	0.14
RBA 06 CUTTHROAT COUNT	69.00
RBA 06 CUTTHROAT DENSITY	0.10
RBA 06 STEELHEAD COUNT	96.00
RBA 06 STEELHEAD DENSITY	0.01
AVERAGE RBA COHO COUNT	974.50
AVERAGE RBA COHO DENSITY	0.28
AVERAGE RBA ZERO+ COUNT	324.00
AVERAGE RBA ZERO+ DENSITY	0.28
AVERAGE RBA CHINOOK COUNT	811.50
AVERAGE RBA CHINOOK DENSITY	0.08
AVERAGE RBA CUTTHROAT COUNT	54.50
AVERAGE RBA CUTTHROAT DENSITY	0.08
AVERAGE RBA STEELHEAD COUNT	191.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	15823.85
%NHD STREAM LENGTH WITH AQI DATA	52.12%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	14537.85
% UNDERCUT BANK	0.11%
% ACTIVE_EROSION	11.84%
% SHADE	44.67%
% SILTS & ORGANICS	16.32%
% SAND	25.14%

% GRAVELS	37.75%
% COBBLES	17.11%
% BOULDERS	1.37%
% BEDROCK	2.32%
% POOL AREA	49.08%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	52.33%
% SAFN IN RIFFLES	30.89%
NUMBER OF BOULDERS/100M	2.86
NUMBER OF PIECES OF LWD/100M	1.00
NUMBER OF KEY PIECES OF LWD/100M	0.06
WOOD VOLUME/100M	2.28
% PUBLIC OWNERSHIP	79.00%
% PRIVATE NON-INDUSTRIAL	8.93%
% PRIVATE FORESTRY	12.11%
% PUBLIC FORESTRY	73.25%
% AGRICULTURE	2.39%
% RURAL RESIDENTIAL	7.20%
% URBAN	0.00%
% PARK	5.05%
% OTHER LAND USE	0.00%
% CONIFER	15.98%
% LARGE CONIFER	18.11%
% HARDWOOD	12.21%
% MIXED HARDWOOD/CONIFER	38.82%
% OPEN (10% < COVER < 40%)	8.33%
% BARE LAND (<10% COVER)	6.54%
% 100FT STREAM BUFFER CONIFER	8.73%
% 100FT STREAM BUFFER LARGE CONIFER	21.38%
% 100FT STREAM BUFFER HARDWOOD	19.81%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	40.23%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	9.84%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	UPPER_NORTH_FORK_NORTH_FORK_TRASK
PRIOR_ID	44
CLAMS MODELED STREAM LENGTH (FT)	28112.31
TOTAL STREAM LENGTH (FT)	101315.78
WATERSHED AREA (ACRES)	2168.15
TOTAL ROAD LENGTH (FT)	79342.14
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.78
RIPARIAN ROAD DENSITY	0.61
NUMBER OF ROAD CROSSINGS	55.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	31.51%
% WATERSHED AREA HARVESTED 1972-2007	32.54%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	53337.87
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	52.65%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	0.00
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	1551.34
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	6203.11
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.16
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.36
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.15
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	0.00
RBA 05 COHO DENSITY	0.00
RBA 05 ZERO+ COUNT	0.00
RBA 05 ZERO+ DENSITY	0.00
RBA 05 STEELHEAD COUNT	0.00
RBA 05 STEELHEAD DENSITY	0.00

RBA 05 CUTTHROAT COUNT	0.00
RBA 05 CUTTHROAT DENSITY	0.00
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.00
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	0.00
RBA 06 COHO DENSITY	0.00
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.00
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	0.00
RBA 06 CUTTHROAT DENSITY	0.00
RBA 06 STEELHEAD COUNT	0.00
RBA 06 STEELHEAD DENSITY	0.00
AVERAGE RBA COHO COUNT	0.00
AVERAGE RBA COHO DENSITY	0.00
AVERAGE RBA ZERO+ COUNT	0.00
AVERAGE RBA ZERO+ DENSITY	0.00
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	0.00
AVERAGE RBA CUTTHROAT DENSITY	0.00
AVERAGE RBA STEELHEAD COUNT	0.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	7583.50
%NHD STREAM LENGTH WITH AQI DATA	50.27%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	7502.98
% UNDERCUT BANK	0.00%
% ACTIVE_EROSION	3.78%
% SHADE	72.96%
% SILTS & ORGANICS	0.00%
% SAND	2.42%

% GRAVELS	18.58%
% COBBLES	33.62%
% BOULDERS	32.94%
% BEDROCK	12.44%
% POOL AREA	44.48%
NUMBER OF DEEP POOLS (>1M)/100M	0.01
% GRAVEL IN RIFFLES	19.26%
% SAFN IN RIFFLES	0.00%
NUMBER OF BOULDERS/100M	3.72
NUMBER OF PIECES OF LWD/100M	0.00
NUMBER OF KEY PIECES OF LWD/100M	0.00
WOOD VOLUME/100M	0.00
% PUBLIC OWNERSHIP	16.90%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	83.10%
% PUBLIC FORESTRY	16.90%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	68.63%
% LARGE CONIFER	7.02%
% HARDWOOD	0.71%
% MIXED HARDWOOD/CONIFER	13.02%
% OPEN (10% < COVER < 40%)	10.38%
% BARE LAND (<10% COVER)	0.24%
% 100FT STREAM BUFFER CONIFER	52.35%
% 100FT STREAM BUFFER LARGE CONIFER	5.78%
% 100FT STREAM BUFFER HARDWOOD	1.68%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	25.63%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	14.56%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	SOUTH_FORK_JORDAN
PRIOR_ID	45
CLAMS MODELED STREAM LENGTH (FT)	34055.21
TOTAL STREAM LENGTH (FT)	214780.81
WATERSHED AREA (ACRES)	2739.21
TOTAL ROAD LENGTH (FT)	87303.74
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.41
RIPARIAN ROAD DENSITY	0.32
NUMBER OF ROAD CROSSINGS	65.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	1.36%
% WATERSHED AREA HARVESTED 1972-2007	2.32%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	41160.37
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	19.16%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	971360.20
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	11568.07
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	1735.27
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.24
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.49
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.13
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	103.00
RBA 05 COHO DENSITY	0.14
RBA 05 ZERO+ COUNT	142.00
RBA 05 ZERO+ DENSITY	0.33
RBA 05 STEELHEAD COUNT	24.00
RBA 05 STEELHEAD DENSITY	0.05

RBA 05 CUTTHROAT COUNT	51.00
RBA 05 CUTTHROAT DENSITY	0.12
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.12
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	4.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	1288.00
RBA 06 COHO DENSITY	1.46
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.81
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	54.00
RBA 06 CUTTHROAT DENSITY	0.11
RBA 06 STEELHEAD COUNT	49.00
RBA 06 STEELHEAD DENSITY	0.04
AVERAGE RBA COHO COUNT	695.50
AVERAGE RBA COHO DENSITY	0.80
AVERAGE RBA ZERO+ COUNT	198.50
AVERAGE RBA ZERO+ DENSITY	0.57
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	52.50
AVERAGE RBA CUTTHROAT DENSITY	0.11
AVERAGE RBA STEELHEAD COUNT	36.50
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	14069.98
%NHD STREAM LENGTH WITH AQI DATA	89.11%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	1720.25
% UNDERCUT BANK	0.92%
% ACTIVE_EROSION	6.53%
% SHADE	96.18%
% SILTS & ORGANICS	0.52%
% SAND	10.66%

% GRAVELS	26.64%
% COBBLES	35.61%
% BOULDERS	15.64%
% BEDROCK	10.91%
% POOL AREA	10.78%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	28.86%
% SAFN IN RIFFLES	10.71%
NUMBER OF BOULDERS/100M	34.39
NUMBER OF PIECES OF LWD/100M	8.00
NUMBER OF KEY PIECES OF LWD/100M	0.09
WOOD VOLUME/100M	13.19
% PUBLIC OWNERSHIP	100.00%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	0.00%
% PUBLIC FORESTRY	100.00%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	33.69%
% LARGE CONIFER	4.17%
% HARDWOOD	12.51%
% MIXED HARDWOOD/CONIFER	48.54%
% OPEN (10% < COVER < 40%)	0.39%
% BARE LAND (<10% COVER)	0.70%
% 100FT STREAM BUFFER CONIFER	19.30%
% 100FT STREAM BUFFER LARGE CONIFER	3.09%
% 100FT STREAM BUFFER HARDWOOD	20.31%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	56.98%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.33%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	MIDDLE_NORTH_FORK_NORTH_FORK_TRASK
PRIOR_ID	46
CLAMS MODELED STREAM LENGTH (FT)	29587.44
TOTAL STREAM LENGTH (FT)	176879.64
WATERSHED AREA (ACRES)	3255.46
TOTAL ROAD LENGTH (FT)	93673.51
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.53
RIPARIAN ROAD DENSITY	0.00
NUMBER OF ROAD CROSSINGS	55.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	19.65%
% WATERSHED AREA HARVESTED 1972-2007	23.96%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	48925.66
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	27.66%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	196348.00
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	15509.38
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	3068.69
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.29
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.65
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.13
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	0.00
RBA 05 COHO DENSITY	0.00
RBA 05 ZERO+ COUNT	0.00
RBA 05 ZERO+ DENSITY	0.00
RBA 05 STEELHEAD COUNT	0.00
RBA 05 STEELHEAD DENSITY	0.00

RBA 05 CUTTHROAT COUNT	0.00
RBA 05 CUTTHROAT DENSITY	0.00
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.00
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	0.00
RBA 06 COHO DENSITY	0.00
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.00
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	0.00
RBA 06 CUTTHROAT DENSITY	0.00
RBA 06 STEELHEAD COUNT	0.00
RBA 06 STEELHEAD DENSITY	0.00
AVERAGE RBA COHO COUNT	0.00
AVERAGE RBA COHO DENSITY	0.00
AVERAGE RBA ZERO+ COUNT	0.00
AVERAGE RBA ZERO+ DENSITY	0.00
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	0.00
AVERAGE RBA CUTTHROAT DENSITY	0.00
AVERAGE RBA STEELHEAD COUNT	0.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	12128.26
%NHD STREAM LENGTH WITH AQI DATA	46.24%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	14102.57
% UNDERCUT BANK	0.00%
% ACTIVE_EROSION	1.18%
% SHADE	75.56%
% SILTS & ORGANICS	0.00%
% SAND	2.37%

% GRAVELS	15.63%
% COBBLES	30.09%
% BOULDERS	31.12%
% BEDROCK	20.64%
% POOL AREA	38.24%
NUMBER OF DEEP POOLS (>1M)/100M	0.01
% GRAVEL IN RIFFLES	17.17%
% SAFN IN RIFFLES	0.00%
NUMBER OF BOULDERS/100M	12.44
NUMBER OF PIECES OF LWD/100M	0.00
NUMBER OF KEY PIECES OF LWD/100M	0.00
WOOD VOLUME/100M	0.00
% PUBLIC OWNERSHIP	37.00%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	62.98%
% PUBLIC FORESTRY	37.02%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	78.26%
% LARGE CONIFER	4.56%
% HARDWOOD	0.33%
% MIXED HARDWOOD/CONIFER	16.36%
% OPEN (10% < COVER < 40%)	0.00%
% BARE LAND (<10% COVER)	0.49%
% 100FT STREAM BUFFER CONIFER	59.03%
% 100FT STREAM BUFFER LARGE CONIFER	5.87%
% 100FT STREAM BUFFER HARDWOOD	0.92%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	34.18%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.00%

METRIC NAME	DATA
5TH FIELD WATERSHED	KILCHIS RIVER
7TH FIELD WATERSHED	CLEAR_KILCHIS
PRIOR_ID	47
CLAMS MODELED STREAM LENGTH (FT)	37491.95
TOTAL STREAM LENGTH (FT)	202148.45
WATERSHED AREA (ACRES)	2883.52
TOTAL ROAD LENGTH (FT)	131279.28
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.65
RIPARIAN ROAD DENSITY	0.57
NUMBER OF ROAD CROSSINGS	68.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	17.61%
% WATERSHED AREA HARVESTED 1972-2007	20.59%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	54295.32
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	26.86%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	1321.49
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.65%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	1321.49
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	893316.80
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	17238.97
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	3723.43
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	33.59
CHUM HIGH INTRINSIC POTENTIAL (FT)	33.59
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.29
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.58
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.14
AVERAGE CHUM INTRINSIC POTENTIAL	0.47
RBA 05 COHO COUNT	223.00
RBA 05 COHO DENSITY	0.30
RBA 05 ZERO+ COUNT	142.00
RBA 05 ZERO+ DENSITY	0.24
RBA 05 STEELHEAD COUNT	108.00
RBA 05 STEELHEAD DENSITY	0.16

RBA 05 CUTTHROAT COUNT	37.00
RBA 05 CUTTHROAT DENSITY	0.05
RBA 05 CHINOOK COUNT	4.00
RBA 05 CHINOOK DENSITY	0.05
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	7.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	727.00
RBA 06 COHO DENSITY	0.55
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.19
RBA 06 CHINOOK COUNT	3.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	86.00
RBA 06 CUTTHROAT DENSITY	0.13
RBA 06 STEELHEAD COUNT	80.00
RBA 06 STEELHEAD DENSITY	0.07
AVERAGE RBA COHO COUNT	475.00
AVERAGE RBA COHO DENSITY	0.43
AVERAGE RBA ZERO+ COUNT	130.50
AVERAGE RBA ZERO+ DENSITY	0.21
AVERAGE RBA CHINOOK COUNT	3.50
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	61.50
AVERAGE RBA CUTTHROAT DENSITY	0.09
AVERAGE RBA STEELHEAD COUNT	94.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	18028.37
%NHD STREAM LENGTH WITH AQI DATA	100.00%
NEEDS AQI DATA?	N
AQI LENGTH TO SURVEY (FT)	0.00
% UNDERCUT BANK	4.51%
% ACTIVE_EROSION	25.12%
% SHADE	92.11%
% SILTS & ORGANICS	7.15%
% SAND	19.72%

% GRAVELS	47.41%
% COBBLES	18.19%
% BOULDERS	3.38%
% BEDROCK	3.58%
% POOL AREA	41.20%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	60.55%
% SAFN IN RIFFLES	18.27%
NUMBER OF BOULDERS/100M	22.17
NUMBER OF PIECES OF LWD/100M	17.00
NUMBER OF KEY PIECES OF LWD/100M	0.75
WOOD VOLUME/100M	27.49
% PUBLIC OWNERSHIP	97.90%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	2.15%
% PUBLIC FORESTRY	97.85%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	24.27%
% LARGE CONIFER	13.84%
% HARDWOOD	14.45%
% MIXED HARDWOOD/CONIFER	44.25%
% OPEN (10% < COVER < 40%)	2.39%
% BARE LAND (<10% COVER)	0.81%
% 100FT STREAM BUFFER CONIFER	13.50%
% 100FT STREAM BUFFER LARGE CONIFER	14.32%
% 100FT STREAM BUFFER HARDWOOD	23.29%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	44.78%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	4.12%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	ZIG_ZAG_NEGRO_JACK
PRIOR_ID	48
CLAMS MODELED STREAM LENGTH (FT)	65650.44
TOTAL STREAM LENGTH (FT)	287789.61
WATERSHED AREA (ACRES)	4213.66
TOTAL ROAD LENGTH (FT)	121257.41
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.42
RIPARIAN ROAD DENSITY	0.45
NUMBER OF ROAD CROSSINGS	59.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	3.98%
% WATERSHED AREA HARVESTED 1972-2007	8.26%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	77762.27
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	27.02%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	16666675.48
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	25034.39
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	5342.59
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	15338.42
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	751.57
CHUM HIGH INTRINSIC POTENTIAL (FT)	13905.58
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	869.26
AVERAGE COHO INTRINSIC POTENTIAL	0.28
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.46
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.69
AVERAGE CHUM INTRINSIC POTENTIAL	0.75
RBA 05 COHO COUNT	104.00
RBA 05 COHO DENSITY	0.11
RBA 05 ZERO+ COUNT	384.00
RBA 05 ZERO+ DENSITY	0.43
RBA 05 STEELHEAD COUNT	231.00
RBA 05 STEELHEAD DENSITY	0.02

RBA 05 CUTTHROAT COUNT	47.00
RBA 05 CUTTHROAT DENSITY	0.12
RBA 05 CHINOOK COUNT	138.00
RBA 05 CHINOOK DENSITY	0.12
RBA 06 KNOTWEED SITINGS	1.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	539.00
RBA 06 COHO DENSITY	0.03
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.08
RBA 06 CHINOOK COUNT	649.00
RBA 06 CHINOOK DENSITY	0.04
RBA 06 CUTTHROAT COUNT	77.00
RBA 06 CUTTHROAT DENSITY	0.08
RBA 06 STEELHEAD COUNT	180.00
RBA 06 STEELHEAD DENSITY	0.02
AVERAGE RBA COHO COUNT	321.50
AVERAGE RBA COHO DENSITY	0.07
AVERAGE RBA ZERO+ COUNT	306.50
AVERAGE RBA ZERO+ DENSITY	0.25
AVERAGE RBA CHINOOK COUNT	393.50
AVERAGE RBA CHINOOK DENSITY	0.02
AVERAGE RBA CUTTHROAT COUNT	62.00
AVERAGE RBA CUTTHROAT DENSITY	0.10
AVERAGE RBA STEELHEAD COUNT	205.50
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	0.00
%NHD STREAM LENGTH WITH AQI DATA	0.00%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	47514.77
% UNDERCUT BANK	NA
% ACTIVE_EROSION	NA
% SHADE	NA
% SILTS & ORGANICS	NA
% SAND	NA

% GRAVELS	NA
% COBBLES	NA
% BOULDERS	NA
% BEDROCK	NA
% POOL AREA	NA
NUMBER OF DEEP POOLS (>1M)/100M	NA
% GRAVEL IN RIFFLES	NA
% SAFN IN RIFFLES	NA
NUMBER OF BOULDERS/100M	NA
NUMBER OF PIECES OF LWD/100M	NA
NUMBER OF KEY PIECES OF LWD/100M	NA
WOOD VOLUME/100M	NA
% PUBLIC OWNERSHIP	78.90%
% PRIVATE NON-INDUSTRIAL	8.63%
% PRIVATE FORESTRY	12.44%
% PUBLIC FORESTRY	78.43%
% AGRICULTURE	1.98%
% RURAL RESIDENTIAL	6.71%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.45%
% CONIFER	15.80%
% LARGE CONIFER	4.80%
% HARDWOOD	18.15%
% MIXED HARDWOOD/CONIFER	48.60%
% OPEN (10% < COVER < 40%)	4.10%
% BARE LAND (<10% COVER)	8.54%
% 100FT STREAM BUFFER CONIFER	9.20%
% 100FT STREAM BUFFER LARGE CONIFER	4.85%
% 100FT STREAM BUFFER HARDWOOD	23.08%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	58.25%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	4.62%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	CLEAR_CREEK
PRIOR_ID	49
CLAMS MODELED STREAM LENGTH (FT)	52087.07
TOTAL STREAM LENGTH (FT)	317589.68
WATERSHED AREA (ACRES)	4310.01
TOTAL ROAD LENGTH (FT)	73961.91
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.23
RIPARIAN ROAD DENSITY	0.58
NUMBER OF ROAD CROSSINGS	52.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	3.61%
% WATERSHED AREA HARVESTED 1972-2007	6.75%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	71421.91
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	22.49%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	749.92
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.24%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	749.92
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	2152864.00
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	19902.64
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	8005.49
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	65.64
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.27
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.54
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.19
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	436.00
RBA 05 COHO DENSITY	0.21
RBA 05 ZERO+ COUNT	77.00
RBA 05 ZERO+ DENSITY	0.16
RBA 05 STEELHEAD COUNT	52.00
RBA 05 STEELHEAD DENSITY	0.04

RBA 05 CUTTHROAT COUNT	26.00
RBA 05 CUTTHROAT DENSITY	0.02
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.02
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	3.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	1438.00
RBA 06 COHO DENSITY	1.05
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.39
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	32.00
RBA 06 CUTTHROAT DENSITY	0.09
RBA 06 STEELHEAD COUNT	38.00
RBA 06 STEELHEAD DENSITY	0.03
AVERAGE RBA COHO COUNT	937.00
AVERAGE RBA COHO DENSITY	0.63
AVERAGE RBA ZERO+ COUNT	177.50
AVERAGE RBA ZERO+ DENSITY	0.28
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	29.00
AVERAGE RBA CUTTHROAT DENSITY	0.05
AVERAGE RBA STEELHEAD COUNT	45.00
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	20093.27
%NHD STREAM LENGTH WITH AQI DATA	69.36%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	8876.79
% UNDERCUT BANK	0.12%
% ACTIVE_EROSION	7.44%
% SHADE	94.99%
% SILTS & ORGANICS	4.60%
% SAND	18.93%

% GRAVELS	21.88%
% COBBLES	27.89%
% BOULDERS	16.99%
% BEDROCK	9.72%
% POOL AREA	19.85%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	21.28%
% SAFN IN RIFFLES	31.15%
NUMBER OF BOULDERS/100M	55.96
NUMBER OF PIECES OF LWD/100M	19.00
NUMBER OF KEY PIECES OF LWD/100M	0.69
WOOD VOLUME/100M	39.84
% PUBLIC OWNERSHIP	74.40%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	25.64%
% PUBLIC FORESTRY	74.36%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	56.78%
% LARGE CONIFER	5.37%
% HARDWOOD	2.11%
% MIXED HARDWOOD/CONIFER	33.64%
% OPEN (10% < COVER < 40%)	0.21%
% BARE LAND (<10% COVER)	1.90%
% 100FT STREAM BUFFER CONIFER	39.46%
% 100FT STREAM BUFFER LARGE CONIFER	5.83%
% 100FT STREAM BUFFER HARDWOOD	4.44%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	49.93%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.34%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	BEAR_KANSAS
PRIOR_ID	50
CLAMS MODELED STREAM LENGTH (FT)	41534.95
TOTAL STREAM LENGTH (FT)	216122.38
WATERSHED AREA (ACRES)	3485.90
TOTAL ROAD LENGTH (FT)	156261.32
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.72
RIPARIAN ROAD DENSITY	0.90
NUMBER OF ROAD CROSSINGS	123.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	13.55%
% WATERSHED AREA HARVESTED 1972-2007	18.87%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	97451.58
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	45.09%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	12223346.40
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	17187.32
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	2707.60
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	11341.09
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	2069.05
CHUM HIGH INTRINSIC POTENTIAL (FT)	5954.88
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.31
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.47
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.77
AVERAGE CHUM INTRINSIC POTENTIAL	0.86
RBA 05 COHO COUNT	12.00
RBA 05 COHO DENSITY	0.00
RBA 05 ZERO+ COUNT	852.00
RBA 05 ZERO+ DENSITY	0.09
RBA 05 STEELHEAD COUNT	194.00
RBA 05 STEELHEAD DENSITY	0.02

RBA 05 CUTTHROAT COUNT	26.00
RBA 05 CUTTHROAT DENSITY	0.01
RBA 05 CHINOOK COUNT	54.00
RBA 05 CHINOOK DENSITY	0.01
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	639.00
RBA 06 COHO DENSITY	0.05
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.14
RBA 06 CHINOOK COUNT	398.00
RBA 06 CHINOOK DENSITY	0.03
RBA 06 CUTTHROAT COUNT	50.00
RBA 06 CUTTHROAT DENSITY	0.06
RBA 06 STEELHEAD COUNT	159.00
RBA 06 STEELHEAD DENSITY	0.05
AVERAGE RBA COHO COUNT	325.50
AVERAGE RBA COHO DENSITY	0.03
AVERAGE RBA ZERO+ COUNT	546.00
AVERAGE RBA ZERO+ DENSITY	0.12
AVERAGE RBA CHINOOK COUNT	226.00
AVERAGE RBA CHINOOK DENSITY	0.02
AVERAGE RBA CUTTHROAT COUNT	38.00
AVERAGE RBA CUTTHROAT DENSITY	0.03
AVERAGE RBA STEELHEAD COUNT	176.50
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	6645.97
%NHD STREAM LENGTH WITH AQI DATA	18.66%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	28967.73
% UNDERCUT BANK	2.93%
% ACTIVE_EROSION	15.16%
% SHADE	99.62%
% SILTS & ORGANICS	1.37%
% SAND	24.46%

% GRAVELS	43.47%
% COBBLES	14.74%
% BOULDERS	5.17%
% BEDROCK	10.78%
% POOL AREA	34.68%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	38.98%
% SAFN IN RIFFLES	23.50%
NUMBER OF BOULDERS/100M	31.00
NUMBER OF PIECES OF LWD/100M	9.00
NUMBER OF KEY PIECES OF LWD/100M	0.35
WOOD VOLUME/100M	17.09
% PUBLIC OWNERSHIP	88.30%
% PRIVATE NON-INDUSTRIAL	6.45%
% PRIVATE FORESTRY	5.23%
% PUBLIC FORESTRY	87.96%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	6.81%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	13.66%
% LARGE CONIFER	1.59%
% HARDWOOD	20.44%
% MIXED HARDWOOD/CONIFER	50.12%
% OPEN (10% < COVER < 40%)	5.35%
% BARE LAND (<10% COVER)	8.85%
% 100FT STREAM BUFFER CONIFER	9.01%
% 100FT STREAM BUFFER LARGE CONIFER	2.10%
% 100FT STREAM BUFFER HARDWOOD	23.05%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	60.36%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	5.48%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	FALL
PRIOR_ID	51
CLAMS MODELED STREAM LENGTH (FT)	28769.16
TOTAL STREAM LENGTH (FT)	197654.78
WATERSHED AREA (ACRES)	2949.30
TOTAL ROAD LENGTH (FT)	80678.38
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.41
RIPARIAN ROAD DENSITY	0.62
NUMBER OF ROAD CROSSINGS	40.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	1.82%
% WATERSHED AREA HARVESTED 1972-2007	4.68%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	34970.95
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	17.69%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	262.57
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.13%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	262.57
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	201899.97
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	9938.58
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	3118.36
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	184.34
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.23
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.51
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.18
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	5.00
RBA 05 COHO DENSITY	0.00
RBA 05 ZERO+ COUNT	73.00
RBA 05 ZERO+ DENSITY	0.05
RBA 05 STEELHEAD COUNT	149.00
RBA 05 STEELHEAD DENSITY	0.03

RBA 05 CUTTHROAT COUNT	24.00
RBA 05 CUTTHROAT DENSITY	0.17
RBA 05 CHINOOK COUNT	45.00
RBA 05 CHINOOK DENSITY	0.17
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	0.00
RBA 06 COHO DENSITY	0.00
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.08
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	11.00
RBA 06 CUTTHROAT DENSITY	0.20
RBA 06 STEELHEAD COUNT	0.00
RBA 06 STEELHEAD DENSITY	0.00
AVERAGE RBA COHO COUNT	2.50
AVERAGE RBA COHO DENSITY	0.00
AVERAGE RBA ZERO+ COUNT	39.00
AVERAGE RBA ZERO+ DENSITY	0.06
AVERAGE RBA CHINOOK COUNT	22.50
AVERAGE RBA CHINOOK DENSITY	0.01
AVERAGE RBA CUTTHROAT COUNT	17.50
AVERAGE RBA CUTTHROAT DENSITY	0.19
AVERAGE RBA STEELHEAD COUNT	74.50
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	13381.88
%NHD STREAM LENGTH WITH AQI DATA	60.85%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	8608.45
% UNDERCUT BANK	0.11%
% ACTIVE_EROSION	2.98%
% SHADE	85.13%
% SILTS & ORGANICS	0.81%
% SAND	10.30%

% GRAVELS	13.20%
% COBBLES	20.60%
% BOULDERS	47.92%
% BEDROCK	7.16%
% POOL AREA	14.80%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	17.69%
% SAFN IN RIFFLES	12.47%
NUMBER OF BOULDERS/100M	139.65
NUMBER OF PIECES OF LWD/100M	35.00
NUMBER OF KEY PIECES OF LWD/100M	0.12
WOOD VOLUME/100M	18.39
% PUBLIC OWNERSHIP	95.30%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	4.70%
% PUBLIC FORESTRY	95.30%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	24.90%
% LARGE CONIFER	4.15%
% HARDWOOD	18.95%
% MIXED HARDWOOD/CONIFER	51.07%
% OPEN (10% < COVER < 40%)	0.22%
% BARE LAND (<10% COVER)	0.71%
% 100FT STREAM BUFFER CONIFER	14.15%
% 100FT STREAM BUFFER LARGE CONIFER	3.67%
% 100FT STREAM BUFFER HARDWOOD	25.87%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	55.91%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.40%

METRIC NAME	DATA
5TH FIELD WATERSHED	TILLAMOOK BAY
7TH FIELD WATERSHED	HALL SLOUGH
PRIOR_ID	52
CLAMS MODELED STREAM LENGTH (FT)	3508.73
TOTAL STREAM LENGTH (FT)	3508.74
WATERSHED AREA (ACRES)	1616.26
TOTAL ROAD LENGTH (FT)	70562.25
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	20.11
RIPARIAN ROAD DENSITY	0.54
NUMBER OF ROAD CROSSINGS	0.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	0.00%
% WATERSHED AREA HARVESTED 1972-2007	0.00%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	3508.74
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	0.00
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	2911.62
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	471.53
CHUM HIGH INTRINSIC POTENTIAL (FT)	3383.15
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.93
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.46
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.21
AVERAGE CHUM INTRINSIC POTENTIAL	0.96
RBA 05 COHO COUNT	0.00
RBA 05 COHO DENSITY	0.00
RBA 05 ZERO+ COUNT	0.00
RBA 05 ZERO+ DENSITY	0.00
RBA 05 STEELHEAD COUNT	0.00
RBA 05 STEELHEAD DENSITY	0.00

RBA 05 CUTTHROAT COUNT	0.00
RBA 05 CUTTHROAT DENSITY	0.00
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.00
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	0.00
RBA 06 COHO DENSITY	0.00
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.00
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	0.00
RBA 06 CUTTHROAT DENSITY	0.00
RBA 06 STEELHEAD COUNT	0.00
RBA 06 STEELHEAD DENSITY	0.00
AVERAGE RBA COHO COUNT	0.00
AVERAGE RBA COHO DENSITY	0.00
AVERAGE RBA ZERO+ COUNT	0.00
AVERAGE RBA ZERO+ DENSITY	0.00
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	0.00
AVERAGE RBA CUTTHROAT DENSITY	0.00
AVERAGE RBA STEELHEAD COUNT	0.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	2858.68
%NHD STREAM LENGTH WITH AQI DATA	7.09%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	37464.60
% UNDERCUT BANK	3.01%
% ACTIVE_EROSION	0.00%
% SHADE	26.65%
% SILTS & ORGANICS	52.04%
% SAND	36.02%

% GRAVELS	11.95%
% COBBLES	0.00%
% BOULDERS	0.00%
% BEDROCK	0.00%
% POOL AREA	0.00%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	0.00%
% SAFN IN RIFFLES	0.00%
NUMBER OF BOULDERS/100M	0.00
NUMBER OF PIECES OF LWD/100M	1.00
NUMBER OF KEY PIECES OF LWD/100M	0.00
WOOD VOLUME/100M	1.24
% PUBLIC OWNERSHIP	0.00%
% PRIVATE NON-INDUSTRIAL	96.02%
% PRIVATE FORESTRY	0.01%
% PUBLIC FORESTRY	0.00%
% AGRICULTURE	78.95%
% RURAL RESIDENTIAL	0.43%
% URBAN	4.56%
% PARK	0.00%
% OTHER LAND USE	16.05%
% CONIFER	8.59%
% LARGE CONIFER	0.28%
% HARDWOOD	0.00%
% MIXED HARDWOOD/CONIFER	0.70%
% OPEN (10% < COVER < 40%)	15.56%
% BARE LAND (<10% COVER)	74.87%
% 100FT STREAM BUFFER CONIFER	100.00%
% 100FT STREAM BUFFER LARGE CONIFER	0.00%
% 100FT STREAM BUFFER HARDWOOD	0.00%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	0.00%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.00%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	LOWER_NORTH_FORK_NORTH_FORK_TRASK
PRIOR_ID	53
CLAMS MODELED STREAM LENGTH (FT)	27487.81
TOTAL STREAM LENGTH (FT)	195290.33
WATERSHED AREA (ACRES)	2676.77
TOTAL ROAD LENGTH (FT)	69381.55
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.36
RIPARIAN ROAD DENSITY	0.58
NUMBER OF ROAD CROSSINGS	85.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	7.47%
% WATERSHED AREA HARVESTED 1972-2007	9.09%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	38729.98
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	19.83%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	1076.48
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	4901795.24
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	18589.91
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	1060.56
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.41
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.72
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.29
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	1306.00
RBA 05 COHO DENSITY	0.40
RBA 05 ZERO+ COUNT	560.00
RBA 05 ZERO+ DENSITY	0.24
RBA 05 STEELHEAD COUNT	136.00
RBA 05 STEELHEAD DENSITY	0.06

RBA 05 CUTTHROAT COUNT	54.00
RBA 05 CUTTHROAT DENSITY	0.03
RBA 05 CHINOOK COUNT	1.00
RBA 05 CHINOOK DENSITY	0.03
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	1493.00
RBA 06 COHO DENSITY	0.74
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.44
RBA 06 CHINOOK COUNT	2.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	35.00
RBA 06 CUTTHROAT DENSITY	0.02
RBA 06 STEELHEAD COUNT	107.00
RBA 06 STEELHEAD DENSITY	0.09
AVERAGE RBA COHO COUNT	1399.50
AVERAGE RBA COHO DENSITY	0.57
AVERAGE RBA ZERO+ COUNT	587.50
AVERAGE RBA ZERO+ DENSITY	0.34
AVERAGE RBA CHINOOK COUNT	1.50
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	44.50
AVERAGE RBA CUTTHROAT DENSITY	0.02
AVERAGE RBA STEELHEAD COUNT	121.50
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	17681.55
%NHD STREAM LENGTH WITH AQI DATA	67.49%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	8517.93
% UNDERCUT BANK	0.22%
% ACTIVE_EROSION	1.91%
% SHADE	79.35%
% SILTS & ORGANICS	0.00%
% SAND	4.67%

% GRAVELS	20.92%
% COBBLES	32.28%
% BOULDERS	30.16%
% BEDROCK	11.98%
% POOL AREA	38.21%
NUMBER OF DEEP POOLS (>1M)/100M	0.01
% GRAVEL IN RIFFLES	19.43%
% SAFN IN RIFFLES	0.78%
NUMBER OF BOULDERS/100M	7.89
NUMBER OF PIECES OF LWD/100M	0.00
NUMBER OF KEY PIECES OF LWD/100M	0.00
WOOD VOLUME/100M	0.00
% PUBLIC OWNERSHIP	78.20%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	21.76%
% PUBLIC FORESTRY	78.24%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	52.38%
% LARGE CONIFER	7.77%
% HARDWOOD	2.45%
% MIXED HARDWOOD/CONIFER	31.24%
% OPEN (10% < COVER < 40%)	0.59%
% BARE LAND (<10% COVER)	5.58%
% 100FT STREAM BUFFER CONIFER	41.04%
% 100FT STREAM BUFFER LARGE CONIFER	7.03%
% 100FT STREAM BUFFER HARDWOOD	5.98%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	45.07%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.89%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	MIDDLE_MAINSTEM_WILSON
PRIOR_ID	54
CLAMS MODELED STREAM LENGTH (FT)	97271.21
TOTAL STREAM LENGTH (FT)	224090.94
WATERSHED AREA (ACRES)	4076.52
TOTAL ROAD LENGTH (FT)	220814.46
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.99
RIPARIAN ROAD DENSITY	0.70
NUMBER OF ROAD CROSSINGS	89.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	13.52%
% WATERSHED AREA HARVESTED 1972-2007	10.94%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	105609.97
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	47.13%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	15564.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	6.95%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	31717.49
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	9444980.29
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	9202.45
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	29607.34
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	19899.02
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	4082.72
CHUM HIGH INTRINSIC POTENTIAL (FT)	24016.78
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.50
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.45
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.46
AVERAGE CHUM INTRINSIC POTENTIAL	0.92
RBA 05 COHO COUNT	1089.00
RBA 05 COHO DENSITY	0.37
RBA 05 ZERO+ COUNT	728.00
RBA 05 ZERO+ DENSITY	0.07
RBA 05 STEELHEAD COUNT	162.00
RBA 05 STEELHEAD DENSITY	0.00

RBA 05 CUTTHROAT COUNT	107.00
RBA 05 CUTTHROAT DENSITY	0.09
RBA 05 CHINOOK COUNT	1700.00
RBA 05 CHINOOK DENSITY	0.09
RBA 06 KNOTWEED SITINGS	4.00
RBA 06 LANDSLIDES	1.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	663.00
RBA 06 COHO DENSITY	0.82
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.09
RBA 06 CHINOOK COUNT	1776.00
RBA 06 CHINOOK DENSITY	0.01
RBA 06 CUTTHROAT COUNT	140.00
RBA 06 CUTTHROAT DENSITY	0.14
RBA 06 STEELHEAD COUNT	331.00
RBA 06 STEELHEAD DENSITY	0.09
AVERAGE RBA COHO COUNT	876.00
AVERAGE RBA COHO DENSITY	0.59
AVERAGE RBA ZERO+ COUNT	549.50
AVERAGE RBA ZERO+ DENSITY	0.08
AVERAGE RBA CHINOOK COUNT	1738.00
AVERAGE RBA CHINOOK DENSITY	0.01
AVERAGE RBA CUTTHROAT COUNT	123.50
AVERAGE RBA CUTTHROAT DENSITY	0.12
AVERAGE RBA STEELHEAD COUNT	246.50
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	0.00
%NHD STREAM LENGTH WITH AQI DATA	0.00%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	47025.48
% UNDERCUT BANK	NA
% ACTIVE_EROSION	NA
% SHADE	NA
% SILTS & ORGANICS	NA
% SAND	NA

% GRAVELS	NA
% COBBLES	NA
% BOULDERS	NA
% BEDROCK	NA
% POOL AREA	NA
NUMBER OF DEEP POOLS (>1M)/100M	NA
% GRAVEL IN RIFFLES	NA
% SAFN IN RIFFLES	NA
NUMBER OF BOULDERS/100M	NA
NUMBER OF PIECES OF LWD/100M	NA
NUMBER OF KEY PIECES OF LWD/100M	NA
WOOD VOLUME/100M	NA
% PUBLIC OWNERSHIP	43.70%
% PRIVATE NON-INDUSTRIAL	47.30%
% PRIVATE FORESTRY	9.03%
% PUBLIC FORESTRY	41.76%
% AGRICULTURE	30.07%
% RURAL RESIDENTIAL	19.14%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	17.77%
% LARGE CONIFER	9.77%
% HARDWOOD	5.27%
% MIXED HARDWOOD/CONIFER	23.04%
% OPEN (10% < COVER < 40%)	11.89%
% BARE LAND (<10% COVER)	32.26%
% 100FT STREAM BUFFER CONIFER	21.57%
% 100FT STREAM BUFFER LARGE CONIFER	11.75%
% 100FT STREAM BUFFER HARDWOOD	10.40%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	41.08%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	15.20%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	LOWER_MAINSTEM_WILSON
PRIOR_ID	55
CLAMS MODELED STREAM LENGTH (FT)	60638.14
TOTAL STREAM LENGTH (FT)	92914.38
WATERSHED AREA (ACRES)	2387.76
TOTAL ROAD LENGTH (FT)	192507.84
ROAD DENSITY (MILES/ACRE)	0.02
ROAD DENSITY (MILES ROAD/STREAM MILE)	2.07
RIPARIAN ROAD DENSITY	0.81
NUMBER OF ROAD CROSSINGS	37.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	18.02%
% WATERSHED AREA HARVESTED 1972-2007	17.30%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	64484.51
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	69.40%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	17659.09
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	19.01%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	40620.80
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	247869.73
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	2235.45
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	15867.19
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	21203.52
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	1899.29
CHUM HIGH INTRINSIC POTENTIAL (FT)	23102.81
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.73
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.44
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.42
AVERAGE CHUM INTRINSIC POTENTIAL	0.93
RBA 05 COHO COUNT	119.00
RBA 05 COHO DENSITY	0.24
RBA 05 ZERO+ COUNT	91.00
RBA 05 ZERO+ DENSITY	0.01
RBA 05 STEELHEAD COUNT	57.00
RBA 05 STEELHEAD DENSITY	0.00

RBA 05 CUTTHROAT COUNT	36.00
RBA 05 CUTTHROAT DENSITY	0.07
RBA 05 CHINOOK COUNT	227.00
RBA 05 CHINOOK DENSITY	0.07
RBA 06 KNOTWEED SITINGS	2.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	107.00
RBA 06 COHO DENSITY	0.50
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.01
RBA 06 CHINOOK COUNT	442.00
RBA 06 CHINOOK DENSITY	0.03
RBA 06 CUTTHROAT COUNT	32.00
RBA 06 CUTTHROAT DENSITY	0.04
RBA 06 STEELHEAD COUNT	186.00
RBA 06 STEELHEAD DENSITY	0.01
AVERAGE RBA COHO COUNT	113.00
AVERAGE RBA COHO DENSITY	0.37
AVERAGE RBA ZERO+ COUNT	108.00
AVERAGE RBA ZERO+ DENSITY	0.01
AVERAGE RBA CHINOOK COUNT	334.50
AVERAGE RBA CHINOOK DENSITY	0.01
AVERAGE RBA CUTTHROAT COUNT	34.00
AVERAGE RBA CUTTHROAT DENSITY	0.06
AVERAGE RBA STEELHEAD COUNT	121.50
AVERAGE RBA STEELHEAD DENSITY	0.02
AQI SURVEY LENGTH (FT)	0.00
%NHD STREAM LENGTH WITH AQI DATA	0.00%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	31421.25
% UNDERCUT BANK	NA
% ACTIVE_EROSION	NA
% SHADE	NA
% SILTS & ORGANICS	NA
% SAND	NA

% GRAVELS	NA
% COBBLES	NA
% BOULDERS	NA
% BEDROCK	NA
% POOL AREA	NA
NUMBER OF DEEP POOLS (>1M)/100M	NA
% GRAVEL IN RIFFLES	NA
% SAFN IN RIFFLES	NA
NUMBER OF BOULDERS/100M	NA
NUMBER OF PIECES OF LWD/100M	NA
NUMBER OF KEY PIECES OF LWD/100M	NA
WOOD VOLUME/100M	NA
% PUBLIC OWNERSHIP	32.60%
% PRIVATE NON-INDUSTRIAL	48.38%
% PRIVATE FORESTRY	17.91%
% PUBLIC FORESTRY	31.27%
% AGRICULTURE	34.31%
% RURAL RESIDENTIAL	12.46%
% URBAN	0.46%
% PARK	0.00%
% OTHER LAND USE	2.50%
% CONIFER	17.23%
% LARGE CONIFER	3.77%
% HARDWOOD	2.87%
% MIXED HARDWOOD/CONIFER	17.73%
% OPEN (10% < COVER < 40%)	18.01%
% BARE LAND (<10% COVER)	40.39%
% 100FT STREAM BUFFER CONIFER	25.58%
% 100FT STREAM BUFFER LARGE CONIFER	4.57%
% 100FT STREAM BUFFER HARDWOOD	8.57%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	28.66%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	32.62%

METRIC NAME	DATA
5TH FIELD WATERSHED	WILSON RIVER
7TH FIELD WATERSHED	HATCHERY
PRIOR_ID	56
CLAMS MODELED STREAM LENGTH (FT)	44380.20
TOTAL STREAM LENGTH (FT)	185987.78
WATERSHED AREA (ACRES)	2698.81
TOTAL ROAD LENGTH (FT)	76911.46
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.41
RIPARIAN ROAD DENSITY	0.26
NUMBER OF ROAD CROSSINGS	55.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	12.75%
% WATERSHED AREA HARVESTED 1972-2007	21.08%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	46283.17
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	24.89%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	593.09
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.32%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	593.09
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	15693985.86
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	15168.96
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	7044.19
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	13856.41
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	2893.22
CHUM HIGH INTRINSIC POTENTIAL (FT)	16829.64
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	349.76
AVERAGE COHO INTRINSIC POTENTIAL	0.32
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.45
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.76
AVERAGE CHUM INTRINSIC POTENTIAL	0.85
RBA 05 COHO COUNT	488.00
RBA 05 COHO DENSITY	0.11
RBA 05 ZERO+ COUNT	847.00
RBA 05 ZERO+ DENSITY	0.63
RBA 05 STEELHEAD COUNT	135.00
RBA 05 STEELHEAD DENSITY	0.05

RBA 05 CUTTHROAT COUNT	33.00
RBA 05 CUTTHROAT DENSITY	0.09
RBA 05 CHINOOK COUNT	563.00
RBA 05 CHINOOK DENSITY	0.09
RBA 06 KNOTWEED SITINGS	3.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	75.00
RBA 06 COHO DENSITY	0.01
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.03
RBA 06 CHINOOK COUNT	208.00
RBA 06 CHINOOK DENSITY	0.06
RBA 06 CUTTHROAT COUNT	48.00
RBA 06 CUTTHROAT DENSITY	0.01
RBA 06 STEELHEAD COUNT	178.00
RBA 06 STEELHEAD DENSITY	0.03
AVERAGE RBA COHO COUNT	281.50
AVERAGE RBA COHO DENSITY	0.06
AVERAGE RBA ZERO+ COUNT	522.50
AVERAGE RBA ZERO+ DENSITY	0.33
AVERAGE RBA CHINOOK COUNT	385.50
AVERAGE RBA CHINOOK DENSITY	0.04
AVERAGE RBA CUTTHROAT COUNT	40.50
AVERAGE RBA CUTTHROAT DENSITY	0.05
AVERAGE RBA STEELHEAD COUNT	156.50
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	26.51
%NHD STREAM LENGTH WITH AQI DATA	0.12%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	22595.52
% UNDERCUT BANK	0.00%
% ACTIVE_EROSION	100.00%
% SHADE	25.00%
% SILTS & ORGANICS	0.00%
% SAND	25.00%

% GRAVELS	65.00%
% COBBLES	0.00%
% BOULDERS	0.00%
% BEDROCK	0.00%
% POOL AREA	0.00%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	0.00%
% SAFN IN RIFFLES	0.00%
NUMBER OF BOULDERS/100M	0.00
NUMBER OF PIECES OF LWD/100M	0.00
NUMBER OF KEY PIECES OF LWD/100M	0.00
WOOD VOLUME/100M	0.00
% PUBLIC OWNERSHIP	75.60%
% PRIVATE NON-INDUSTRIAL	7.87%
% PRIVATE FORESTRY	16.55%
% PUBLIC FORESTRY	73.55%
% AGRICULTURE	3.88%
% RURAL RESIDENTIAL	5.98%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.04%
% CONIFER	9.15%
% LARGE CONIFER	24.11%
% HARDWOOD	13.56%
% MIXED HARDWOOD/CONIFER	39.39%
% OPEN (10% < COVER < 40%)	4.97%
% BARE LAND (<10% COVER)	8.82%
% 100FT STREAM BUFFER CONIFER	6.76%
% 100FT STREAM BUFFER LARGE CONIFER	14.01%
% 100FT STREAM BUFFER HARDWOOD	25.17%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	48.23%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	5.84%

METRIC NAME	DATA
5TH FIELD WATERSHED	TILLAMOOK BAY
7TH FIELD WATERSHED	NO_NAME_CAPE_MEARES
PRIOR_ID	57
CLAMS MODELED STREAM LENGTH (FT)	20459.63
TOTAL STREAM LENGTH (FT)	90004.98
WATERSHED AREA (ACRES)	1502.27
TOTAL ROAD LENGTH (FT)	95346.05
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	1.06
RIPARIAN ROAD DENSITY	0.95
NUMBER OF ROAD CROSSINGS	47.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	44.70%
% WATERSHED AREA HARVESTED 1972-2007	44.51%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	71865.26
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	79.85%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	1325.41
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	1.47%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	1325.41
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	170859.29
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	1607.19
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	1639.04
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.23
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.28
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.07
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	0.00
RBA 05 COHO DENSITY	0.00
RBA 05 ZERO+ COUNT	13.00
RBA 05 ZERO+ DENSITY	0.25
RBA 05 STEELHEAD COUNT	6.00
RBA 05 STEELHEAD DENSITY	0.19

RBA 05 CUTTHROAT COUNT	2.00
RBA 05 CUTTHROAT DENSITY	0.04
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.04
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	2.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	11.00
RBA 06 COHO DENSITY	0.08
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.69
RBA 06 CHINOOK COUNT	25.00
RBA 06 CHINOOK DENSITY	0.11
RBA 06 CUTTHROAT COUNT	15.00
RBA 06 CUTTHROAT DENSITY	0.27
RBA 06 STEELHEAD COUNT	4.00
RBA 06 STEELHEAD DENSITY	0.03
AVERAGE RBA COHO COUNT	5.50
AVERAGE RBA COHO DENSITY	0.04
AVERAGE RBA ZERO+ COUNT	21.00
AVERAGE RBA ZERO+ DENSITY	0.47
AVERAGE RBA CHINOOK COUNT	12.50
AVERAGE RBA CHINOOK DENSITY	0.06
AVERAGE RBA CUTTHROAT COUNT	8.50
AVERAGE RBA CUTTHROAT DENSITY	0.16
AVERAGE RBA STEELHEAD COUNT	5.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	0.00
%NHD STREAM LENGTH WITH AQI DATA	0.00%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	8470.67
% UNDERCUT BANK	NA
% ACTIVE_EROSION	NA
% SHADE	NA
% SILTS & ORGANICS	NA
% SAND	NA

% GRAVELS	NA
% COBBLES	NA
% BOULDERS	NA
% BEDROCK	NA
% POOL AREA	NA
NUMBER OF DEEP POOLS (>1M)/100M	NA
% GRAVEL IN RIFFLES	NA
% SAFN IN RIFFLES	NA
NUMBER OF BOULDERS/100M	NA
NUMBER OF PIECES OF LWD/100M	NA
NUMBER OF KEY PIECES OF LWD/100M	NA
WOOD VOLUME/100M	NA
% PUBLIC OWNERSHIP	0.00%
% PRIVATE NON-INDUSTRIAL	4.63%
% PRIVATE FORESTRY	94.24%
% PUBLIC FORESTRY	0.00%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	2.37%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	2.73%
% CONIFER	68.06%
% LARGE CONIFER	0.01%
% HARDWOOD	0.78%
% MIXED HARDWOOD/CONIFER	20.88%
% OPEN (10% < COVER < 40%)	0.55%
% BARE LAND (<10% COVER)	9.71%
% 100FT STREAM BUFFER CONIFER	65.90%
% 100FT STREAM BUFFER LARGE CONIFER	0.00%
% 100FT STREAM BUFFER HARDWOOD	0.85%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	33.10%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.15%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	MIDDLE_NORTH_FORK_TRASK
PRIOR_ID	58
CLAMS MODELED STREAM LENGTH (FT)	81592.21
TOTAL STREAM LENGTH (FT)	425197.66
WATERSHED AREA (ACRES)	6696.14
TOTAL ROAD LENGTH (FT)	198376.02
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.47
RIPARIAN ROAD DENSITY	0.47
NUMBER OF ROAD CROSSINGS	118.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	3.29%
% WATERSHED AREA HARVESTED 1972-2007	5.21%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	85417.20
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	20.09%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	88.85
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.02%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	88.85
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	18375897.90
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	43209.03
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	4233.94
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	26552.31
CHUM HIGH INTRINSIC POTENTIAL (FT)	15632.82
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	1339.04
AVERAGE COHO INTRINSIC POTENTIAL	0.34
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.59
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.50
AVERAGE CHUM INTRINSIC POTENTIAL	0.73
RBA 05 COHO COUNT	1485.00
RBA 05 COHO DENSITY	0.47
RBA 05 ZERO+ COUNT	1130.00
RBA 05 ZERO+ DENSITY	0.23
RBA 05 STEELHEAD COUNT	126.00
RBA 05 STEELHEAD DENSITY	0.04

RBA 05 CUTTHROAT COUNT	130.00
RBA 05 CUTTHROAT DENSITY	0.06
RBA 05 CHINOOK COUNT	15.00
RBA 05 CHINOOK DENSITY	0.06
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	6.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	2221.00
RBA 06 COHO DENSITY	2.29
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.55
RBA 06 CHINOOK COUNT	26.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	83.00
RBA 06 CUTTHROAT DENSITY	0.05
RBA 06 STEELHEAD COUNT	84.00
RBA 06 STEELHEAD DENSITY	0.05
AVERAGE RBA COHO COUNT	1853.00
AVERAGE RBA COHO DENSITY	1.38
AVERAGE RBA ZERO+ COUNT	1269.50
AVERAGE RBA ZERO+ DENSITY	0.39
AVERAGE RBA CHINOOK COUNT	20.50
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	106.50
AVERAGE RBA CUTTHROAT DENSITY	0.05
AVERAGE RBA STEELHEAD COUNT	105.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	29098.11
%NHD STREAM LENGTH WITH AQI DATA	43.47%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	37836.76
% UNDERCUT BANK	0.00%
% ACTIVE_EROSION	0.81%
% SHADE	61.51%
% SILTS & ORGANICS	0.00%
% SAND	8.74%

% GRAVELS	20.16%
% COBBLES	33.36%
% BOULDERS	20.50%
% BEDROCK	17.24%
% POOL AREA	51.17%
NUMBER OF DEEP POOLS (>1M)/100M	0.01
% GRAVEL IN RIFFLES	21.63%
% SAFN IN RIFFLES	0.00%
NUMBER OF BOULDERS/100M	18.11
NUMBER OF PIECES OF LWD/100M	0.00
NUMBER OF KEY PIECES OF LWD/100M	0.00
WOOD VOLUME/100M	0.00
% PUBLIC OWNERSHIP	100.00%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	0.00%
% PUBLIC FORESTRY	100.00%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	28.36%
% LARGE CONIFER	3.25%
% HARDWOOD	19.96%
% MIXED HARDWOOD/CONIFER	45.02%
% OPEN (10% < COVER < 40%)	0.65%
% BARE LAND (<10% COVER)	2.75%
% 100FT STREAM BUFFER CONIFER	17.55%
% 100FT STREAM BUFFER LARGE CONIFER	1.73%
% 100FT STREAM BUFFER HARDWOOD	27.33%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	52.41%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.99%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	LOWER_NORTH_FORK_TRASK
PRIOR_ID	59
CLAMS MODELED STREAM LENGTH (FT)	54918.92
TOTAL STREAM LENGTH (FT)	315835.76
WATERSHED AREA (ACRES)	4858.73
TOTAL ROAD LENGTH (FT)	167249.35
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.53
RIPARIAN ROAD DENSITY	0.70
NUMBER OF ROAD CROSSINGS	84.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	3.08%
% WATERSHED AREA HARVESTED 1972-2007	7.61%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	104687.95
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	33.15%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	16064331.90
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	29381.80
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	4130.53
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	24583.53
CHUM HIGH INTRINSIC POTENTIAL (FT)	17828.38
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	237.70
AVERAGE COHO INTRINSIC POTENTIAL	0.36
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.59
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.57
AVERAGE CHUM INTRINSIC POTENTIAL	0.79
RBA 05 COHO COUNT	409.00
RBA 05 COHO DENSITY	0.08
RBA 05 ZERO+ COUNT	529.00
RBA 05 ZERO+ DENSITY	0.12
RBA 05 STEELHEAD COUNT	74.00
RBA 05 STEELHEAD DENSITY	0.02

RBA 05 CUTTHROAT COUNT	48.00
RBA 05 CUTTHROAT DENSITY	0.04
RBA 05 CHINOOK COUNT	444.00
RBA 05 CHINOOK DENSITY	0.04
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	1.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	1268.00
RBA 06 COHO DENSITY	0.10
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.37
RBA 06 CHINOOK COUNT	1180.00
RBA 06 CHINOOK DENSITY	0.08
RBA 06 CUTTHROAT COUNT	164.00
RBA 06 CUTTHROAT DENSITY	0.05
RBA 06 STEELHEAD COUNT	314.00
RBA 06 STEELHEAD DENSITY	0.05
AVERAGE RBA COHO COUNT	838.50
AVERAGE RBA COHO DENSITY	0.09
AVERAGE RBA ZERO+ COUNT	572.50
AVERAGE RBA ZERO+ DENSITY	0.25
AVERAGE RBA CHINOOK COUNT	812.00
AVERAGE RBA CHINOOK DENSITY	0.05
AVERAGE RBA CUTTHROAT COUNT	106.00
AVERAGE RBA CUTTHROAT DENSITY	0.04
AVERAGE RBA STEELHEAD COUNT	194.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	23119.09
%NHD STREAM LENGTH WITH AQI DATA	69.00%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	10385.43
% UNDERCUT BANK	0.00%
% ACTIVE_EROSION	0.03%
% SHADE	59.59%
% SILTS & ORGANICS	0.04%
% SAND	7.34%

% GRAVELS	19.68%
% COBBLES	26.85%
% BOULDERS	31.26%
% BEDROCK	14.85%
% POOL AREA	37.73%
NUMBER OF DEEP POOLS (>1M)/100M	0.01
% GRAVEL IN RIFFLES	15.41%
% SAFN IN RIFFLES	1.39%
NUMBER OF BOULDERS/100M	25.90
NUMBER OF PIECES OF LWD/100M	0.00
NUMBER OF KEY PIECES OF LWD/100M	0.00
WOOD VOLUME/100M	0.00
% PUBLIC OWNERSHIP	99.70%
% PRIVATE NON-INDUSTRIAL	0.03%
% PRIVATE FORESTRY	0.28%
% PUBLIC FORESTRY	99.70%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.03%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	27.57%
% LARGE CONIFER	1.41%
% HARDWOOD	17.72%
% MIXED HARDWOOD/CONIFER	50.54%
% OPEN (10% < COVER < 40%)	0.77%
% BARE LAND (<10% COVER)	1.99%
% 100FT STREAM BUFFER CONIFER	17.04%
% 100FT STREAM BUFFER LARGE CONIFER	1.22%
% 100FT STREAM BUFFER HARDWOOD	23.82%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	57.21%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.72%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	UPPER_NORTH_FORK_TRASK
PRIOR_ID	60
CLAMS MODELED STREAM LENGTH (FT)	25731.08
TOTAL STREAM LENGTH (FT)	136365.07
WATERSHED AREA (ACRES)	1905.87
TOTAL ROAD LENGTH (FT)	21329.19
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.16
RIPARIAN ROAD DENSITY	0.34
NUMBER OF ROAD CROSSINGS	24.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	2.07%
% WATERSHED AREA HARVESTED 1972-2007	4.35%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	46362.86
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	34.00%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	4176133.80
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	8521.87
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	2664.49
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	5297.10
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.30
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.45
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.39
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	263.00
RBA 05 COHO DENSITY	0.23
RBA 05 ZERO+ COUNT	258.00
RBA 05 ZERO+ DENSITY	0.67
RBA 05 STEELHEAD COUNT	6.00
RBA 05 STEELHEAD DENSITY	0.00

RBA 05 CUTTHROAT COUNT	38.00
RBA 05 CUTTHROAT DENSITY	0.30
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.30
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	294.00
RBA 06 COHO DENSITY	1.34
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.90
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	15.00
RBA 06 CUTTHROAT DENSITY	0.03
RBA 06 STEELHEAD COUNT	17.00
RBA 06 STEELHEAD DENSITY	0.00
AVERAGE RBA COHO COUNT	278.50
AVERAGE RBA COHO DENSITY	0.79
AVERAGE RBA ZERO+ COUNT	175.00
AVERAGE RBA ZERO+ DENSITY	0.78
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	26.50
AVERAGE RBA CUTTHROAT DENSITY	0.16
AVERAGE RBA STEELHEAD COUNT	11.50
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	7808.92
%NHD STREAM LENGTH WITH AQI DATA	37.61%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	12951.55
% UNDERCUT BANK	0.11%
% ACTIVE_EROSION	1.35%
% SHADE	77.06%
% SILTS & ORGANICS	0.00%
% SAND	5.91%

% GRAVELS	17.39%
% COBBLES	30.27%
% BOULDERS	32.67%
% BEDROCK	13.67%
% POOL AREA	41.07%
NUMBER OF DEEP POOLS (>1M)/100M	0.01
% GRAVEL IN RIFFLES	17.76%
% SAFN IN RIFFLES	0.98%
NUMBER OF BOULDERS/100M	3.40
NUMBER OF PIECES OF LWD/100M	0.00
NUMBER OF KEY PIECES OF LWD/100M	0.00
WOOD VOLUME/100M	0.00
% PUBLIC OWNERSHIP	100.00%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	0.00%
% PUBLIC FORESTRY	100.00%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	36.14%
% LARGE CONIFER	19.30%
% HARDWOOD	14.89%
% MIXED HARDWOOD/CONIFER	28.00%
% OPEN (10% < COVER < 40%)	0.48%
% BARE LAND (<10% COVER)	1.20%
% 100FT STREAM BUFFER CONIFER	29.54%
% 100FT STREAM BUFFER LARGE CONIFER	23.08%
% 100FT STREAM BUFFER HARDWOOD	17.21%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	29.94%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.23%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	LOWER_SOUTH_FORK_NORTH_FORK_TRASK
PRIOR_ID	61
CLAMS MODELED STREAM LENGTH (FT)	66484.29
TOTAL STREAM LENGTH (FT)	205501.48
WATERSHED AREA (ACRES)	3334.04
TOTAL ROAD LENGTH (FT)	74820.71
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.36
RIPARIAN ROAD DENSITY	0.48
NUMBER OF ROAD CROSSINGS	59.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	4.28%
% WATERSHED AREA HARVESTED 1972-2007	5.32%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	95207.63
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	46.33%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	5199.46
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	2.53%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	5199.46
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	8320032.43
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	29818.84
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	7481.37
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.39
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.57
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.27
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	931.00
RBA 05 COHO DENSITY	0.36
RBA 05 ZERO+ COUNT	306.00
RBA 05 ZERO+ DENSITY	0.11
RBA 05 STEELHEAD COUNT	63.00
RBA 05 STEELHEAD DENSITY	0.03

RBA 05 CUTTHROAT COUNT	69.00
RBA 05 CUTTHROAT DENSITY	0.03
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.03
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	2.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	1214.00
RBA 06 COHO DENSITY	0.41
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.11
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	27.00
RBA 06 CUTTHROAT DENSITY	0.02
RBA 06 STEELHEAD COUNT	65.00
RBA 06 STEELHEAD DENSITY	0.05
AVERAGE RBA COHO COUNT	1072.50
AVERAGE RBA COHO DENSITY	0.38
AVERAGE RBA ZERO+ COUNT	270.00
AVERAGE RBA ZERO+ DENSITY	0.11
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	48.00
AVERAGE RBA CUTTHROAT DENSITY	0.03
AVERAGE RBA STEELHEAD COUNT	64.00
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	33393.25
%NHD STREAM LENGTH WITH AQI DATA	83.88%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	6419.48
% UNDERCUT BANK	1.98%
% ACTIVE_EROSION	3.55%
% SHADE	79.84%
% SILTS & ORGANICS	0.00%
% SAND	8.00%

% GRAVELS	19.19%
% COBBLES	25.25%
% BOULDERS	22.22%
% BEDROCK	25.33%
% POOL AREA	39.20%
NUMBER OF DEEP POOLS (>1M)/100M	0.01
% GRAVEL IN RIFFLES	20.23%
% SAFN IN RIFFLES	4.54%
NUMBER OF BOULDERS/100M	17.30
NUMBER OF PIECES OF LWD/100M	0.00
NUMBER OF KEY PIECES OF LWD/100M	0.00
WOOD VOLUME/100M	0.00
% PUBLIC OWNERSHIP	94.90%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	2.92%
% PUBLIC FORESTRY	94.90%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	42.96%
% LARGE CONIFER	19.21%
% HARDWOOD	4.12%
% MIXED HARDWOOD/CONIFER	27.95%
% OPEN (10% < COVER < 40%)	2.52%
% BARE LAND (<10% COVER)	3.23%
% 100FT STREAM BUFFER CONIFER	33.87%
% 100FT STREAM BUFFER LARGE CONIFER	16.71%
% 100FT STREAM BUFFER HARDWOOD	7.30%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	39.17%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	2.95%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	BILL_RAWE_SAMSON
PRIOR_ID	62
CLAMS MODELED STREAM LENGTH (FT)	88673.81
TOTAL STREAM LENGTH (FT)	324262.25
WATERSHED AREA (ACRES)	4674.60
TOTAL ROAD LENGTH (FT)	123733.90
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.38
RIPARIAN ROAD DENSITY	0.22
NUMBER OF ROAD CROSSINGS	68.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	5.26%
% WATERSHED AREA HARVESTED 1972-2007	7.54%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	110990.75
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	34.23%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	1399.03
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.43%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	1399.03
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	18697607.34
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	29530.67
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	9721.93
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	14050.45
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	7077.68
CHUM HIGH INTRINSIC POTENTIAL (FT)	21128.14
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	770.79
AVERAGE COHO INTRINSIC POTENTIAL	0.29
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.45
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.67
AVERAGE CHUM INTRINSIC POTENTIAL	0.77
RBA 05 COHO COUNT	246.00
RBA 05 COHO DENSITY	0.28
RBA 05 ZERO+ COUNT	312.00
RBA 05 ZERO+ DENSITY	0.28
RBA 05 STEELHEAD COUNT	187.00
RBA 05 STEELHEAD DENSITY	0.07

RBA 05 CUTTHROAT COUNT	187.00
RBA 05 CUTTHROAT DENSITY	0.18
RBA 05 CHINOOK COUNT	722.00
RBA 05 CHINOOK DENSITY	0.18
RBA 06 KNOTWEED SITINGS	3.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	393.00
RBA 06 COHO DENSITY	1.05
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	1.18
RBA 06 CHINOOK COUNT	1631.00
RBA 06 CHINOOK DENSITY	0.08
RBA 06 CUTTHROAT COUNT	205.00
RBA 06 CUTTHROAT DENSITY	0.24
RBA 06 STEELHEAD COUNT	315.00
RBA 06 STEELHEAD DENSITY	0.10
AVERAGE RBA COHO COUNT	319.50
AVERAGE RBA COHO DENSITY	0.67
AVERAGE RBA ZERO+ COUNT	364.50
AVERAGE RBA ZERO+ DENSITY	0.73
AVERAGE RBA CHINOOK COUNT	1176.50
AVERAGE RBA CHINOOK DENSITY	0.05
AVERAGE RBA CUTTHROAT COUNT	196.00
AVERAGE RBA CUTTHROAT DENSITY	0.21
AVERAGE RBA STEELHEAD COUNT	251.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	20050.23
%NHD STREAM LENGTH WITH AQI DATA	46.14%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	23401.82
% UNDERCUT BANK	0.21%
% ACTIVE_EROSION	1.15%
% SHADE	61.65%
% SILTS & ORGANICS	14.71%
% SAND	9.95%

% GRAVELS	13.37%
% COBBLES	20.19%
% BOULDERS	18.80%
% BEDROCK	22.97%
% POOL AREA	44.52%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	11.35%
% SAFN IN RIFFLES	12.19%
NUMBER OF BOULDERS/100M	3.26
NUMBER OF PIECES OF LWD/100M	1.00
NUMBER OF KEY PIECES OF LWD/100M	0.02
WOOD VOLUME/100M	0.66
% PUBLIC OWNERSHIP	78.80%
% PRIVATE NON-INDUSTRIAL	6.14%
% PRIVATE FORESTRY	15.03%
% PUBLIC FORESTRY	78.49%
% AGRICULTURE	0.99%
% RURAL RESIDENTIAL	5.49%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	12.26%
% LARGE CONIFER	4.72%
% HARDWOOD	22.07%
% MIXED HARDWOOD/CONIFER	49.71%
% OPEN (10% < COVER < 40%)	5.41%
% BARE LAND (<10% COVER)	5.82%
% 100FT STREAM BUFFER CONIFER	7.45%
% 100FT STREAM BUFFER LARGE CONIFER	4.16%
% 100FT STREAM BUFFER HARDWOOD	26.27%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	55.27%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	6.84%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	UPPER_TRASK_MAINSTEM
PRIOR_ID	63
CLAMS MODELED STREAM LENGTH (FT)	57310.47
TOTAL STREAM LENGTH (FT)	269686.87
WATERSHED AREA (ACRES)	3874.46
TOTAL ROAD LENGTH (FT)	99178.58
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.37
RIPARIAN ROAD DENSITY	0.45
NUMBER OF ROAD CROSSINGS	65.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	9.00%
% WATERSHED AREA HARVESTED 1972-2007	14.52%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	53242.99
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	19.74%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	256.93
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.10%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	256.93
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	22224077.20
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	27309.75
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	4936.00
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	19300.47
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	5549.66
CHUM HIGH INTRINSIC POTENTIAL (FT)	23822.42
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	1495.15
AVERAGE COHO INTRINSIC POTENTIAL	0.36
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.53
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.76
AVERAGE CHUM INTRINSIC POTENTIAL	0.84
RBA 05 COHO COUNT	337.00
RBA 05 COHO DENSITY	0.04
RBA 05 ZERO+ COUNT	542.00
RBA 05 ZERO+ DENSITY	0.41
RBA 05 STEELHEAD COUNT	187.00
RBA 05 STEELHEAD DENSITY	0.01

RBA 05 CUTTHROAT COUNT	97.00
RBA 05 CUTTHROAT DENSITY	0.14
RBA 05 CHINOOK COUNT	896.00
RBA 05 CHINOOK DENSITY	0.14
RBA 06 KNOTWEED SITINGS	7.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	75.00
RBA 06 COHO DENSITY	0.01
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.03
RBA 06 CHINOOK COUNT	1885.00
RBA 06 CHINOOK DENSITY	0.19
RBA 06 CUTTHROAT COUNT	124.00
RBA 06 CUTTHROAT DENSITY	0.02
RBA 06 STEELHEAD COUNT	243.00
RBA 06 STEELHEAD DENSITY	0.03
AVERAGE RBA COHO COUNT	206.00
AVERAGE RBA COHO DENSITY	0.02
AVERAGE RBA ZERO+ COUNT	454.00
AVERAGE RBA ZERO+ DENSITY	0.22
AVERAGE RBA CHINOOK COUNT	1390.50
AVERAGE RBA CHINOOK DENSITY	0.11
AVERAGE RBA CUTTHROAT COUNT	110.50
AVERAGE RBA CUTTHROAT DENSITY	0.08
AVERAGE RBA STEELHEAD COUNT	215.00
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	24579.67
%NHD STREAM LENGTH WITH AQI DATA	100.00%
NEEDS AQI DATA?	N
AQI LENGTH TO SURVEY (FT)	0.00
% UNDERCUT BANK	0.38%
% ACTIVE_EROSION	0.00%
% SHADE	59.32%
% SILTS & ORGANICS	14.36%
% SAND	11.44%

% GRAVELS	13.89%
% COBBLES	25.00%
% BOULDERS	18.56%
% BEDROCK	16.76%
% POOL AREA	39.99%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	13.07%
% SAFN IN RIFFLES	17.56%
NUMBER OF BOULDERS/100M	9.02
NUMBER OF PIECES OF LWD/100M	0.00
NUMBER OF KEY PIECES OF LWD/100M	0.03
WOOD VOLUME/100M	0.90
% PUBLIC OWNERSHIP	64.10%
% PRIVATE NON-INDUSTRIAL	3.15%
% PRIVATE FORESTRY	32.72%
% PUBLIC FORESTRY	63.80%
% AGRICULTURE	0.02%
% RURAL RESIDENTIAL	3.47%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	10.84%
% LARGE CONIFER	14.34%
% HARDWOOD	16.01%
% MIXED HARDWOOD/CONIFER	38.33%
% OPEN (10% < COVER < 40%)	9.03%
% BARE LAND (<10% COVER)	11.46%
% 100FT STREAM BUFFER CONIFER	8.59%
% 100FT STREAM BUFFER LARGE CONIFER	10.92%
% 100FT STREAM BUFFER HARDWOOD	21.84%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	48.94%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	9.71%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	LOWER_TRASK_MAINSTEM_HOLDEN
PRIOR_ID	64
CLAMS MODELED STREAM LENGTH (FT)	57616.34
TOTAL STREAM LENGTH (FT)	63078.81
WATERSHED AREA (ACRES)	4219.80
TOTAL ROAD LENGTH (FT)	327502.56
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	5.19
RIPARIAN ROAD DENSITY	0.66
NUMBER OF ROAD CROSSINGS	25.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	0.18%
% WATERSHED AREA HARVESTED 1972-2007	0.57%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	32657.26
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	51.77%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	24658.34
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	39.09%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	54751.69
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	52043.19
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	19959.16
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	27600.86
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	2196.96
CHUM HIGH INTRINSIC POTENTIAL (FT)	29797.82
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.93
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.48
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.32
AVERAGE CHUM INTRINSIC POTENTIAL	0.93
RBA 05 COHO COUNT	278.00
RBA 05 COHO DENSITY	0.01
RBA 05 ZERO+ COUNT	25.00
RBA 05 ZERO+ DENSITY	0.03
RBA 05 STEELHEAD COUNT	13.00
RBA 05 STEELHEAD DENSITY	0.00

RBA 05 CUTTHROAT COUNT	14.00
RBA 05 CUTTHROAT DENSITY	0.02
RBA 05 CHINOOK COUNT	150.00
RBA 05 CHINOOK DENSITY	0.02
RBA 06 KNOTWEED SITINGS	1.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	8.00
RBA 06 COHO DENSITY	0.00
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.57
RBA 06 CHINOOK COUNT	130.00
RBA 06 CHINOOK DENSITY	0.03
RBA 06 CUTTHROAT COUNT	4.00
RBA 06 CUTTHROAT DENSITY	0.12
RBA 06 STEELHEAD COUNT	7.00
RBA 06 STEELHEAD DENSITY	0.00
AVERAGE RBA COHO COUNT	143.00
AVERAGE RBA COHO DENSITY	0.01
AVERAGE RBA ZERO+ COUNT	39.50
AVERAGE RBA ZERO+ DENSITY	0.30
AVERAGE RBA CHINOOK COUNT	140.00
AVERAGE RBA CHINOOK DENSITY	0.02
AVERAGE RBA CUTTHROAT COUNT	9.00
AVERAGE RBA CUTTHROAT DENSITY	0.07
AVERAGE RBA STEELHEAD COUNT	10.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	27746.14
%NHD STREAM LENGTH WITH AQI DATA	48.66%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	29274.89
% UNDERCUT BANK	21.44%
% ACTIVE_EROSION	45.85%
% SHADE	17.72%
% SILTS & ORGANICS	36.63%
% SAND	28.44%

% GRAVELS	28.46%
% COBBLES	5.72%
% BOULDERS	0.76%
% BEDROCK	0.00%
% POOL AREA	14.46%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	30.23%
% SAFN IN RIFFLES	36.24%
NUMBER OF BOULDERS/100M	0.00
NUMBER OF PIECES OF LWD/100M	2.00
NUMBER OF KEY PIECES OF LWD/100M	0.15
WOOD VOLUME/100M	4.32
% PUBLIC OWNERSHIP	0.00%
% PRIVATE NON-INDUSTRIAL	98.41%
% PRIVATE FORESTRY	1.59%
% PUBLIC FORESTRY	0.00%
% AGRICULTURE	68.09%
% RURAL RESIDENTIAL	6.83%
% URBAN	21.21%
% PARK	0.00%
% OTHER LAND USE	2.28%
% CONIFER	3.96%
% LARGE CONIFER	0.03%
% HARDWOOD	0.00%
% MIXED HARDWOOD/CONIFER	0.50%
% OPEN (10% < COVER < 40%)	7.37%
% BARE LAND (<10% COVER)	88.14%
% 100FT STREAM BUFFER CONIFER	37.65%
% 100FT STREAM BUFFER LARGE CONIFER	0.00%
% 100FT STREAM BUFFER HARDWOOD	0.00%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	5.26%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	57.09%

METRIC NAME	DATA
5TH FIELD WATERSHED	TILLAMOOK RIVER
7TH FIELD WATERSHED	TOMLINSON_ESTHER
PRIOR_ID	65
CLAMS MODELED STREAM LENGTH (FT)	48459.84
TOTAL STREAM LENGTH (FT)	93292.06
WATERSHED AREA (ACRES)	1783.43
TOTAL ROAD LENGTH (FT)	110694.29
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	1.19
RIPARIAN ROAD DENSITY	0.53
NUMBER OF ROAD CROSSINGS	39.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	37.01%
% WATERSHED AREA HARVESTED 1972-2007	42.69%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	88401.17
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	94.76%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	15818.04
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	16.96%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	15818.04
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	177840.20
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	2902.08
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	19676.55
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.43
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.36
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.07
AVERAGE CHUM INTRINSIC POTENTIAL	0.25
RBA 05 COHO COUNT	330.00
RBA 05 COHO DENSITY	0.54
RBA 05 ZERO+ COUNT	46.00
RBA 05 ZERO+ DENSITY	0.24
RBA 05 STEELHEAD COUNT	3.00
RBA 05 STEELHEAD DENSITY	0.01

RBA 05 CUTTHROAT COUNT	35.00
RBA 05 CUTTHROAT DENSITY	0.09
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.09
RBA 06 KNOTWEED SITINGS	1.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	180.00
RBA 06 COHO DENSITY	0.35
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.34
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	56.00
RBA 06 CUTTHROAT DENSITY	0.12
RBA 06 STEELHEAD COUNT	0.00
RBA 06 STEELHEAD DENSITY	0.00
AVERAGE RBA COHO COUNT	255.00
AVERAGE RBA COHO DENSITY	0.45
AVERAGE RBA ZERO+ COUNT	65.00
AVERAGE RBA ZERO+ DENSITY	0.29
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	45.50
AVERAGE RBA CUTTHROAT DENSITY	0.10
AVERAGE RBA STEELHEAD COUNT	1.50
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	0.00
%NHD STREAM LENGTH WITH AQI DATA	0.00%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	22765.35
% UNDERCUT BANK	NA
% ACTIVE_EROSION	NA
% SHADE	NA
% SILTS & ORGANICS	NA
% SAND	NA

% GRAVELS	NA
% COBBLES	NA
% BOULDERS	NA
% BEDROCK	NA
% POOL AREA	NA
NUMBER OF DEEP POOLS (>1M)/100M	NA
% GRAVEL IN RIFFLES	NA
% SAFN IN RIFFLES	NA
NUMBER OF BOULDERS/100M	NA
NUMBER OF PIECES OF LWD/100M	NA
NUMBER OF KEY PIECES OF LWD/100M	NA
WOOD VOLUME/100M	NA
% PUBLIC OWNERSHIP	0.00%
% PRIVATE NON-INDUSTRIAL	19.51%
% PRIVATE FORESTRY	80.19%
% PUBLIC FORESTRY	0.00%
% AGRICULTURE	12.85%
% RURAL RESIDENTIAL	6.65%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	47.99%
% LARGE CONIFER	0.69%
% HARDWOOD	0.57%
% MIXED HARDWOOD/CONIFER	12.48%
% OPEN (10% < COVER < 40%)	22.86%
% BARE LAND (<10% COVER)	15.41%
% 100FT STREAM BUFFER CONIFER	47.93%
% 100FT STREAM BUFFER LARGE CONIFER	0.43%
% 100FT STREAM BUFFER HARDWOOD	0.96%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	20.39%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	30.29%

METRIC NAME	DATA
5TH FIELD WATERSHED	TILLAMOOK RIVER
7TH FIELD WATERSHED	TIDAL_TILLAMOOK_MAINSTEM
PRIOR_ID	66
CLAMS MODELED STREAM LENGTH (FT)	0.00
TOTAL STREAM LENGTH (FT)	0.00
WATERSHED AREA (ACRES)	357.54
TOTAL ROAD LENGTH (FT)	18756.89
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.00
RIPARIAN ROAD DENSITY	NA
NUMBER OF ROAD CROSSINGS	0.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	0.00%
% WATERSHED AREA HARVESTED 1972-2007	0.00%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	NA
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	NA
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	0.00
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.00
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.00
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.12
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	0.00
RBA 05 COHO DENSITY	0.00
RBA 05 ZERO+ COUNT	0.00
RBA 05 ZERO+ DENSITY	0.00
RBA 05 STEELHEAD COUNT	0.00
RBA 05 STEELHEAD DENSITY	0.00

RBA 05 CUTTHROAT COUNT	0.00
RBA 05 CUTTHROAT DENSITY	0.00
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.00
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	0.00
RBA 06 COHO DENSITY	0.00
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.00
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	0.00
RBA 06 CUTTHROAT DENSITY	0.00
RBA 06 STEELHEAD COUNT	0.00
RBA 06 STEELHEAD DENSITY	0.00
AVERAGE RBA COHO COUNT	0.00
AVERAGE RBA COHO DENSITY	0.00
AVERAGE RBA ZERO+ COUNT	0.00
AVERAGE RBA ZERO+ DENSITY	0.00
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	0.00
AVERAGE RBA CUTTHROAT DENSITY	0.00
AVERAGE RBA STEELHEAD COUNT	0.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	841.03
%NHD STREAM LENGTH WITH AQI DATA	10.20%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	7407.41
% UNDERCUT BANK	10.07%
% ACTIVE_EROSION	0.00%
% SHADE	30.58%
% SILTS & ORGANICS	60.00%
% SAND	40.00%

% GRAVELS	0.00%
% COBBLES	0.00%
% BOULDERS	0.00%
% BEDROCK	0.00%
% POOL AREA	12.47%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	NA
% SAFN IN RIFFLES	NA
NUMBER OF BOULDERS/100M	0.00
NUMBER OF PIECES OF LWD/100M	0.00
NUMBER OF KEY PIECES OF LWD/100M	0.00
WOOD VOLUME/100M	0.00
% PUBLIC OWNERSHIP	0.00%
% PRIVATE NON-INDUSTRIAL	99.63%
% PRIVATE FORESTRY	0.37%
% PUBLIC FORESTRY	0.00%
% AGRICULTURE	91.06%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	8.58%
% CONIFER	3.98%
% LARGE CONIFER	0.00%
% HARDWOOD	0.00%
% MIXED HARDWOOD/CONIFER	0.11%
% OPEN (10% < COVER < 40%)	5.33%
% BARE LAND (<10% COVER)	90.57%
% 100FT STREAM BUFFER CONIFER	0.00%
% 100FT STREAM BUFFER LARGE CONIFER	0.00%
% 100FT STREAM BUFFER HARDWOOD	0.00%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	0.00%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.00%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	MIDDLE_TRASK_MAINSTEM
PRIOR_ID	67
CLAMS MODELED STREAM LENGTH (FT)	80067.72
TOTAL STREAM LENGTH (FT)	158462.79
WATERSHED AREA (ACRES)	3941.80
TOTAL ROAD LENGTH (FT)	250705.74
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	1.58
RIPARIAN ROAD DENSITY	0.74
NUMBER OF ROAD CROSSINGS	87.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	20.58%
% WATERSHED AREA HARVESTED 1972-2007	15.58%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	96890.28
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	61.14%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	14368.01
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	9.07%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	36671.64
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	4171394.42
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	10008.25
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	15321.73
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	20505.64
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	4445.02
CHUM HIGH INTRINSIC POTENTIAL (FT)	25650.17
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.63
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.46
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.29
AVERAGE CHUM INTRINSIC POTENTIAL	0.93
RBA 05 COHO COUNT	331.00
RBA 05 COHO DENSITY	0.42
RBA 05 ZERO+ COUNT	204.00
RBA 05 ZERO+ DENSITY	0.10
RBA 05 STEELHEAD COUNT	70.00
RBA 05 STEELHEAD DENSITY	0.00

RBA 05 CUTTHROAT COUNT	90.00
RBA 05 CUTTHROAT DENSITY	0.13
RBA 05 CHINOOK COUNT	423.00
RBA 05 CHINOOK DENSITY	0.13
RBA 06 KNOTWEED SITINGS	5.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	324.00
RBA 06 COHO DENSITY	0.35
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.21
RBA 06 CHINOOK COUNT	1142.00
RBA 06 CHINOOK DENSITY	0.01
RBA 06 CUTTHROAT COUNT	68.00
RBA 06 CUTTHROAT DENSITY	0.15
RBA 06 STEELHEAD COUNT	78.00
RBA 06 STEELHEAD DENSITY	0.00
AVERAGE RBA COHO COUNT	327.50
AVERAGE RBA COHO DENSITY	0.38
AVERAGE RBA ZERO+ COUNT	201.00
AVERAGE RBA ZERO+ DENSITY	0.16
AVERAGE RBA CHINOOK COUNT	782.50
AVERAGE RBA CHINOOK DENSITY	0.01
AVERAGE RBA CUTTHROAT COUNT	79.00
AVERAGE RBA CUTTHROAT DENSITY	0.14
AVERAGE RBA STEELHEAD COUNT	74.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	24207.05
%NHD STREAM LENGTH WITH AQI DATA	50.61%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	23624.52
% UNDERCUT BANK	14.39%
% ACTIVE_EROSION	6.66%
% SHADE	29.64%
% SILTS & ORGANICS	21.38%
% SAND	20.26%

% GRAVELS	25.11%
% COBBLES	23.28%
% BOULDERS	9.87%
% BEDROCK	0.09%
% POOL AREA	36.68%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	29.78%
% SAFN IN RIFFLES	27.48%
NUMBER OF BOULDERS/100M	0.00
NUMBER OF PIECES OF LWD/100M	1.00
NUMBER OF KEY PIECES OF LWD/100M	0.04
WOOD VOLUME/100M	1.18
% PUBLIC OWNERSHIP	7.30%
% PRIVATE NON-INDUSTRIAL	65.59%
% PRIVATE FORESTRY	27.16%
% PUBLIC FORESTRY	6.68%
% AGRICULTURE	48.94%
% RURAL RESIDENTIAL	17.03%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.21%
% CONIFER	13.92%
% LARGE CONIFER	2.87%
% HARDWOOD	4.77%
% MIXED HARDWOOD/CONIFER	9.38%
% OPEN (10% < COVER < 40%)	13.13%
% BARE LAND (<10% COVER)	55.94%
% 100FT STREAM BUFFER CONIFER	26.62%
% 100FT STREAM BUFFER LARGE CONIFER	6.18%
% 100FT STREAM BUFFER HARDWOOD	16.65%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	27.17%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	23.38%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	LOWER_ELKHORN
PRIOR_ID	68
CLAMS MODELED STREAM LENGTH (FT)	36634.58
TOTAL STREAM LENGTH (FT)	195682.31
WATERSHED AREA (ACRES)	2878.01
TOTAL ROAD LENGTH (FT)	64898.03
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.33
RIPARIAN ROAD DENSITY	0.48
NUMBER OF ROAD CROSSINGS	50.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	1.89%
% WATERSHED AREA HARVESTED 1972-2007	4.09%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	54072.20
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	27.63%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	6232105.90
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	20867.70
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	3670.61
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.35
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.66
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.32
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	1676.00
RBA 05 COHO DENSITY	0.57
RBA 05 ZERO+ COUNT	384.00
RBA 05 ZERO+ DENSITY	0.19
RBA 05 STEELHEAD COUNT	148.00
RBA 05 STEELHEAD DENSITY	0.06

RBA 05 CUTTHROAT COUNT	75.00
RBA 05 CUTTHROAT DENSITY	0.04
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.04
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	7.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	2846.00
RBA 06 COHO DENSITY	1.07
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.29
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	65.00
RBA 06 CUTTHROAT DENSITY	0.03
RBA 06 STEELHEAD COUNT	135.00
RBA 06 STEELHEAD DENSITY	0.05
AVERAGE RBA COHO COUNT	2261.00
AVERAGE RBA COHO DENSITY	0.82
AVERAGE RBA ZERO+ COUNT	427.50
AVERAGE RBA ZERO+ DENSITY	0.24
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	70.00
AVERAGE RBA CUTTHROAT DENSITY	0.03
AVERAGE RBA STEELHEAD COUNT	141.50
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	16715.90
%NHD STREAM LENGTH WITH AQI DATA	44.23%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	21077.53
% UNDERCUT BANK	0.91%
% ACTIVE_EROSION	2.19%
% SHADE	86.87%
% SILTS & ORGANICS	1.34%
% SAND	16.64%

% GRAVELS	32.05%
% COBBLES	24.30%
% BOULDERS	9.06%
% BEDROCK	16.61%
% POOL AREA	25.59%
NUMBER OF DEEP POOLS (>1M)/100M	0.01
% GRAVEL IN RIFFLES	36.22%
% SAFN IN RIFFLES	16.08%
NUMBER OF BOULDERS/100M	37.23
NUMBER OF PIECES OF LWD/100M	8.00
NUMBER OF KEY PIECES OF LWD/100M	0.96
WOOD VOLUME/100M	31.86
% PUBLIC OWNERSHIP	98.80%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	1.20%
% PUBLIC FORESTRY	98.80%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	61.19%
% LARGE CONIFER	10.99%
% HARDWOOD	3.62%
% MIXED HARDWOOD/CONIFER	22.78%
% OPEN (10% < COVER < 40%)	0.20%
% BARE LAND (<10% COVER)	1.21%
% 100FT STREAM BUFFER CONIFER	46.64%
% 100FT STREAM BUFFER LARGE CONIFER	10.79%
% 100FT STREAM BUFFER HARDWOOD	7.65%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	34.72%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.20%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	MIDDLE_SOUTH_FORK_NORTH_FORK_TRASK
PRIOR_ID	69
CLAMS MODELED STREAM LENGTH (FT)	49098.64
TOTAL STREAM LENGTH (FT)	164532.95
WATERSHED AREA (ACRES)	2929.09
TOTAL ROAD LENGTH (FT)	32647.86
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.20
RIPARIAN ROAD DENSITY	0.14
NUMBER OF ROAD CROSSINGS	22.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	24.11%
% WATERSHED AREA HARVESTED 1972-2007	25.53%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	135273.47
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	82.22%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	22599.86
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	13.74%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	22599.86
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	494432.34
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	2382.68
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	25059.44
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.58
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.43
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.13
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	0.00
RBA 05 COHO DENSITY	0.00
RBA 05 ZERO+ COUNT	0.00
RBA 05 ZERO+ DENSITY	0.00
RBA 05 STEELHEAD COUNT	0.00
RBA 05 STEELHEAD DENSITY	0.00

RBA 05 CUTTHROAT COUNT	0.00
RBA 05 CUTTHROAT DENSITY	0.00
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.00
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	0.00
RBA 06 COHO DENSITY	0.00
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.00
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	0.00
RBA 06 CUTTHROAT DENSITY	0.00
RBA 06 STEELHEAD COUNT	0.00
RBA 06 STEELHEAD DENSITY	0.00
AVERAGE RBA COHO COUNT	0.00
AVERAGE RBA COHO DENSITY	0.00
AVERAGE RBA ZERO+ COUNT	0.00
AVERAGE RBA ZERO+ DENSITY	0.00
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	0.00
AVERAGE RBA CUTTHROAT DENSITY	0.00
AVERAGE RBA STEELHEAD COUNT	0.00
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	0.00
%NHD STREAM LENGTH WITH AQI DATA	0.00%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	29400.28
% UNDERCUT BANK	NA
% ACTIVE_EROSION	NA
% SHADE	NA
% SILTS & ORGANICS	NA
% SAND	NA

% GRAVELS	NA
% COBBLES	NA
% BOULDERS	NA
% BEDROCK	NA
% POOL AREA	NA
NUMBER OF DEEP POOLS (>1M)/100M	NA
% GRAVEL IN RIFFLES	NA
% SAFN IN RIFFLES	NA
NUMBER OF BOULDERS/100M	NA
NUMBER OF PIECES OF LWD/100M	NA
NUMBER OF KEY PIECES OF LWD/100M	NA
WOOD VOLUME/100M	NA
% PUBLIC OWNERSHIP	55.90%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	26.45%
% PUBLIC FORESTRY	55.84%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	45.51%
% LARGE CONIFER	24.89%
% HARDWOOD	1.01%
% MIXED HARDWOOD/CONIFER	16.99%
% OPEN (10% < COVER < 40%)	5.63%
% BARE LAND (<10% COVER)	5.97%
% 100FT STREAM BUFFER CONIFER	41.22%
% 100FT STREAM BUFFER LARGE CONIFER	23.83%
% 100FT STREAM BUFFER HARDWOOD	1.14%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	25.36%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	8.46%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	LOWER_BARK_SHANTY
PRIOR_ID	70
CLAMS MODELED STREAM LENGTH (FT)	28443.99
TOTAL STREAM LENGTH (FT)	158098.88
WATERSHED AREA (ACRES)	2650.72
TOTAL ROAD LENGTH (FT)	99693.03
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.63
RIPARIAN ROAD DENSITY	0.35
NUMBER OF ROAD CROSSINGS	36.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	4.60%
% WATERSHED AREA HARVESTED 1972-2007	11.38%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	62590.08
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	39.59%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	3904323.00
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	19919.02
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	1907.25
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	12969.17
AVERAGE COHO INTRINSIC POTENTIAL	0.38
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.76
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.23
AVERAGE CHUM INTRINSIC POTENTIAL	0.56
RBA 05 COHO COUNT	942.00
RBA 05 COHO DENSITY	0.43
RBA 05 ZERO+ COUNT	315.00
RBA 05 ZERO+ DENSITY	0.27
RBA 05 STEELHEAD COUNT	115.00
RBA 05 STEELHEAD DENSITY	0.07

RBA 05 CUTTHROAT COUNT	103.00
RBA 05 CUTTHROAT DENSITY	0.12
RBA 05 CHINOOK COUNT	2.00
RBA 05 CHINOOK DENSITY	0.12
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	3.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	1179.00
RBA 06 COHO DENSITY	0.94
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.08
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	48.00
RBA 06 CUTTHROAT DENSITY	0.04
RBA 06 STEELHEAD COUNT	41.00
RBA 06 STEELHEAD DENSITY	0.04
AVERAGE RBA COHO COUNT	1060.50
AVERAGE RBA COHO DENSITY	0.69
AVERAGE RBA ZERO+ COUNT	200.50
AVERAGE RBA ZERO+ DENSITY	0.18
AVERAGE RBA CHINOOK COUNT	1.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	75.50
AVERAGE RBA CUTTHROAT DENSITY	0.08
AVERAGE RBA STEELHEAD COUNT	78.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	18896.13
%NHD STREAM LENGTH WITH AQI DATA	76.92%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	5669.09
% UNDERCUT BANK	3.11%
% ACTIVE_EROSION	7.91%
% SHADE	93.64%
% SILTS & ORGANICS	3.13%
% SAND	9.74%

% GRAVELS	21.22%
% COBBLES	36.53%
% BOULDERS	23.89%
% BEDROCK	5.48%
% POOL AREA	26.84%
NUMBER OF DEEP POOLS (>1M)/100M	0.01
% GRAVEL IN RIFFLES	28.16%
% SAFN IN RIFFLES	11.35%
NUMBER OF BOULDERS/100M	66.53
NUMBER OF PIECES OF LWD/100M	24.00
NUMBER OF KEY PIECES OF LWD/100M	3.04
WOOD VOLUME/100M	68.77
% PUBLIC OWNERSHIP	100.00%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	0.00%
% PUBLIC FORESTRY	100.00%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	48.07%
% LARGE CONIFER	0.80%
% HARDWOOD	9.30%
% MIXED HARDWOOD/CONIFER	40.87%
% OPEN (10% < COVER < 40%)	0.37%
% BARE LAND (<10% COVER)	0.58%
% 100FT STREAM BUFFER CONIFER	33.11%
% 100FT STREAM BUFFER LARGE CONIFER	0.38%
% 100FT STREAM BUFFER HARDWOOD	16.31%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	50.06%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.14%

METRIC NAME	DATA
5TH FIELD WATERSHED	TILLAMOOK RIVER
7TH FIELD WATERSHED	LOWER_TILLAMOOK_MAINSTEM
PRIOR_ID	71
CLAMS MODELED STREAM LENGTH (FT)	58640.79
TOTAL STREAM LENGTH (FT)	103502.28
WATERSHED AREA (ACRES)	4262.17
TOTAL ROAD LENGTH (FT)	239327.46
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	2.31
RIPARIAN ROAD DENSITY	0.88
NUMBER OF ROAD CROSSINGS	52.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	13.74%
% WATERSHED AREA HARVESTED 1972-2007	14.36%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	82107.12
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	79.33%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	25039.62
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	24.19%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	40986.02
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	343854.41
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	22448.16
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	15558.68
CHUM HIGH INTRINSIC POTENTIAL (FT)	15916.39
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.78
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.44
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.17
AVERAGE CHUM INTRINSIC POTENTIAL	0.84
RBA 05 COHO COUNT	5.00
RBA 05 COHO DENSITY	0.01
RBA 05 ZERO+ COUNT	8.00
RBA 05 ZERO+ DENSITY	0.07
RBA 05 STEELHEAD COUNT	0.00
RBA 05 STEELHEAD DENSITY	0.00

RBA 05 CUTTHROAT COUNT	4.00
RBA 05 CUTTHROAT DENSITY	0.02
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.02
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	0.00
RBA 06 COHO DENSITY	0.00
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.28
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	1.00
RBA 06 CUTTHROAT DENSITY	0.05
RBA 06 STEELHEAD COUNT	0.00
RBA 06 STEELHEAD DENSITY	0.00
AVERAGE RBA COHO COUNT	2.50
AVERAGE RBA COHO DENSITY	0.00
AVERAGE RBA ZERO+ COUNT	5.50
AVERAGE RBA ZERO+ DENSITY	0.17
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	2.50
AVERAGE RBA CUTTHROAT DENSITY	0.04
AVERAGE RBA STEELHEAD COUNT	0.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	15119.38
%NHD STREAM LENGTH WITH AQI DATA	52.45%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	13706.21
% UNDERCUT BANK	17.29%
% ACTIVE_EROSION	2.04%
% SHADE	43.08%
% SILTS & ORGANICS	60.00%
% SAND	40.00%

% GRAVELS	0.00%
% COBBLES	0.00%
% BOULDERS	0.00%
% BEDROCK	0.00%
% POOL AREA	100.00%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	0.00%
% SAFN IN RIFFLES	#N/A
NUMBER OF BOULDERS/100M	0.00
NUMBER OF PIECES OF LWD/100M	0.00
NUMBER OF KEY PIECES OF LWD/100M	0.00
WOOD VOLUME/100M	0.40
% PUBLIC OWNERSHIP	0.00%
% PRIVATE NON-INDUSTRIAL	67.49%
% PRIVATE FORESTRY	32.40%
% PUBLIC FORESTRY	0.00%
% AGRICULTURE	40.58%
% RURAL RESIDENTIAL	2.68%
% URBAN	0.00%
% PARK	1.01%
% OTHER LAND USE	23.21%
% CONIFER	22.94%
% LARGE CONIFER	0.69%
% HARDWOOD	0.50%
% MIXED HARDWOOD/CONIFER	7.11%
% OPEN (10% < COVER < 40%)	10.80%
% BARE LAND (<10% COVER)	57.96%
% 100FT STREAM BUFFER CONIFER	53.37%
% 100FT STREAM BUFFER LARGE CONIFER	1.13%
% 100FT STREAM BUFFER HARDWOOD	0.55%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	24.44%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	20.51%

METRIC NAME	DATA
5TH FIELD WATERSHED	KILCHIS RIVER
7TH FIELD WATERSHED	NORTH_FORK_KILCHIS
PRIOR_ID	1
CLAMS MODELED STREAM LENGTH (FT)	32204.80
TOTAL STREAM LENGTH (FT)	169781.21
WATERSHED AREA (ACRES)	2453.04
TOTAL ROAD LENGTH (FT)	60373.28
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.36
RIPARIAN ROAD DENSITY	0.84
NUMBER OF ROAD CROSSINGS	58.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	0.00%
% WATERSHED AREA HARVESTED 1972-2007	0.00%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	21013.49
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	12.38%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	6733517.64
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	20059.90
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	1574.51
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	5047.38
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	13477.66
AVERAGE COHO INTRINSIC POTENTIAL	0.40
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.68
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.35
AVERAGE CHUM INTRINSIC POTENTIAL	0.73
RBA 05 COHO COUNT	515.00
RBA 05 COHO DENSITY	0.04
RBA 05 ZERO+ COUNT	609.00
RBA 05 ZERO+ DENSITY	0.11
RBA 05 STEELHEAD COUNT	40.00
RBA 05 STEELHEAD DENSITY	0.01

RBA 05 CUTTHROAT COUNT	39.00
RBA 05 CUTTHROAT DENSITY	0.04
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.04
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	1.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	1633.00
RBA 06 COHO DENSITY	0.61
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.23
RBA 06 CHINOOK COUNT	6.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	19.00
RBA 06 CUTTHROAT DENSITY	0.01
RBA 06 STEELHEAD COUNT	101.00
RBA 06 STEELHEAD DENSITY	0.05
AVERAGE RBA COHO COUNT	1074.00
AVERAGE RBA COHO DENSITY	0.33
AVERAGE RBA ZERO+ COUNT	520.00
AVERAGE RBA ZERO+ DENSITY	0.17
AVERAGE RBA CHINOOK COUNT	3.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	29.00
AVERAGE RBA CUTTHROAT DENSITY	0.02
AVERAGE RBA STEELHEAD COUNT	70.50
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	17077.14
%NHD STREAM LENGTH WITH AQI DATA	100.00%
NEEDS AQI DATA?	N
AQI LENGTH TO SURVEY (FT)	0.00
% UNDERCUT BANK	1.92%
% ACTIVE_EROSION	5.04%
% SHADE	38.07%
% SILTS & ORGANICS	0.23%
% SAND	9.98%

% GRAVELS	29.82%
% COBBLES	29.77%
% BOULDERS	16.11%
% BEDROCK	14.10%
% POOL AREA	30.28%
NUMBER OF DEEP POOLS (>1M)/100M	0.01
% GRAVEL IN RIFFLES	33.26%
% SAFN IN RIFFLES	12.80%
NUMBER OF BOULDERS/100M	21.00
NUMBER OF PIECES OF LWD/100M	3.00
NUMBER OF KEY PIECES OF LWD/100M	0.02
WOOD VOLUME/100M	4.12
% PUBLIC OWNERSHIP	100.00%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	0.00%
% PUBLIC FORESTRY	100.00%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	23.91%
% LARGE CONIFER	2.68%
% HARDWOOD	6.35%
% MIXED HARDWOOD/CONIFER	63.68%
% OPEN (10% < COVER < 40%)	1.31%
% BARE LAND (<10% COVER)	2.07%
% 100FT STREAM BUFFER CONIFER	9.15%
% 100FT STREAM BUFFER LARGE CONIFER	1.83%
% 100FT STREAM BUFFER HARDWOOD	10.24%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	76.19%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	2.58%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	CRUISER_CREEK
PRIOR_ID	73
CLAMS MODELED STREAM LENGTH (FT)	57009.08
TOTAL STREAM LENGTH (FT)	147008.79
WATERSHED AREA (ACRES)	2270.01
TOTAL ROAD LENGTH (FT)	102555.66
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.70
RIPARIAN ROAD DENSITY	0.76
NUMBER OF ROAD CROSSINGS	52.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	1.37%
% WATERSHED AREA HARVESTED 1972-2007	7.39%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	84493.61
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	57.48%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	2464.22
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	1.68%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	2464.22
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	1374221.38
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	13342.95
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	11821.40
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.33
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.45
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.13
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	1080.00
RBA 05 COHO DENSITY	1.29
RBA 05 ZERO+ COUNT	110.00
RBA 05 ZERO+ DENSITY	0.21
RBA 05 STEELHEAD COUNT	16.00
RBA 05 STEELHEAD DENSITY	0.01

RBA 05 CUTTHROAT COUNT	119.00
RBA 05 CUTTHROAT DENSITY	0.17
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.17
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	2522.00
RBA 06 COHO DENSITY	3.09
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.33
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	47.00
RBA 06 CUTTHROAT DENSITY	0.07
RBA 06 STEELHEAD COUNT	7.00
RBA 06 STEELHEAD DENSITY	0.01
AVERAGE RBA COHO COUNT	1801.00
AVERAGE RBA COHO DENSITY	2.19
AVERAGE RBA ZERO+ COUNT	130.50
AVERAGE RBA ZERO+ DENSITY	0.27
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	83.00
AVERAGE RBA CUTTHROAT DENSITY	0.12
AVERAGE RBA STEELHEAD COUNT	11.50
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	12465.27
%NHD STREAM LENGTH WITH AQI DATA	59.35%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	8538.80
% UNDERCUT BANK	1.96%
% ACTIVE_EROSION	27.04%
% SHADE	96.97%
% SILTS & ORGANICS	4.97%
% SAND	18.97%

% GRAVELS	40.03%
% COBBLES	16.93%
% BOULDERS	0.75%
% BEDROCK	18.35%
% POOL AREA	12.40%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	53.81%
% SAFN IN RIFFLES	20.22%
NUMBER OF BOULDERS/100M	13.42
NUMBER OF PIECES OF LWD/100M	28.00
NUMBER OF KEY PIECES OF LWD/100M	1.29
WOOD VOLUME/100M	51.12
% PUBLIC OWNERSHIP	100.00%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	0.00%
% PUBLIC FORESTRY	100.00%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	66.86%
% LARGE CONIFER	12.58%
% HARDWOOD	1.45%
% MIXED HARDWOOD/CONIFER	17.76%
% OPEN (10% < COVER < 40%)	0.01%
% BARE LAND (<10% COVER)	1.34%
% 100FT STREAM BUFFER CONIFER	57.90%
% 100FT STREAM BUFFER LARGE CONIFER	7.54%
% 100FT STREAM BUFFER HARDWOOD	3.90%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	30.66%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.00%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	UPPER_BARK_SHANTY
PRIOR_ID	74
CLAMS MODELED STREAM LENGTH (FT)	61494.42
TOTAL STREAM LENGTH (FT)	181401.79
WATERSHED AREA (ACRES)	3177.96
TOTAL ROAD LENGTH (FT)	147176.87
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.81
RIPARIAN ROAD DENSITY	0.36
NUMBER OF ROAD CROSSINGS	47.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	5.09%
% WATERSHED AREA HARVESTED 1972-2007	9.58%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	131851.23
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	72.68%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	1330.08
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.73%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	1330.08
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	928275.79
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	14779.52
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	9645.91
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.24
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.42
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.10
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	0.00
RBA 05 COHO DENSITY	0.00
RBA 05 ZERO+ COUNT	0.00
RBA 05 ZERO+ DENSITY	0.00
RBA 05 STEELHEAD COUNT	0.00
RBA 05 STEELHEAD DENSITY	0.00

RBA 05 CUTTHROAT COUNT	0.00
RBA 05 CUTTHROAT DENSITY	0.00
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.00
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	0.00
RBA 06 COHO DENSITY	0.00
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.00
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	0.00
RBA 06 CUTTHROAT DENSITY	0.00
RBA 06 STEELHEAD COUNT	0.00
RBA 06 STEELHEAD DENSITY	0.00
AVERAGE RBA COHO COUNT	0.00
AVERAGE RBA COHO DENSITY	0.00
AVERAGE RBA ZERO+ COUNT	0.00
AVERAGE RBA ZERO+ DENSITY	0.00
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	0.00
AVERAGE RBA CUTTHROAT DENSITY	0.00
AVERAGE RBA STEELHEAD COUNT	0.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	6625.47
%NHD STREAM LENGTH WITH AQI DATA	29.76%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	15638.72
% UNDERCUT BANK	3.86%
% ACTIVE_EROSION	10.69%
% SHADE	99.13%
% SILTS & ORGANICS	5.17%
% SAND	11.28%

% GRAVELS	19.31%
% COBBLES	25.03%
% BOULDERS	31.01%
% BEDROCK	8.21%
% POOL AREA	19.37%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	37.84%
% SAFN IN RIFFLES	24.54%
NUMBER OF BOULDERS/100M	117.66
NUMBER OF PIECES OF LWD/100M	38.00
NUMBER OF KEY PIECES OF LWD/100M	3.47
WOOD VOLUME/100M	78.91
% PUBLIC OWNERSHIP	100.00%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	0.00%
% PUBLIC FORESTRY	100.00%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	66.51%
% LARGE CONIFER	1.14%
% HARDWOOD	2.44%
% MIXED HARDWOOD/CONIFER	29.38%
% OPEN (10% < COVER < 40%)	0.02%
% BARE LAND (<10% COVER)	0.51%
% 100FT STREAM BUFFER CONIFER	46.81%
% 100FT STREAM BUFFER LARGE CONIFER	0.80%
% 100FT STREAM BUFFER HARDWOOD	4.46%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	47.92%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.00%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	UPPER_SOUTH_FORK_NORTH_FORK_TRASK
PRIOR_ID	75
CLAMS MODELED STREAM LENGTH (FT)	44123.02
TOTAL STREAM LENGTH (FT)	109058.51
WATERSHED AREA (ACRES)	2215.91
TOTAL ROAD LENGTH (FT)	49764.31
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.46
RIPARIAN ROAD DENSITY	0.65
NUMBER OF ROAD CROSSINGS	28.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	19.68%
% WATERSHED AREA HARVESTED 1972-2007	26.73%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	99327.65
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	91.08%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	14743.73
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	13.52%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	14743.73
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	596239.35
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	3131.88
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	14509.32
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.47
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.40
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.10
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	0.00
RBA 05 COHO DENSITY	0.00
RBA 05 ZERO+ COUNT	0.00
RBA 05 ZERO+ DENSITY	0.00
RBA 05 STEELHEAD COUNT	0.00
RBA 05 STEELHEAD DENSITY	0.00

RBA 05 CUTTHROAT COUNT	0.00
RBA 05 CUTTHROAT DENSITY	0.00
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.00
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	0.00
RBA 06 COHO DENSITY	0.00
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.00
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	0.00
RBA 06 CUTTHROAT DENSITY	0.00
RBA 06 STEELHEAD COUNT	0.00
RBA 06 STEELHEAD DENSITY	0.00
AVERAGE RBA COHO COUNT	0.00
AVERAGE RBA COHO DENSITY	0.00
AVERAGE RBA ZERO+ COUNT	0.00
AVERAGE RBA ZERO+ DENSITY	0.00
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	0.00
AVERAGE RBA CUTTHROAT DENSITY	0.00
AVERAGE RBA STEELHEAD COUNT	0.00
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	0.00
%NHD STREAM LENGTH WITH AQI DATA	0.00%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	22148.43
% UNDERCUT BANK	NA
% ACTIVE_EROSION	NA
% SHADE	NA
% SILTS & ORGANICS	NA
% SAND	NA

% GRAVELS	NA
% COBBLES	NA
% BOULDERS	NA
% BEDROCK	NA
% POOL AREA	NA
NUMBER OF DEEP POOLS (>1M)/100M	NA
% GRAVEL IN RIFFLES	NA
% SAFN IN RIFFLES	NA
NUMBER OF BOULDERS/100M	NA
NUMBER OF PIECES OF LWD/100M	NA
NUMBER OF KEY PIECES OF LWD/100M	NA
WOOD VOLUME/100M	NA
% PUBLIC OWNERSHIP	13.00%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	84.98%
% PUBLIC FORESTRY	12.85%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	69.78%
% LARGE CONIFER	8.16%
% HARDWOOD	0.30%
% MIXED HARDWOOD/CONIFER	21.15%
% OPEN (10% < COVER < 40%)	0.02%
% BARE LAND (<10% COVER)	0.60%
% 100FT STREAM BUFFER CONIFER	51.55%
% 100FT STREAM BUFFER LARGE CONIFER	10.39%
% 100FT STREAM BUFFER HARDWOOD	0.90%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	37.14%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.02%

METRIC NAME	DATA
5TH FIELD WATERSHED	TILLAMOOK RIVER
7TH FIELD WATERSHED	BEAVER_BEAR
PRIOR_ID	76
CLAMS MODELED STREAM LENGTH (FT)	66563.83
TOTAL STREAM LENGTH (FT)	163653.44
WATERSHED AREA (ACRES)	3388.98
TOTAL ROAD LENGTH (FT)	171129.08
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	1.05
RIPARIAN ROAD DENSITY	0.49
NUMBER OF ROAD CROSSINGS	58.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	41.87%
% WATERSHED AREA HARVESTED 1972-2007	42.60%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	155614.00
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	95.09%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	40109.33
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	24.51%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	40109.33
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	645867.14
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	2254.58
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	22465.24
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.72
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.45
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.11
AVERAGE CHUM INTRINSIC POTENTIAL	0.38
RBA 05 COHO COUNT	137.00
RBA 05 COHO DENSITY	0.12
RBA 05 ZERO+ COUNT	27.00
RBA 05 ZERO+ DENSITY	0.04
RBA 05 STEELHEAD COUNT	0.00
RBA 05 STEELHEAD DENSITY	0.00

RBA 05 CUTTHROAT COUNT	40.00
RBA 05 CUTTHROAT DENSITY	0.02
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.02
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	6.00
RBA 06 COHO COUNT	68.00
RBA 06 COHO DENSITY	0.09
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.01
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	39.00
RBA 06 CUTTHROAT DENSITY	0.03
RBA 06 STEELHEAD COUNT	0.00
RBA 06 STEELHEAD DENSITY	0.00
AVERAGE RBA COHO COUNT	102.50
AVERAGE RBA COHO DENSITY	0.10
AVERAGE RBA ZERO+ COUNT	18.00
AVERAGE RBA ZERO+ DENSITY	0.02
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	39.50
AVERAGE RBA CUTTHROAT DENSITY	0.02
AVERAGE RBA STEELHEAD COUNT	0.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	34549.12
%NHD STREAM LENGTH WITH AQI DATA	100.00%
NEEDS AQI DATA?	N
AQI LENGTH TO SURVEY (FT)	0.00
% UNDERCUT BANK	1.07%
% ACTIVE_EROSION	58.98%
% SHADE	31.54%
% SILTS & ORGANICS	52.31%
% SAND	39.16%

% GRAVELS	6.33%
% COBBLES	1.90%
% BOULDERS	0.24%
% BEDROCK	0.06%
% POOL AREA	16.77%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	20.02%
% SAFN IN RIFFLES	69.28%
NUMBER OF BOULDERS/100M	0.21
NUMBER OF PIECES OF LWD/100M	7.00
NUMBER OF KEY PIECES OF LWD/100M	0.06
WOOD VOLUME/100M	5.03
% PUBLIC OWNERSHIP	0.00%
% PRIVATE NON-INDUSTRIAL	22.02%
% PRIVATE FORESTRY	77.86%
% PUBLIC FORESTRY	0.00%
% AGRICULTURE	21.90%
% RURAL RESIDENTIAL	0.11%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	58.43%
% LARGE CONIFER	2.08%
% HARDWOOD	0.81%
% MIXED HARDWOOD/CONIFER	11.35%
% OPEN (10% < COVER < 40%)	12.96%
% BARE LAND (<10% COVER)	14.37%
% 100FT STREAM BUFFER CONIFER	64.70%
% 100FT STREAM BUFFER LARGE CONIFER	1.64%
% 100FT STREAM BUFFER HARDWOOD	0.90%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	17.55%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	15.21%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	MILL
PRIOR_ID	77
CLAMS MODELED STREAM LENGTH (FT)	77560.20
TOTAL STREAM LENGTH (FT)	136951.45
WATERSHED AREA (ACRES)	3055.53
TOTAL ROAD LENGTH (FT)	179883.47
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	1.31
RIPARIAN ROAD DENSITY	0.51
NUMBER OF ROAD CROSSINGS	51.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	28.30%
% WATERSHED AREA HARVESTED 1972-2007	34.01%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	109706.19
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	80.11%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	36786.14
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	26.86%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	36786.14
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	910476.78
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	4619.97
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	42582.35
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	32.82
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	32.82
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.63
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.48
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.11
AVERAGE CHUM INTRINSIC POTENTIAL	0.36
RBA 05 COHO COUNT	232.00
RBA 05 COHO DENSITY	0.14
RBA 05 ZERO+ COUNT	10.00
RBA 05 ZERO+ DENSITY	0.03
RBA 05 STEELHEAD COUNT	0.00
RBA 05 STEELHEAD DENSITY	0.00

RBA 05 CUTTHROAT COUNT	37.00
RBA 05 CUTTHROAT DENSITY	0.04
RBA 05 CHINOOK COUNT	1.00
RBA 05 CHINOOK DENSITY	0.04
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	1.00
RBA 06 COHO COUNT	363.00
RBA 06 COHO DENSITY	0.37
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.10
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	22.00
RBA 06 CUTTHROAT DENSITY	0.02
RBA 06 STEELHEAD COUNT	0.00
RBA 06 STEELHEAD DENSITY	0.00
AVERAGE RBA COHO COUNT	297.50
AVERAGE RBA COHO DENSITY	0.25
AVERAGE RBA ZERO+ COUNT	27.50
AVERAGE RBA ZERO+ DENSITY	0.06
AVERAGE RBA CHINOOK COUNT	0.50
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	29.50
AVERAGE RBA CUTTHROAT DENSITY	0.03
AVERAGE RBA STEELHEAD COUNT	0.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	0.00
%NHD STREAM LENGTH WITH AQI DATA	0.00%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	53452.51
% UNDERCUT BANK	NA
% ACTIVE_EROSION	NA
% SHADE	NA
% SILTS & ORGANICS	NA
% SAND	NA

% GRAVELS	NA
% COBBLES	NA
% BOULDERS	NA
% BEDROCK	NA
% POOL AREA	NA
NUMBER OF DEEP POOLS (>1M)/100M	NA
% GRAVEL IN RIFFLES	NA
% SAFN IN RIFFLES	NA
NUMBER OF BOULDERS/100M	NA
NUMBER OF PIECES OF LWD/100M	NA
NUMBER OF KEY PIECES OF LWD/100M	NA
WOOD VOLUME/100M	NA
% PUBLIC OWNERSHIP	0.00%
% PRIVATE NON-INDUSTRIAL	36.51%
% PRIVATE FORESTRY	57.17%
% PUBLIC FORESTRY	0.00%
% AGRICULTURE	11.36%
% RURAL RESIDENTIAL	9.41%
% URBAN	0.00%
% PARK	6.49%
% OTHER LAND USE	9.24%
% CONIFER	19.11%
% LARGE CONIFER	5.48%
% HARDWOOD	4.10%
% MIXED HARDWOOD/CONIFER	14.07%
% OPEN (10% < COVER < 40%)	23.49%
% BARE LAND (<10% COVER)	33.75%
% 100FT STREAM BUFFER CONIFER	25.57%
% 100FT STREAM BUFFER LARGE CONIFER	4.70%
% 100FT STREAM BUFFER HARDWOOD	10.58%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	27.47%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	31.69%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	MIDDLE_ELKHORN
PRIOR_ID	78
CLAMS MODELED STREAM LENGTH (FT)	54928.19
TOTAL STREAM LENGTH (FT)	215067.45
WATERSHED AREA (ACRES)	3513.36
TOTAL ROAD LENGTH (FT)	101712.06
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.47
RIPARIAN ROAD DENSITY	0.92
NUMBER OF ROAD CROSSINGS	66.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	12.41%
% WATERSHED AREA HARVESTED 1972-2007	15.81%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	111801.04
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	51.98%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	4270.66
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	1.99%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	4270.66
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	3178226.30
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	15959.51
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	7549.74
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.32
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.45
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.21
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	1741.00
RBA 05 COHO DENSITY	0.49
RBA 05 ZERO+ COUNT	643.00
RBA 05 ZERO+ DENSITY	0.22
RBA 05 STEELHEAD COUNT	67.00
RBA 05 STEELHEAD DENSITY	0.03

RBA 05 CUTTHROAT COUNT	71.00
RBA 05 CUTTHROAT DENSITY	0.07
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.07
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	5.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	3104.00
RBA 06 COHO DENSITY	1.78
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.53
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	55.00
RBA 06 CUTTHROAT DENSITY	0.03
RBA 06 STEELHEAD COUNT	76.00
RBA 06 STEELHEAD DENSITY	0.05
AVERAGE RBA COHO COUNT	2422.50
AVERAGE RBA COHO DENSITY	1.14
AVERAGE RBA ZERO+ COUNT	552.50
AVERAGE RBA ZERO+ DENSITY	0.37
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	63.00
AVERAGE RBA CUTTHROAT DENSITY	0.05
AVERAGE RBA STEELHEAD COUNT	71.50
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	14242.01
%NHD STREAM LENGTH WITH AQI DATA	45.68%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	16937.76
% UNDERCUT BANK	2.29%
% ACTIVE_EROSION	11.63%
% SHADE	91.93%
% SILTS & ORGANICS	1.79%
% SAND	20.36%

% GRAVELS	38.73%
% COBBLES	17.09%
% BOULDERS	1.61%
% BEDROCK	20.42%
% POOL AREA	22.00%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	45.91%
% SAFN IN RIFFLES	22.44%
NUMBER OF BOULDERS/100M	8.02
NUMBER OF PIECES OF LWD/100M	15.00
NUMBER OF KEY PIECES OF LWD/100M	0.81
WOOD VOLUME/100M	31.52
% PUBLIC OWNERSHIP	55.20%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	44.76%
% PUBLIC FORESTRY	55.24%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	59.18%
% LARGE CONIFER	16.21%
% HARDWOOD	2.01%
% MIXED HARDWOOD/CONIFER	22.18%
% OPEN (10% < COVER < 40%)	0.01%
% BARE LAND (<10% COVER)	0.41%
% 100FT STREAM BUFFER CONIFER	41.99%
% 100FT STREAM BUFFER LARGE CONIFER	16.66%
% 100FT STREAM BUFFER HARDWOOD	4.95%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	36.38%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.02%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	LOWER_SOUTH_FORK_SOUTH_FORK_TRASK
PRIOR_ID	79
CLAMS MODELED STREAM LENGTH (FT)	62367.14
TOTAL STREAM LENGTH (FT)	318659.88
WATERSHED AREA (ACRES)	4236.52
TOTAL ROAD LENGTH (FT)	91702.62
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.29
RIPARIAN ROAD DENSITY	0.31
NUMBER OF ROAD CROSSINGS	44.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	4.21%
% WATERSHED AREA HARVESTED 1972-2007	8.55%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	66338.18
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	20.82%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	210.51
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.07%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	210.51
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	3514852.00
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	23695.37
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	2483.41
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	9418.45
AVERAGE COHO INTRINSIC POTENTIAL	0.26
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.50
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.19
AVERAGE CHUM INTRINSIC POTENTIAL	0.47
RBA 05 COHO COUNT	723.00
RBA 05 COHO DENSITY	0.21
RBA 05 ZERO+ COUNT	724.00
RBA 05 ZERO+ DENSITY	0.34
RBA 05 STEELHEAD COUNT	221.00
RBA 05 STEELHEAD DENSITY	0.07

RBA 05 CUTTHROAT COUNT	130.00
RBA 05 CUTTHROAT DENSITY	0.13
RBA 05 CHINOOK COUNT	1.00
RBA 05 CHINOOK DENSITY	0.13
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	3.00
RBA 06 BEAVER DAMS	1.00
RBA 06 COHO COUNT	1479.00
RBA 06 COHO DENSITY	1.11
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.67
RBA 06 CHINOOK COUNT	2.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	71.00
RBA 06 CUTTHROAT DENSITY	0.12
RBA 06 STEELHEAD COUNT	188.00
RBA 06 STEELHEAD DENSITY	0.13
AVERAGE RBA COHO COUNT	1101.00
AVERAGE RBA COHO DENSITY	0.66
AVERAGE RBA ZERO+ COUNT	633.50
AVERAGE RBA ZERO+ DENSITY	0.51
AVERAGE RBA CHINOOK COUNT	1.50
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	100.50
AVERAGE RBA CUTTHROAT DENSITY	0.12
AVERAGE RBA STEELHEAD COUNT	204.50
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	8907.15
%NHD STREAM LENGTH WITH AQI DATA	31.47%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	19398.40
% UNDERCUT BANK	1.19%
% ACTIVE_EROSION	20.11%
% SHADE	70.21%
% SILTS & ORGANICS	5.58%
% SAND	8.54%

% GRAVELS	23.74%
% COBBLES	51.40%
% BOULDERS	7.38%
% BEDROCK	3.37%
% POOL AREA	17.76%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	25.63%
% SAFN IN RIFFLES	9.80%
NUMBER OF BOULDERS/100M	16.58
NUMBER OF PIECES OF LWD/100M	0.00
NUMBER OF KEY PIECES OF LWD/100M	0.00
WOOD VOLUME/100M	0.00
% PUBLIC OWNERSHIP	87.90%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	12.13%
% PUBLIC FORESTRY	87.86%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	30.26%
% LARGE CONIFER	0.74%
% HARDWOOD	6.94%
% MIXED HARDWOOD/CONIFER	60.87%
% OPEN (10% < COVER < 40%)	0.60%
% BARE LAND (<10% COVER)	0.58%
% 100FT STREAM BUFFER CONIFER	12.61%
% 100FT STREAM BUFFER LARGE CONIFER	0.70%
% 100FT STREAM BUFFER HARDWOOD	10.64%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	75.47%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.58%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	BLUE_BUS_SCOTCH_PIGEON
PRIOR_ID	80
CLAMS MODELED STREAM LENGTH (FT)	52714.29
TOTAL STREAM LENGTH (FT)	266600.68
WATERSHED AREA (ACRES)	4071.44
TOTAL ROAD LENGTH (FT)	141181.70
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.53
RIPARIAN ROAD DENSITY	0.45
NUMBER OF ROAD CROSSINGS	41.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	5.26%
% WATERSHED AREA HARVESTED 1972-2007	11.44%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	107994.60
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	40.51%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	10483398.70
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	31065.76
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	5738.57
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	6308.55
AVERAGE COHO INTRINSIC POTENTIAL	0.34
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.67
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.35
AVERAGE CHUM INTRINSIC POTENTIAL	0.69
RBA 05 COHO COUNT	286.00
RBA 05 COHO DENSITY	0.12
RBA 05 ZERO+ COUNT	168.00
RBA 05 ZERO+ DENSITY	0.09
RBA 05 STEELHEAD COUNT	150.00
RBA 05 STEELHEAD DENSITY	0.05

RBA 05 CUTTHROAT COUNT	93.00
RBA 05 CUTTHROAT DENSITY	0.02
RBA 05 CHINOOK COUNT	21.00
RBA 05 CHINOOK DENSITY	0.02
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	2.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	782.00
RBA 06 COHO DENSITY	0.22
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.16
RBA 06 CHINOOK COUNT	25.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	83.00
RBA 06 CUTTHROAT DENSITY	0.07
RBA 06 STEELHEAD COUNT	118.00
RBA 06 STEELHEAD DENSITY	0.02
AVERAGE RBA COHO COUNT	534.00
AVERAGE RBA COHO DENSITY	0.17
AVERAGE RBA ZERO+ COUNT	213.00
AVERAGE RBA ZERO+ DENSITY	0.12
AVERAGE RBA CHINOOK COUNT	23.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	88.00
AVERAGE RBA CUTTHROAT DENSITY	0.04
AVERAGE RBA STEELHEAD COUNT	134.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	45678.83
%NHD STREAM LENGTH WITH AQI DATA	99.02%
NEEDS AQI DATA?	N
AQI LENGTH TO SURVEY (FT)	0.00
% UNDERCUT BANK	1.74%
% ACTIVE_EROSION	21.22%
% SHADE	99.22%
% SILTS & ORGANICS	6.16%
% SAND	12.91%

% GRAVELS	25.71%
% COBBLES	27.97%
% BOULDERS	19.60%
% BEDROCK	7.66%
% POOL AREA	1.18%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	39.15%
% SAFN IN RIFFLES	23.55%
NUMBER OF BOULDERS/100M	21.76
NUMBER OF PIECES OF LWD/100M	10.00
NUMBER OF KEY PIECES OF LWD/100M	0.19
WOOD VOLUME/100M	18.08
% PUBLIC OWNERSHIP	100.00%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	0.00%
% PUBLIC FORESTRY	100.00%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	46.90%
% LARGE CONIFER	2.57%
% HARDWOOD	9.82%
% MIXED HARDWOOD/CONIFER	39.80%
% OPEN (10% < COVER < 40%)	0.30%
% BARE LAND (<10% COVER)	0.61%
% 100FT STREAM BUFFER CONIFER	32.48%
% 100FT STREAM BUFFER LARGE CONIFER	2.01%
% 100FT STREAM BUFFER HARDWOOD	15.93%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	49.39%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.18%

METRIC NAME	DATA
5TH FIELD WATERSHED	TILLAMOOK RIVER
7TH FIELD WATERSHED	SUTTON_CREEK
PRIOR_ID	81
CLAMS MODELED STREAM LENGTH (FT)	63085.58
TOTAL STREAM LENGTH (FT)	120980.27
WATERSHED AREA (ACRES)	3043.18
TOTAL ROAD LENGTH (FT)	178345.78
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	1.47
RIPARIAN ROAD DENSITY	0.67
NUMBER OF ROAD CROSSINGS	43.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	43.63%
% WATERSHED AREA HARVESTED 1972-2007	39.24%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	95330.01
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	78.80%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	23761.75
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	19.64%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	43070.90
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	1198351.38
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	1789.51
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	8520.51
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	8983.70
CHUM HIGH INTRINSIC POTENTIAL (FT)	22058.87
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	863.59
AVERAGE COHO INTRINSIC POTENTIAL	0.82
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.46
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.21
AVERAGE CHUM INTRINSIC POTENTIAL	0.67
RBA 05 COHO COUNT	247.00
RBA 05 COHO DENSITY	0.07
RBA 05 ZERO+ COUNT	6.00
RBA 05 ZERO+ DENSITY	0.00
RBA 05 STEELHEAD COUNT	13.00
RBA 05 STEELHEAD DENSITY	0.00

RBA 05 CUTTHROAT COUNT	16.00
RBA 05 CUTTHROAT DENSITY	0.05
RBA 05 CHINOOK COUNT	127.00
RBA 05 CHINOOK DENSITY	0.05
RBA 06 KNOTWEED SITINGS	7.00
RBA 06 LANDSLIDES	2.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	198.00
RBA 06 COHO DENSITY	0.04
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.00
RBA 06 CHINOOK COUNT	265.00
RBA 06 CHINOOK DENSITY	0.05
RBA 06 CUTTHROAT COUNT	19.00
RBA 06 CUTTHROAT DENSITY	0.00
RBA 06 STEELHEAD COUNT	11.00
RBA 06 STEELHEAD DENSITY	0.00
AVERAGE RBA COHO COUNT	222.50
AVERAGE RBA COHO DENSITY	0.05
AVERAGE RBA ZERO+ COUNT	7.50
AVERAGE RBA ZERO+ DENSITY	0.00
AVERAGE RBA CHINOOK COUNT	196.00
AVERAGE RBA CHINOOK DENSITY	0.03
AVERAGE RBA CUTTHROAT COUNT	17.50
AVERAGE RBA CUTTHROAT DENSITY	0.03
AVERAGE RBA STEELHEAD COUNT	12.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	20087.18
%NHD STREAM LENGTH WITH AQI DATA	53.71%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	17311.63
% UNDERCUT BANK	4.42%
% ACTIVE_EROSION	34.71%
% SHADE	44.20%
% SILTS & ORGANICS	15.00%
% SAND	31.14%

% GRAVELS	17.35%
% COBBLES	21.87%
% BOULDERS	6.50%
% BEDROCK	1.75%
% POOL AREA	69.82%
NUMBER OF DEEP POOLS (>1M)/100M	0.01
% GRAVEL IN RIFFLES	28.84%
% SAFN IN RIFFLES	13.29%
NUMBER OF BOULDERS/100M	1.81
NUMBER OF PIECES OF LWD/100M	4.00
NUMBER OF KEY PIECES OF LWD/100M	0.02
WOOD VOLUME/100M	2.88
% PUBLIC OWNERSHIP	0.00%
% PRIVATE NON-INDUSTRIAL	42.04%
% PRIVATE FORESTRY	57.96%
% PUBLIC FORESTRY	0.00%
% AGRICULTURE	22.48%
% RURAL RESIDENTIAL	8.34%
% URBAN	0.00%
% PARK	0.45%
% OTHER LAND USE	10.77%
% CONIFER	29.24%
% LARGE CONIFER	1.99%
% HARDWOOD	1.78%
% MIXED HARDWOOD/CONIFER	13.41%
% OPEN (10% < COVER < 40%)	20.48%
% BARE LAND (<10% COVER)	33.10%
% 100FT STREAM BUFFER CONIFER	39.70%
% 100FT STREAM BUFFER LARGE CONIFER	2.50%
% 100FT STREAM BUFFER HARDWOOD	4.10%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	21.82%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	31.88%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	MIDDLE_SOUTH_FORK_TRASK
PRIOR_ID	82
CLAMS MODELED STREAM LENGTH (FT)	91876.50
TOTAL STREAM LENGTH (FT)	372941.75
WATERSHED AREA (ACRES)	5420.07
TOTAL ROAD LENGTH (FT)	176001.15
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.47
RIPARIAN ROAD DENSITY	0.41
NUMBER OF ROAD CROSSINGS	102.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	5.15%
% WATERSHED AREA HARVESTED 1972-2007	9.81%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	123766.34
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	33.19%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	8840882.74
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	47110.01
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	4875.87
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	2541.09
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	10870.40
AVERAGE COHO INTRINSIC POTENTIAL	0.32
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.59
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.24
AVERAGE CHUM INTRINSIC POTENTIAL	0.51
RBA 05 COHO COUNT	344.00
RBA 05 COHO DENSITY	0.08
RBA 05 ZERO+ COUNT	391.00
RBA 05 ZERO+ DENSITY	0.18
RBA 05 STEELHEAD COUNT	221.00
RBA 05 STEELHEAD DENSITY	0.05

RBA 05 CUTTHROAT COUNT	217.00
RBA 05 CUTTHROAT DENSITY	0.08
RBA 05 CHINOOK COUNT	83.00
RBA 05 CHINOOK DENSITY	0.08
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	1.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	1019.00
RBA 06 COHO DENSITY	0.17
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.58
RBA 06 CHINOOK COUNT	135.00
RBA 06 CHINOOK DENSITY	0.02
RBA 06 CUTTHROAT COUNT	147.00
RBA 06 CUTTHROAT DENSITY	0.08
RBA 06 STEELHEAD COUNT	386.00
RBA 06 STEELHEAD DENSITY	0.08
AVERAGE RBA COHO COUNT	681.50
AVERAGE RBA COHO DENSITY	0.13
AVERAGE RBA ZERO+ COUNT	544.50
AVERAGE RBA ZERO+ DENSITY	0.38
AVERAGE RBA CHINOOK COUNT	109.00
AVERAGE RBA CHINOOK DENSITY	0.02
AVERAGE RBA CUTTHROAT COUNT	182.00
AVERAGE RBA CUTTHROAT DENSITY	0.08
AVERAGE RBA STEELHEAD COUNT	303.50
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	46073.92
%NHD STREAM LENGTH WITH AQI DATA	91.66%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	4190.62
% UNDERCUT BANK	1.66%
% ACTIVE_EROSION	14.73%
% SHADE	94.41%
% SILTS & ORGANICS	3.95%
% SAND	16.08%

% GRAVELS	32.76%
% COBBLES	26.98%
% BOULDERS	12.91%
% BEDROCK	7.32%
% POOL AREA	16.77%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	32.36%
% SAFN IN RIFFLES	20.37%
NUMBER OF BOULDERS/100M	20.81
NUMBER OF PIECES OF LWD/100M	15.00
NUMBER OF KEY PIECES OF LWD/100M	0.41
WOOD VOLUME/100M	21.32
% PUBLIC OWNERSHIP	84.50%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	15.50%
% PUBLIC FORESTRY	84.48%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	38.98%
% LARGE CONIFER	0.66%
% HARDWOOD	8.44%
% MIXED HARDWOOD/CONIFER	50.54%
% OPEN (10% < COVER < 40%)	0.41%
% BARE LAND (<10% COVER)	0.96%
% 100FT STREAM BUFFER CONIFER	18.40%
% 100FT STREAM BUFFER LARGE CONIFER	0.64%
% 100FT STREAM BUFFER HARDWOOD	13.43%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	67.09%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.44%

METRIC NAME	DATA
5TH FIELD WATERSHED	TILLAMOOK RIVER
7TH FIELD WATERSHED	KILLAM
PRIOR_ID	83
CLAMS MODELED STREAM LENGTH (FT)	77888.58
TOTAL STREAM LENGTH (FT)	185194.15
WATERSHED AREA (ACRES)	3790.03
TOTAL ROAD LENGTH (FT)	187055.16
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	1.01
RIPARIAN ROAD DENSITY	0.67
NUMBER OF ROAD CROSSINGS	50.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	34.32%
% WATERSHED AREA HARVESTED 1972-2007	41.17%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	108633.85
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	58.66%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	6941.51
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	3.75%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	6941.51
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	2684014.06
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	22167.56
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	16851.72
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	32.82
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	12464.44
AVERAGE COHO INTRINSIC POTENTIAL	0.32
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.51
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.12
AVERAGE CHUM INTRINSIC POTENTIAL	0.48
RBA 05 COHO COUNT	79.00
RBA 05 COHO DENSITY	0.05
RBA 05 ZERO+ COUNT	36.00
RBA 05 ZERO+ DENSITY	0.12
RBA 05 STEELHEAD COUNT	23.00
RBA 05 STEELHEAD DENSITY	0.01

RBA 05 CUTTHROAT COUNT	100.00
RBA 05 CUTTHROAT DENSITY	0.10
RBA 05 CHINOOK COUNT	3.00
RBA 05 CHINOOK DENSITY	0.10
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	1.00
RBA 06 COHO COUNT	417.00
RBA 06 COHO DENSITY	0.48
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.08
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	68.00
RBA 06 CUTTHROAT DENSITY	0.08
RBA 06 STEELHEAD COUNT	60.00
RBA 06 STEELHEAD DENSITY	0.11
AVERAGE RBA COHO COUNT	248.00
AVERAGE RBA COHO DENSITY	0.27
AVERAGE RBA ZERO+ COUNT	36.00
AVERAGE RBA ZERO+ DENSITY	0.10
AVERAGE RBA CHINOOK COUNT	1.50
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	84.00
AVERAGE RBA CUTTHROAT DENSITY	0.09
AVERAGE RBA STEELHEAD COUNT	41.50
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	0.00
%NHD STREAM LENGTH WITH AQI DATA	0.00%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	55812.66
% UNDERCUT BANK	NA
% ACTIVE_EROSION	NA
% SHADE	NA
% SILTS & ORGANICS	NA
% SAND	NA

% GRAVELS	NA
% COBBLES	NA
% BOULDERS	NA
% BEDROCK	NA
% POOL AREA	NA
NUMBER OF DEEP POOLS (>1M)/100M	NA
% GRAVEL IN RIFFLES	NA
% SAFN IN RIFFLES	NA
NUMBER OF BOULDERS/100M	NA
NUMBER OF PIECES OF LWD/100M	NA
NUMBER OF KEY PIECES OF LWD/100M	NA
WOOD VOLUME/100M	NA
% PUBLIC OWNERSHIP	2.30%
% PRIVATE NON-INDUSTRIAL	11.93%
% PRIVATE FORESTRY	38.77%
% PUBLIC FORESTRY	2.26%
% AGRICULTURE	10.57%
% RURAL RESIDENTIAL	1.44%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	32.98%
% LARGE CONIFER	3.86%
% HARDWOOD	9.02%
% MIXED HARDWOOD/CONIFER	20.13%
% OPEN (10% < COVER < 40%)	22.11%
% BARE LAND (<10% COVER)	11.91%
% 100FT STREAM BUFFER CONIFER	29.92%
% 100FT STREAM BUFFER LARGE CONIFER	3.04%
% 100FT STREAM BUFFER HARDWOOD	19.34%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	27.29%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	20.42%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	UPPER_ELKHORN
PRIOR_ID	84
CLAMS MODELED STREAM LENGTH (FT)	38208.13
TOTAL STREAM LENGTH (FT)	143874.18
WATERSHED AREA (ACRES)	2392.41
TOTAL ROAD LENGTH (FT)	65155.85
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.45
RIPARIAN ROAD DENSITY	0.40
NUMBER OF ROAD CROSSINGS	53.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	8.98%
% WATERSHED AREA HARVESTED 1972-2007	10.63%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	101291.02
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	70.40%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	4183.45
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	2.91%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	4183.45
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	644598.91
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	5166.33
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	12655.78
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.34
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.42
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.11
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	550.00
RBA 05 COHO DENSITY	0.94
RBA 05 ZERO+ COUNT	162.00
RBA 05 ZERO+ DENSITY	0.45
RBA 05 STEELHEAD COUNT	1.00
RBA 05 STEELHEAD DENSITY	0.01

RBA 05 CUTTHROAT COUNT	56.00
RBA 05 CUTTHROAT DENSITY	0.12
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.12
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	1.00
RBA 06 COHO COUNT	1759.00
RBA 06 COHO DENSITY	4.03
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.16
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	34.00
RBA 06 CUTTHROAT DENSITY	0.08
RBA 06 STEELHEAD COUNT	23.00
RBA 06 STEELHEAD DENSITY	0.03
AVERAGE RBA COHO COUNT	1154.50
AVERAGE RBA COHO DENSITY	2.49
AVERAGE RBA ZERO+ COUNT	113.50
AVERAGE RBA ZERO+ DENSITY	0.30
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	45.00
AVERAGE RBA CUTTHROAT DENSITY	0.10
AVERAGE RBA STEELHEAD COUNT	12.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	5059.95
%NHD STREAM LENGTH WITH AQI DATA	24.43%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	15648.39
% UNDERCUT BANK	10.49%
% ACTIVE_EROSION	63.64%
% SHADE	95.09%
% SILTS & ORGANICS	30.30%
% SAND	28.08%

% GRAVELS	33.87%
% COBBLES	7.22%
% BOULDERS	0.42%
% BEDROCK	0.12%
% POOL AREA	69.83%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	0.00%
% SAFN IN RIFFLES	#N/A
NUMBER OF BOULDERS/100M	2.20
NUMBER OF PIECES OF LWD/100M	9.00
NUMBER OF KEY PIECES OF LWD/100M	0.13
WOOD VOLUME/100M	12.99
% PUBLIC OWNERSHIP	32.40%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	67.64%
% PUBLIC FORESTRY	32.36%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	51.25%
% LARGE CONIFER	1.08%
% HARDWOOD	4.03%
% MIXED HARDWOOD/CONIFER	42.00%
% OPEN (10% < COVER < 40%)	1.15%
% BARE LAND (<10% COVER)	0.50%
% 100FT STREAM BUFFER CONIFER	29.93%
% 100FT STREAM BUFFER LARGE CONIFER	0.31%
% 100FT STREAM BUFFER HARDWOOD	7.49%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	61.93%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.33%

METRIC NAME	DATA
5TH FIELD WATERSHED	TILLAMOOK RIVER
7TH FIELD WATERSHED	BEWLEY
PRIOR_ID	85
CLAMS MODELED STREAM LENGTH (FT)	86335.63
TOTAL STREAM LENGTH (FT)	226061.62
WATERSHED AREA (ACRES)	3910.91
TOTAL ROAD LENGTH (FT)	240095.61
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	1.06
RIPARIAN ROAD DENSITY	0.69
NUMBER OF ROAD CROSSINGS	92.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	45.84%
% WATERSHED AREA HARVESTED 1972-2007	47.66%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	201851.68
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	89.29%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	42576.36
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	18.83%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	42576.36
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	1467350.44
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	10308.87
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	28623.35
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	251.29
AVERAGE COHO INTRINSIC POTENTIAL	0.66
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.49
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.12
AVERAGE CHUM INTRINSIC POTENTIAL	0.39
RBA 05 COHO COUNT	1405.00
RBA 05 COHO DENSITY	0.31
RBA 05 ZERO+ COUNT	83.00
RBA 05 ZERO+ DENSITY	0.10
RBA 05 STEELHEAD COUNT	3.00
RBA 05 STEELHEAD DENSITY	0.00

RBA 05 CUTTHROAT COUNT	162.00
RBA 05 CUTTHROAT DENSITY	0.03
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.03
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	5.00
RBA 06 COHO COUNT	1394.00
RBA 06 COHO DENSITY	0.27
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.04
RBA 06 CHINOOK COUNT	8.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	271.00
RBA 06 CUTTHROAT DENSITY	0.05
RBA 06 STEELHEAD COUNT	4.00
RBA 06 STEELHEAD DENSITY	0.00
AVERAGE RBA COHO COUNT	1399.50
AVERAGE RBA COHO DENSITY	0.29
AVERAGE RBA ZERO+ COUNT	68.50
AVERAGE RBA ZERO+ DENSITY	0.07
AVERAGE RBA CHINOOK COUNT	4.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	216.50
AVERAGE RBA CUTTHROAT DENSITY	0.04
AVERAGE RBA STEELHEAD COUNT	3.50
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	27639.14
%NHD STREAM LENGTH WITH AQI DATA	70.24%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	11711.86
% UNDERCUT BANK	5.62%
% ACTIVE_EROSION	23.53%
% SHADE	54.26%
% SILTS & ORGANICS	31.66%
% SAND	23.61%

% GRAVELS	26.66%
% COBBLES	8.43%
% BOULDERS	1.22%
% BEDROCK	8.42%
% POOL AREA	38.21%
NUMBER OF DEEP POOLS (>1M)/100M	0.01
% GRAVEL IN RIFFLES	45.33%
% SAFN IN RIFFLES	33.17%
NUMBER OF BOULDERS/100M	1.33
NUMBER OF PIECES OF LWD/100M	21.00
NUMBER OF KEY PIECES OF LWD/100M	0.65
WOOD VOLUME/100M	20.43
% PUBLIC OWNERSHIP	0.00%
% PRIVATE NON-INDUSTRIAL	14.59%
% PRIVATE FORESTRY	85.32%
% PUBLIC FORESTRY	0.00%
% AGRICULTURE	10.09%
% RURAL RESIDENTIAL	3.79%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.70%
% CONIFER	60.44%
% LARGE CONIFER	2.11%
% HARDWOOD	0.62%
% MIXED HARDWOOD/CONIFER	17.47%
% OPEN (10% < COVER < 40%)	9.69%
% BARE LAND (<10% COVER)	9.66%
% 100FT STREAM BUFFER CONIFER	56.99%
% 100FT STREAM BUFFER LARGE CONIFER	1.83%
% 100FT STREAM BUFFER HARDWOOD	0.91%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	28.47%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	11.79%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	BATES_MESABI_STEAMPOT
PRIOR_ID	86
CLAMS MODELED STREAM LENGTH (FT)	86739.02
TOTAL STREAM LENGTH (FT)	285208.71
WATERSHED AREA (ACRES)	4460.48
TOTAL ROAD LENGTH (FT)	144531.70
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.51
RIPARIAN ROAD DENSITY	0.45
NUMBER OF ROAD CROSSINGS	55.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	5.59%
% WATERSHED AREA HARVESTED 1972-2007	13.30%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	124816.76
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	43.76%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	766.46
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.27%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	780.95
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	6522179.30
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	43733.26
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	8555.60
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	6156.69
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	8648.16
AVERAGE COHO INTRINSIC POTENTIAL	0.30
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.60
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.28
AVERAGE CHUM INTRINSIC POTENTIAL	0.47
RBA 05 COHO COUNT	484.00
RBA 05 COHO DENSITY	0.09
RBA 05 ZERO+ COUNT	595.00
RBA 05 ZERO+ DENSITY	0.12
RBA 05 STEELHEAD COUNT	207.00
RBA 05 STEELHEAD DENSITY	0.06

RBA 05 CUTTHROAT COUNT	181.00
RBA 05 CUTTHROAT DENSITY	0.04
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.04
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	1605.00
RBA 06 COHO DENSITY	0.77
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.18
RBA 06 CHINOOK COUNT	2.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	99.00
RBA 06 CUTTHROAT DENSITY	0.06
RBA 06 STEELHEAD COUNT	187.00
RBA 06 STEELHEAD DENSITY	0.06
AVERAGE RBA COHO COUNT	1044.50
AVERAGE RBA COHO DENSITY	0.43
AVERAGE RBA ZERO+ COUNT	411.50
AVERAGE RBA ZERO+ DENSITY	0.15
AVERAGE RBA CHINOOK COUNT	1.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	140.00
AVERAGE RBA CUTTHROAT DENSITY	0.05
AVERAGE RBA STEELHEAD COUNT	197.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	47121.25
%NHD STREAM LENGTH WITH AQI DATA	86.30%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	7481.03
% UNDERCUT BANK	1.99%
% ACTIVE_EROSION	36.07%
% SHADE	99.52%
% SILTS & ORGANICS	8.38%
% SAND	16.53%

% GRAVELS	34.92%
% COBBLES	24.99%
% BOULDERS	10.35%
% BEDROCK	4.83%
% POOL AREA	1.18%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	41.65%
% SAFN IN RIFFLES	28.47%
NUMBER OF BOULDERS/100M	9.18
NUMBER OF PIECES OF LWD/100M	15.00
NUMBER OF KEY PIECES OF LWD/100M	0.13
WOOD VOLUME/100M	21.42
% PUBLIC OWNERSHIP	100.00%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	0.00%
% PUBLIC FORESTRY	99.99%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	56.70%
% LARGE CONIFER	2.46%
% HARDWOOD	5.80%
% MIXED HARDWOOD/CONIFER	34.24%
% OPEN (10% < COVER < 40%)	0.23%
% BARE LAND (<10% COVER)	0.57%
% 100FT STREAM BUFFER CONIFER	39.27%
% 100FT STREAM BUFFER LARGE CONIFER	1.59%
% 100FT STREAM BUFFER HARDWOOD	12.09%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	46.55%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.50%

METRIC NAME	DATA
5TH FIELD WATERSHED	TILLAMOOK RIVER
7TH FIELD WATERSHED	MILLS_JOE
PRIOR_ID	87
CLAMS MODELED STREAM LENGTH (FT)	124970.22
TOTAL STREAM LENGTH (FT)	287357.35
WATERSHED AREA (ACRES)	5504.58
TOTAL ROAD LENGTH (FT)	305121.15
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	1.06
RIPARIAN ROAD DENSITY	0.55
NUMBER OF ROAD CROSSINGS	97.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	49.15%
% WATERSHED AREA HARVESTED 1972-2007	48.87%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	238563.95
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	83.02%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	51681.63
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	17.99%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	65089.31
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	2311246.31
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	7865.77
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	53242.19
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	7200.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	14344.92
AVERAGE COHO INTRINSIC POTENTIAL	0.67
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.46
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.13
AVERAGE CHUM INTRINSIC POTENTIAL	0.65
RBA 05 COHO COUNT	789.00
RBA 05 COHO DENSITY	0.20
RBA 05 ZERO+ COUNT	68.00
RBA 05 ZERO+ DENSITY	0.15
RBA 05 STEELHEAD COUNT	3.00
RBA 05 STEELHEAD DENSITY	0.00

RBA 05 CUTTHROAT COUNT	51.00
RBA 05 CUTTHROAT DENSITY	0.02
RBA 05 CHINOOK COUNT	66.00
RBA 05 CHINOOK DENSITY	0.02
RBA 06 KNOTWEED SITINGS	4.00
RBA 06 LANDSLIDES	2.00
RBA 06 BEAVER DAMS	5.00
RBA 06 COHO COUNT	723.00
RBA 06 COHO DENSITY	0.57
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.04
RBA 06 CHINOOK COUNT	7.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	62.00
RBA 06 CUTTHROAT DENSITY	0.04
RBA 06 STEELHEAD COUNT	7.00
RBA 06 STEELHEAD DENSITY	0.00
AVERAGE RBA COHO COUNT	756.00
AVERAGE RBA COHO DENSITY	0.39
AVERAGE RBA ZERO+ COUNT	57.00
AVERAGE RBA ZERO+ DENSITY	0.10
AVERAGE RBA CHINOOK COUNT	36.50
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	56.50
AVERAGE RBA CUTTHROAT DENSITY	0.03
AVERAGE RBA STEELHEAD COUNT	5.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	54792.50
%NHD STREAM LENGTH WITH AQI DATA	79.34%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	14263.98
% UNDERCUT BANK	2.33%
% ACTIVE_EROSION	39.14%
% SHADE	36.69%
% SILTS & ORGANICS	39.46%
% SAND	21.71%

% GRAVELS	17.42%
% COBBLES	11.58%
% BOULDERS	2.73%
% BEDROCK	1.22%
% POOL AREA	33.58%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	22.53%
% SAFN IN RIFFLES	52.51%
NUMBER OF BOULDERS/100M	1.81
NUMBER OF PIECES OF LWD/100M	11.00
NUMBER OF KEY PIECES OF LWD/100M	0.44
WOOD VOLUME/100M	11.20
% PUBLIC OWNERSHIP	5.60%
% PRIVATE NON-INDUSTRIAL	22.37%
% PRIVATE FORESTRY	71.95%
% PUBLIC FORESTRY	5.56%
% AGRICULTURE	13.35%
% RURAL RESIDENTIAL	9.01%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	34.62%
% LARGE CONIFER	2.87%
% HARDWOOD	2.52%
% MIXED HARDWOOD/CONIFER	20.38%
% OPEN (10% < COVER < 40%)	24.11%
% BARE LAND (<10% COVER)	15.51%
% 100FT STREAM BUFFER CONIFER	32.44%
% 100FT STREAM BUFFER LARGE CONIFER	2.59%
% 100FT STREAM BUFFER HARDWOOD	5.11%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	29.07%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	30.80%

METRIC NAME	DATA
5TH FIELD WATERSHED	TILLAMOOK RIVER
7TH FIELD WATERSHED	FAWCETT
PRIOR_ID	88
CLAMS MODELED STREAM LENGTH (FT)	68795.52
TOTAL STREAM LENGTH (FT)	242759.86
WATERSHED AREA (ACRES)	4055.35
TOTAL ROAD LENGTH (FT)	190917.58
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.79
RIPARIAN ROAD DENSITY	0.49
NUMBER OF ROAD CROSSINGS	99.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	19.35%
% WATERSHED AREA HARVESTED 1972-2007	20.91%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	97252.83
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	40.06%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	15039.59
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	6.20%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	15039.59
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	4414777.45
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	26917.43
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	18457.81
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	448.20
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	18443.27
AVERAGE COHO INTRINSIC POTENTIAL	0.46
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.61
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.16
AVERAGE CHUM INTRINSIC POTENTIAL	0.54
RBA 05 COHO COUNT	444.00
RBA 05 COHO DENSITY	0.23
RBA 05 ZERO+ COUNT	97.00
RBA 05 ZERO+ DENSITY	0.10
RBA 05 STEELHEAD COUNT	190.00
RBA 05 STEELHEAD DENSITY	0.09

RBA 05 CUTTHROAT COUNT	110.00
RBA 05 CUTTHROAT DENSITY	0.07
RBA 05 CHINOOK COUNT	122.00
RBA 05 CHINOOK DENSITY	0.07
RBA 06 KNOTWEED SITINGS	1.00
RBA 06 LANDSLIDES	5.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	621.00
RBA 06 COHO DENSITY	0.41
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.06
RBA 06 CHINOOK COUNT	63.00
RBA 06 CHINOOK DENSITY	0.02
RBA 06 CUTTHROAT COUNT	73.00
RBA 06 CUTTHROAT DENSITY	0.06
RBA 06 STEELHEAD COUNT	89.00
RBA 06 STEELHEAD DENSITY	0.06
AVERAGE RBA COHO COUNT	532.50
AVERAGE RBA COHO DENSITY	0.32
AVERAGE RBA ZERO+ COUNT	92.50
AVERAGE RBA ZERO+ DENSITY	0.08
AVERAGE RBA CHINOOK COUNT	92.50
AVERAGE RBA CHINOOK DENSITY	0.03
AVERAGE RBA CUTTHROAT COUNT	91.50
AVERAGE RBA CUTTHROAT DENSITY	0.06
AVERAGE RBA STEELHEAD COUNT	139.50
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	30600.62
%NHD STREAM LENGTH WITH AQI DATA	85.29%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	5276.60
% UNDERCUT BANK	8.66%
% ACTIVE_EROSION	19.53%
% SHADE	77.27%
% SILTS & ORGANICS	13.07%
% SAND	18.33%

% GRAVELS	22.35%
% COBBLES	23.25%
% BOULDERS	18.95%
% BEDROCK	4.05%
% POOL AREA	13.30%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	26.13%
% SAFN IN RIFFLES	30.24%
NUMBER OF BOULDERS/100M	82.61
NUMBER OF PIECES OF LWD/100M	11.00
NUMBER OF KEY PIECES OF LWD/100M	0.50
WOOD VOLUME/100M	13.12
% PUBLIC OWNERSHIP	47.90%
% PRIVATE NON-INDUSTRIAL	8.68%
% PRIVATE FORESTRY	27.02%
% PUBLIC FORESTRY	47.44%
% AGRICULTURE	4.10%
% RURAL RESIDENTIAL	5.02%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	32.52%
% LARGE CONIFER	5.88%
% HARDWOOD	7.83%
% MIXED HARDWOOD/CONIFER	32.64%
% OPEN (10% < COVER < 40%)	12.27%
% BARE LAND (<10% COVER)	8.86%
% 100FT STREAM BUFFER CONIFER	21.76%
% 100FT STREAM BUFFER LARGE CONIFER	9.08%
% 100FT STREAM BUFFER HARDWOOD	13.87%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	43.49%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	11.80%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	BOUNDARY_STRETCH
PRIOR_ID	89
CLAMS MODELED STREAM LENGTH (FT)	86183.86
TOTAL STREAM LENGTH (FT)	295823.21
WATERSHED AREA (ACRES)	4812.38
TOTAL ROAD LENGTH (FT)	201265.70
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.68
RIPARIAN ROAD DENSITY	0.75
NUMBER OF ROAD CROSSINGS	130.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	3.24%
% WATERSHED AREA HARVESTED 1972-2007	6.33%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	151991.49
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	51.38%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	883.82
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.30%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	2341.93
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	4405843.77
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	31732.33
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	11014.37
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	1898.79
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	975.65
AVERAGE COHO INTRINSIC POTENTIAL	0.28
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.50
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.22
AVERAGE CHUM INTRINSIC POTENTIAL	0.46
RBA 05 COHO COUNT	305.00
RBA 05 COHO DENSITY	0.09
RBA 05 ZERO+ COUNT	478.00
RBA 05 ZERO+ DENSITY	0.34
RBA 05 STEELHEAD COUNT	78.00
RBA 05 STEELHEAD DENSITY	0.03

RBA 05 CUTTHROAT COUNT	216.00
RBA 05 CUTTHROAT DENSITY	0.19
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.19
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	3.00
RBA 06 BEAVER DAMS	1.00
RBA 06 COHO COUNT	2719.00
RBA 06 COHO DENSITY	1.57
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.42
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	208.00
RBA 06 CUTTHROAT DENSITY	0.15
RBA 06 STEELHEAD COUNT	114.00
RBA 06 STEELHEAD DENSITY	0.04
AVERAGE RBA COHO COUNT	1512.00
AVERAGE RBA COHO DENSITY	0.83
AVERAGE RBA ZERO+ COUNT	436.00
AVERAGE RBA ZERO+ DENSITY	0.38
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	212.00
AVERAGE RBA CUTTHROAT DENSITY	0.17
AVERAGE RBA STEELHEAD COUNT	96.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	38796.54
%NHD STREAM LENGTH WITH AQI DATA	77.33%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	11373.01
% UNDERCUT BANK	2.38%
% ACTIVE_EROSION	29.29%
% SHADE	99.04%
% SILTS & ORGANICS	5.58%
% SAND	16.23%

% GRAVELS	35.66%
% COBBLES	28.10%
% BOULDERS	12.53%
% BEDROCK	1.92%
% POOL AREA	3.85%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	41.64%
% SAFN IN RIFFLES	25.03%
NUMBER OF BOULDERS/100M	13.29
NUMBER OF PIECES OF LWD/100M	15.00
NUMBER OF KEY PIECES OF LWD/100M	0.25
WOOD VOLUME/100M	29.29
% PUBLIC OWNERSHIP	100.00%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	0.00%
% PUBLIC FORESTRY	99.72%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	50.46%
% LARGE CONIFER	6.55%
% HARDWOOD	6.84%
% MIXED HARDWOOD/CONIFER	34.47%
% OPEN (10% < COVER < 40%)	0.08%
% BARE LAND (<10% COVER)	1.61%
% 100FT STREAM BUFFER CONIFER	38.17%
% 100FT STREAM BUFFER LARGE CONIFER	4.94%
% 100FT STREAM BUFFER HARDWOOD	13.58%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	43.19%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.12%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	UPPER_EAST_FORK_SOUTH_FORK_TRASK
PRIOR_ID	90
CLAMS MODELED STREAM LENGTH (FT)	99571.74
TOTAL STREAM LENGTH (FT)	289376.52
WATERSHED AREA (ACRES)	5229.20
TOTAL ROAD LENGTH (FT)	130405.59
ROAD DENSITY (MILES/ACRE)	0.00
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.45
RIPARIAN ROAD DENSITY	0.65
NUMBER OF ROAD CROSSINGS	82.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	4.70%
% WATERSHED AREA HARVESTED 1972-2007	6.89%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	177221.34
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	61.24%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	2166.46
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.75%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	2166.46
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	1053444.45
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	21603.95
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	14169.53
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.22
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.40
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.11
AVERAGE CHUM INTRINSIC POTENTIAL	0.00
RBA 05 COHO COUNT	0.00
RBA 05 COHO DENSITY	0.00
RBA 05 ZERO+ COUNT	56.00
RBA 05 ZERO+ DENSITY	0.49
RBA 05 STEELHEAD COUNT	11.00
RBA 05 STEELHEAD DENSITY	0.08

RBA 05 CUTTHROAT COUNT	31.00
RBA 05 CUTTHROAT DENSITY	0.26
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.26
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	0.00
RBA 06 BEAVER DAMS	1.00
RBA 06 COHO COUNT	34.00
RBA 06 COHO DENSITY	0.23
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.34
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	47.00
RBA 06 CUTTHROAT DENSITY	0.25
RBA 06 STEELHEAD COUNT	5.00
RBA 06 STEELHEAD DENSITY	0.03
AVERAGE RBA COHO COUNT	17.00
AVERAGE RBA COHO DENSITY	0.11
AVERAGE RBA ZERO+ COUNT	54.50
AVERAGE RBA ZERO+ DENSITY	0.42
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	39.00
AVERAGE RBA CUTTHROAT DENSITY	0.25
AVERAGE RBA STEELHEAD COUNT	8.00
AVERAGE RBA STEELHEAD DENSITY	0.00
AQI SURVEY LENGTH (FT)	23029.32
%NHD STREAM LENGTH WITH AQI DATA	43.93%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	29398.33
% UNDERCUT BANK	3.02%
% ACTIVE_EROSION	11.21%
% SHADE	97.42%
% SILTS & ORGANICS	1.73%
% SAND	9.57%

% GRAVELS	26.71%
% COBBLES	27.10%
% BOULDERS	19.71%
% BEDROCK	15.19%
% POOL AREA	4.72%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	55.21%
% SAFN IN RIFFLES	17.13%
NUMBER OF BOULDERS/100M	28.93
NUMBER OF PIECES OF LWD/100M	11.00
NUMBER OF KEY PIECES OF LWD/100M	1.57
WOOD VOLUME/100M	29.76
% PUBLIC OWNERSHIP	48.90%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	51.01%
% PUBLIC FORESTRY	48.90%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	63.90%
% LARGE CONIFER	6.23%
% HARDWOOD	4.37%
% MIXED HARDWOOD/CONIFER	24.99%
% OPEN (10% < COVER < 40%)	0.07%
% BARE LAND (<10% COVER)	0.43%
% 100FT STREAM BUFFER CONIFER	45.34%
% 100FT STREAM BUFFER LARGE CONIFER	5.20%
% 100FT STREAM BUFFER HARDWOOD	10.10%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	39.37%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.00%

METRIC NAME	DATA
5TH FIELD WATERSHED	TILLAMOOK RIVER
7TH FIELD WATERSHED	SIMMONS
PRIOR_ID	91
CLAMS MODELED STREAM LENGTH (FT)	38870.21
TOTAL STREAM LENGTH (FT)	151719.79
WATERSHED AREA (ACRES)	2826.54
TOTAL ROAD LENGTH (FT)	143188.84
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.94
RIPARIAN ROAD DENSITY	0.82
NUMBER OF ROAD CROSSINGS	80.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	20.74%
% WATERSHED AREA HARVESTED 1972-2007	29.75%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	61491.95
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	40.53%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	4140.21
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	2.73%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	4146.06
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	2685600.90
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	23228.53
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	4455.02
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	109.46
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	3.19
AVERAGE COHO INTRINSIC POTENTIAL	0.41
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.70
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.16
AVERAGE CHUM INTRINSIC POTENTIAL	0.46
RBA 05 COHO COUNT	508.00
RBA 05 COHO DENSITY	0.26
RBA 05 ZERO+ COUNT	38.00
RBA 05 ZERO+ DENSITY	0.08
RBA 05 STEELHEAD COUNT	52.00
RBA 05 STEELHEAD DENSITY	0.03

RBA 05 CUTTHROAT COUNT	65.00
RBA 05 CUTTHROAT DENSITY	0.06
RBA 05 CHINOOK COUNT	2.00
RBA 05 CHINOOK DENSITY	0.06
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	5.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	1034.00
RBA 06 COHO DENSITY	0.87
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.24
RBA 06 CHINOOK COUNT	10.00
RBA 06 CHINOOK DENSITY	0.01
RBA 06 CUTTHROAT COUNT	54.00
RBA 06 CUTTHROAT DENSITY	0.08
RBA 06 STEELHEAD COUNT	101.00
RBA 06 STEELHEAD DENSITY	0.10
AVERAGE RBA COHO COUNT	771.00
AVERAGE RBA COHO DENSITY	0.57
AVERAGE RBA ZERO+ COUNT	120.50
AVERAGE RBA ZERO+ DENSITY	0.16
AVERAGE RBA CHINOOK COUNT	6.00
AVERAGE RBA CHINOOK DENSITY	0.01
AVERAGE RBA CUTTHROAT COUNT	59.50
AVERAGE RBA CUTTHROAT DENSITY	0.07
AVERAGE RBA STEELHEAD COUNT	76.50
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	29058.96
%NHD STREAM LENGTH WITH AQI DATA	99.99%
NEEDS AQI DATA?	N
AQI LENGTH TO SURVEY (FT)	0.00
% UNDERCUT BANK	10.94%
% ACTIVE_EROSION	20.77%
% SHADE	83.75%
% SILTS & ORGANICS	9.34%
% SAND	7.76%

% GRAVELS	35.54%
% COBBLES	25.09%
% BOULDERS	18.36%
% BEDROCK	3.91%
% POOL AREA	15.61%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	48.32%
% SAFN IN RIFFLES	17.09%
NUMBER OF BOULDERS/100M	32.41
NUMBER OF PIECES OF LWD/100M	21.00
NUMBER OF KEY PIECES OF LWD/100M	0.67
WOOD VOLUME/100M	22.66
% PUBLIC OWNERSHIP	52.60%
% PRIVATE NON-INDUSTRIAL	3.66%
% PRIVATE FORESTRY	43.72%
% PUBLIC FORESTRY	52.59%
% AGRICULTURE	1.01%
% RURAL RESIDENTIAL	2.65%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	45.97%
% LARGE CONIFER	4.51%
% HARDWOOD	6.27%
% MIXED HARDWOOD/CONIFER	31.04%
% OPEN (10% < COVER < 40%)	6.20%
% BARE LAND (<10% COVER)	6.00%
% 100FT STREAM BUFFER CONIFER	30.48%
% 100FT STREAM BUFFER LARGE CONIFER	6.01%
% 100FT STREAM BUFFER HARDWOOD	14.58%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	41.35%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	7.57%

METRIC NAME	DATA
5TH FIELD WATERSHED	TILLAMOOK RIVER
7TH FIELD WATERSHED	UPPER_TILLAMOOK_MAINSTEM
PRIOR_ID	92
CLAMS MODELED STREAM LENGTH (FT)	74664.19
TOTAL STREAM LENGTH (FT)	204788.65
WATERSHED AREA (ACRES)	3609.56
TOTAL ROAD LENGTH (FT)	228801.50
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	1.12
RIPARIAN ROAD DENSITY	0.54
NUMBER OF ROAD CROSSINGS	81.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	57.82%
% WATERSHED AREA HARVESTED 1972-2007	61.90%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	179990.51
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	87.89%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	34181.31
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	16.69%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	34181.31
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	552369.46
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	3964.79
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	25318.88
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.59
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.43
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.11
AVERAGE CHUM INTRINSIC POTENTIAL	0.32
RBA 05 COHO COUNT	1431.00
RBA 05 COHO DENSITY	0.38
RBA 05 ZERO+ COUNT	88.00
RBA 05 ZERO+ DENSITY	0.22
RBA 05 STEELHEAD COUNT	0.00
RBA 05 STEELHEAD DENSITY	0.00

RBA 05 CUTTHROAT COUNT	137.00
RBA 05 CUTTHROAT DENSITY	0.06
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.06
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	1.00
RBA 06 BEAVER DAMS	3.00
RBA 06 COHO COUNT	907.00
RBA 06 COHO DENSITY	0.35
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.07
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	93.00
RBA 06 CUTTHROAT DENSITY	0.04
RBA 06 STEELHEAD COUNT	0.00
RBA 06 STEELHEAD DENSITY	0.00
AVERAGE RBA COHO COUNT	1169.00
AVERAGE RBA COHO DENSITY	0.37
AVERAGE RBA ZERO+ COUNT	55.00
AVERAGE RBA ZERO+ DENSITY	0.15
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	115.00
AVERAGE RBA CUTTHROAT DENSITY	0.05
AVERAGE RBA STEELHEAD COUNT	0.00
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	27717.22
%NHD STREAM LENGTH WITH AQI DATA	74.11%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	9684.90
% UNDERCUT BANK	3.33%
% ACTIVE_EROSION	74.21%
% SHADE	32.38%
% SILTS & ORGANICS	40.07%
% SAND	26.60%

% GRAVELS	14.57%
% COBBLES	11.66%
% BOULDERS	6.09%
% BEDROCK	1.01%
% POOL AREA	29.76%
NUMBER OF DEEP POOLS (>1M)/100M	0.01
% GRAVEL IN RIFFLES	29.37%
% SAFN IN RIFFLES	45.00%
NUMBER OF BOULDERS/100M	8.78
NUMBER OF PIECES OF LWD/100M	19.00
NUMBER OF KEY PIECES OF LWD/100M	0.98
WOOD VOLUME/100M	28.96
% PUBLIC OWNERSHIP	0.00%
% PRIVATE NON-INDUSTRIAL	7.85%
% PRIVATE FORESTRY	91.96%
% PUBLIC FORESTRY	0.00%
% AGRICULTURE	7.84%
% RURAL RESIDENTIAL	0.01%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	47.04%
% LARGE CONIFER	0.70%
% HARDWOOD	1.31%
% MIXED HARDWOOD/CONIFER	14.84%
% OPEN (10% < COVER < 40%)	29.87%
% BARE LAND (<10% COVER)	6.25%
% 100FT STREAM BUFFER CONIFER	42.47%
% 100FT STREAM BUFFER LARGE CONIFER	0.58%
% 100FT STREAM BUFFER HARDWOOD	2.62%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	23.92%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	30.41%

METRIC NAME	DATA
5TH FIELD WATERSHED	TILLAMOOK RIVER
7TH FIELD WATERSHED	MUNSON
PRIOR_ID	93
CLAMS MODELED STREAM LENGTH (FT)	32253.29
TOTAL STREAM LENGTH (FT)	117230.07
WATERSHED AREA (ACRES)	2272.80
TOTAL ROAD LENGTH (FT)	142302.97
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	1.21
RIPARIAN ROAD DENSITY	0.57
NUMBER OF ROAD CROSSINGS	52.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	45.80%
% WATERSHED AREA HARVESTED 1972-2007	50.24%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	76585.54
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	65.33%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	8091.48
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	6.90%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	8091.48
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	541242.21
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	6905.31
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	11597.82
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	177.89
AVERAGE COHO INTRINSIC POTENTIAL	0.43
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.52
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.12
AVERAGE CHUM INTRINSIC POTENTIAL	0.37
RBA 05 COHO COUNT	712.00
RBA 05 COHO DENSITY	0.63
RBA 05 ZERO+ COUNT	16.00
RBA 05 ZERO+ DENSITY	0.02
RBA 05 STEELHEAD COUNT	18.00
RBA 05 STEELHEAD DENSITY	0.02


RBA 05 CUTTHROAT COUNT	35.00
RBA 05 CUTTHROAT DENSITY	0.06
RBA 05 CHINOOK COUNT	15.00
RBA 05 CHINOOK DENSITY	0.06
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	2.00
RBA 06 BEAVER DAMS	1.00
RBA 06 COHO COUNT	561.00
RBA 06 COHO DENSITY	0.58
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.10
RBA 06 CHINOOK COUNT	32.00
RBA 06 CHINOOK DENSITY	0.03
RBA 06 CUTTHROAT COUNT	53.00
RBA 06 CUTTHROAT DENSITY	0.06
RBA 06 STEELHEAD COUNT	9.00
RBA 06 STEELHEAD DENSITY	0.02
AVERAGE RBA COHO COUNT	636.50
AVERAGE RBA COHO DENSITY	0.61
AVERAGE RBA ZERO+ COUNT	25.50
AVERAGE RBA ZERO+ DENSITY	0.06
AVERAGE RBA CHINOOK COUNT	23.50
AVERAGE RBA CHINOOK DENSITY	0.02
AVERAGE RBA CUTTHROAT COUNT	44.00
AVERAGE RBA CUTTHROAT DENSITY	0.06
AVERAGE RBA STEELHEAD COUNT	13.50
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	16932.79
%NHD STREAM LENGTH WITH AQI DATA	58.98%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	11777.96
% UNDERCUT BANK	7.17%
% ACTIVE_EROSION	34.97%
% SHADE	62.44%
% SILTS & ORGANICS	11.27%
% SAND	19.63%

% GRAVELS	27.01%
% COBBLES	30.47%
% BOULDERS	7.55%
% BEDROCK	4.08%
% POOL AREA	23.11%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	29.95%
% SAFN IN RIFFLES	28.34%
NUMBER OF BOULDERS/100M	19.01
NUMBER OF PIECES OF LWD/100M	23.00
NUMBER OF KEY PIECES OF LWD/100M	0.39
WOOD VOLUME/100M	17.86
% PUBLIC OWNERSHIP	3.60%
% PRIVATE NON-INDUSTRIAL	11.37%
% PRIVATE FORESTRY	84.92%
% PUBLIC FORESTRY	3.64%
% AGRICULTURE	5.63%
% RURAL RESIDENTIAL	5.74%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	49.99%
% LARGE CONIFER	2.67%
% HARDWOOD	3.57%
% MIXED HARDWOOD/CONIFER	20.52%
% OPEN (10% < COVER < 40%)	16.13%
% BARE LAND (<10% COVER)	7.12%
% 100FT STREAM BUFFER CONIFER	43.10%
% 100FT STREAM BUFFER LARGE CONIFER	2.30%
% 100FT STREAM BUFFER HARDWOOD	8.50%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	31.37%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	14.74%

METRIC NAME	DATA
5TH FIELD WATERSHED	TRASK RIVER
7TH FIELD WATERSHED	UPPER_SOUTH_FORK_SOUTH_FORK_TRASK
PRIOR_ID	94
CLAMS MODELED STREAM LENGTH (FT)	60216.81
TOTAL STREAM LENGTH (FT)	237318.62
WATERSHED AREA (ACRES)	3421.10
TOTAL ROAD LENGTH (FT)	116792.01
ROAD DENSITY (MILES/ACRE)	0.01
ROAD DENSITY (MILES ROAD/STREAM MILE)	0.49
RIPARIAN ROAD DENSITY	0.37
NUMBER OF ROAD CROSSINGS	68.00
% 100FT STREAM BUFFER HARVESTED 1972-2007	7.39%
% WATERSHED AREA HARVESTED 1972-2007	13.04%
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	127794.32
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	53.85%
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	0.00%
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	691015.98
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	16767.87
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	7662.54
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	0.00
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	0.00
CHUM HIGH INTRINSIC POTENTIAL (FT)	0.00
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	0.00
AVERAGE COHO INTRINSIC POTENTIAL	0.21
AVERAGE STEELHEAD INTRINSIC POTENTIAL	0.44
AVERAGE CHINOOK INTRINSIC POTENTIAL	0.14
AVERAGE CHUM INTRINSIC POTENTIAL	0.29
RBA 05 COHO COUNT	72.00
RBA 05 COHO DENSITY	0.07
RBA 05 ZERO+ COUNT	150.00
RBA 05 ZERO+ DENSITY	0.22
RBA 05 STEELHEAD COUNT	21.00
RBA 05 STEELHEAD DENSITY	0.03

RBA 05 CUTTHROAT COUNT	78.00
RBA 05 CUTTHROAT DENSITY	0.11
RBA 05 CHINOOK COUNT	0.00
RBA 05 CHINOOK DENSITY	0.11
RBA 06 KNOTWEED SITINGS	0.00
RBA 06 LANDSLIDES	1.00
RBA 06 BEAVER DAMS	0.00
RBA 06 COHO COUNT	417.00
RBA 06 COHO DENSITY	0.41
RBA 06 ZERO+ COUNT	431.00
RBA 06 ZERO+ DENSITY	0.78
RBA 06 CHINOOK COUNT	0.00
RBA 06 CHINOOK DENSITY	0.00
RBA 06 CUTTHROAT COUNT	47.00
RBA 06 CUTTHROAT DENSITY	0.14
RBA 06 STEELHEAD COUNT	44.00
RBA 06 STEELHEAD DENSITY	0.05
AVERAGE RBA COHO COUNT	244.50
AVERAGE RBA COHO DENSITY	0.24
AVERAGE RBA ZERO+ COUNT	233.00
AVERAGE RBA ZERO+ DENSITY	0.50
AVERAGE RBA CHINOOK COUNT	0.00
AVERAGE RBA CHINOOK DENSITY	0.00
AVERAGE RBA CUTTHROAT COUNT	62.50
AVERAGE RBA CUTTHROAT DENSITY	0.12
AVERAGE RBA STEELHEAD COUNT	32.50
AVERAGE RBA STEELHEAD DENSITY	0.01
AQI SURVEY LENGTH (FT)	9431.42
%NHD STREAM LENGTH WITH AQI DATA	35.76%
NEEDS AQI DATA?	Y
AQI LENGTH TO SURVEY (FT)	16943.73
% UNDERCUT BANK	0.98%
% ACTIVE_EROSION	15.91%
% SHADE	99.98%
% SILTS & ORGANICS	1.15%
% SAND	18.95%

% GRAVELS	43.90%
% COBBLES	22.33%
% BOULDERS	5.02%
% BEDROCK	8.66%
% POOL AREA	10.39%
NUMBER OF DEEP POOLS (>1M)/100M	0.00
% GRAVEL IN RIFFLES	50.04%
% SAFN IN RIFFLES	21.31%
NUMBER OF BOULDERS/100M	18.58
NUMBER OF PIECES OF LWD/100M	16.00
NUMBER OF KEY PIECES OF LWD/100M	0.80
WOOD VOLUME/100M	25.34
% PUBLIC OWNERSHIP	72.80%
% PRIVATE NON-INDUSTRIAL	0.00%
% PRIVATE FORESTRY	27.22%
% PUBLIC FORESTRY	72.48%
% AGRICULTURE	0.00%
% RURAL RESIDENTIAL	0.00%
% URBAN	0.00%
% PARK	0.00%
% OTHER LAND USE	0.00%
% CONIFER	46.55%
% LARGE CONIFER	4.26%
% HARDWOOD	4.87%
% MIXED HARDWOOD/CONIFER	43.57%
% OPEN (10% < COVER < 40%)	0.01%
% BARE LAND (<10% COVER)	0.74%
% 100FT STREAM BUFFER CONIFER	27.98%
% 100FT STREAM BUFFER LARGE CONIFER	4.47%
% 100FT STREAM BUFFER HARDWOOD	9.01%
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	58.54%
% 100FT STREAM BUFFER OPEN (10% < COVER < 40%)	0.00%



Ranking Priority

Active_Erosion


-  Top 10 Priorities
-  11+ Priorities

0 1.5 3 6 9 12 Miles



Map Prepared by Demeter Design for the Tillamook Bay Watershed





Ranking Priority

Average_Chinook_IP


- Top 10 Priorities
- 11+ Priorities

0 1.5 3 6 9 12 Miles



Map Prepared by Demeter Design for the Tillamook Bay Watershed





Ranking Priority


Average_Chum_IP

- Top 10 Priorities
- 11+ Priorities

0 1.5 3 6 9 12 Miles



Map Prepared by Demeter Design for the Tillamook Bay Watershed



Ranking Priority


Average_Coho_count

- Top 10 Priorities
- 11+ Priorities

0 1.5 3 6 9 12 Miles



Map Prepared by Demeter Design for the Tillamook Bay Watershed



Ranking Priority


Average_Coho_Density

- Top 10 Priorities
- 11+ Priorities

0 1.5 3 6 9 12 Miles



Map Prepared by Demeter Design for the Tillamook Bay Watershed



Ranking Priority

Average_Coho_IP


- Top 10 Priorities
- 11+ Priorities

0 1.5 3 6 9 12 Miles



Map Prepared by Demeter Design for the Tillamook Bay Watershed





Ranking Priority

Average_Steelhead_Count


- Top 10 Priorities
- 11+ Priorities

0 1.5 3 6 9 12 Miles



Map Prepared by Demeter Design for the Tillamook Bay Watershed





Ranking Priority

Average_Steelhead_Density


- Top 10 Priorities
- 11+ Priorities

0 1.5 3 6 9 12 Miles



Map Prepared by Demeter Design for the Tillamook Bay Watershed





Ranking Priority

Average_Steelhead_IP


- Top 10 Priorities
- 11+ Priorities

0 1.5 3 6 9 12 Miles



Map Prepared by Demeter Design for the Tillamook Bay Watershed





Ranking Priority

Percent_of_Bank_dominated_by_Conifer


- Top 10 Priorities
- 11+ Priorities

0 1.5 3 6 9 12 Miles



Map Prepared by Demeter Design for the Tillamook Bay Watershed





Ranking Priority

Percentage Gravels In Riffles


- Top 10 Priorities
- 11+ Priorities

0 1.5 3 6 9 12 Miles



Map Prepared by Demeter Design for the Tillamook Bay Watershed






Top 10 Immediate Chinook Restoration Priorities

- 1- Upper Trask Mainstem
- 2 - Bill Rawe - Samson
- 3 - Lower North Fork Trask
- 4 - Coal Murphy
- 5 - Myrtle Mapes
- 6 - Middle Trask Mainstem
- 7 - Hatchery
- 8 - Lower South Fork Trask
- 9 - Lower to Middle Mainstem Kilchis
- 10 - Lower Little North Fork Wilson
- Priorities 11-94


0 12
Miles



Top 10 Immediate Chinook Conservation Priorities

0 12 Miles


- 1 - Lower Little North Fork Wilson
- 2 - Upper Trask Mainstem
- 3 - Fox South Fork Wolf Muesial
- 4 - Moore Ben Smith
- 5 - Coal Murphy
- 6 - Bill Rawe Samson
- 7 - Myrtle Mapes
- 8 - Wolf
- 9 - Jones Runyon
- 10 - Middle Trask Mainstem
- Priorities 11-94



Top 10 Immediate Coho Restoration Priorities

- 1 - Middle North Fork Trask
- 2 - Lower Devils Lake
- 3 - Upper Miami Mainstem
- 4 - Lower Little North Fork Trask
- 5 - Middle Devils Lake Fork
- 6 - Lower North Fork Trask
- 7 - Middle Elk Horn
- 8 - Lower Cedar
- 9 - Lower South Fork Wilson
- 10 - Lower Elk Horn
- Priorities 11-94


0 12
Miles



Top 10 Immediate Coho Conservation Priorities

0 12
Miles


- 1 - Lower Little North Fork Wilson
- 2 - Lower South Fork Wilson
- 3 - Moore Ben Smith
- 4 - Lower West Fork North Fork Wilson
- 5 - Lower Devils Lake Fork
- 6 - Boundary Stretch
- 7 - Upper Miami Mainstem
- 8 - Middle Elk Horn
- 9 - Middle North Fork Trask
- 10 - Triangulation Fick
- Priorities 11-94



Top 10 Immediate Steelhead Restoration Priorities

- 1 - Bill Rawe Samson
- 2 - Minich Peterson
- 3 - Coal Murphy
- 4 - Lower Little North Fork Wilson
- 5 - Upper Miami Mainstem
- 6 - Lower to Middle Mainstem Kilchis
- 7 - Upper Trask Mainstem
- 8 - Lower South Fork South Fork Trask
- 9 - Middle South Fork Trask
- 10 - Fox South Wolf Muesial
- Priorities 11-94

0 12
Miles



Top 10 Immediate Steelhead Conservation Priorities


0

12



Miles

- 1 - Lower Little North Fork Wilson
- 2 - Moore Ben Smith
- 3 - Fox South Wolf Muesial
- 4 - Lower South Fork Wilson
- 5 - Bates Mesabi Steampot
- 6 - Middle South Fork Trask
- 7 - Minich Peterson
- 8 - Upper Miami Mainstem
- 9 - Lower West Fork North Fork Wilson
- 10 - Wolf
- Priorities 11-94



Ranking Priority

Key_LWD_100meters


-  Top 10 Priorities
-  11+ Priorities

0 1.5 3 6 9 12 Miles



Map Prepared by Demeter Design for the Tillamook Bay Watershed






Top 10 Long Term Chinook Priorities

- 1 - Lower Mainstem Wilson
- 2 - Lower Trask Mainstem
- 3 - Bear Kansas
- 4 - Middle Mainstem Wilson
- 5 - Myrtle Mapes
- 6 - Fox South Wolf Muesial
- 7 - Middle Trask Mainstem
- 8 - Lower South Fork Trask
- 9 - Hatchery
- 10 - Zig Zag Negro Jack
- Priorities 11-94


0 12
Miles



Top 10 Long Term Chum Priorities

- 1 - Lower Mainstem Wilson
- 2 - Lower Trask Mainstem
- 3 - Lower Tillamook Mainstem
- 4 - Hall Slough
- 5 - Middle Trask Mainstem
- 6 - Middle Mainstem Wilson
- 7 - Bear Kansas
- 8 - Sutton
- 9 - Vaughn
- 10 - Myrtle Mapes
- Priorities 11-94


0 12
Miles



Top 10 Long Term Coho Priorities

- 1 - Lower Trask Mainstem
- 2 - Lower Mainstem Wilson
- 3 - Hoquarton Dougherty
- 4 - Lower Tillamook Mainstem
- 5 - Sutton Creek
- 6 - Hall Slough
- 7* - Bay Ocean Spit (Artifact)
- 8 - Middle Trask Mainstem
- 9 - Vaughn
- 10 - Mill
- Priorities 11-94 (*11 - Bewley)


0 12
Miles



Top 10 Long Term Steelhead Priorities

- 1 - Simmons
- 2 - North Fork Kilchis
- 3 - Lower Bark Shanty
- 4 - Triangulation Fick
- 5 - Lower North Fork North Fork Trask
- 6 - Blue Bus Scotch Pigeon
- 7 - Fawcett
- 8 - Myrtle Mapes
- 9 - Lower Devils Lake Fork
- 10 - Fitch
- Priorities 11-94

0 12
Miles



Ranking Priority

Non_Industrial_Private_Ownership


- Top 10 Priorities
- 11+ Priorities

0 1.5 3 6 9 12 Miles



Map Prepared by Demeter Design for the Tillamook Bay Watershed






Top 15 Outreach Priorities

- 1 - Bewley
- 2 - Coal Murphy
- 3 - Mills Joe
- 4 - Middle Mainstem Wilson
- 5 - Lower Trask Mainstem Holden
- 6 - Middle Trask Mainstem
- 7 - Hoquarton Dougherty Slough
- 8 - Sutton Creek
- 9 - Upper Tillamook Mainstem
- 10 - Hall Slough
- 11 - Lower Tillamook Mainstem
- 12 - Lower Mainstem Wilson
- 13 - Mill
- 14 - Vaughn
- 15 - Myrtle Mapes
- Priorities 16-94

0 12

Miles



Ranking Priority

Percentage_Watershed_No_Harvest_35_years


Top 10 Ranks

11+ Ranks

0 1.5 3 6 9 12 Miles



Map Prepared by Demeter Design for the Tillamook Bay Watershed



Ranking Priority

Percent_Pool_Area


-  Top 10 Priorities
-  11+ Priorities

0 1.5 3 6 9 12 Miles



Map Prepared by Demeter Design for the Tillamook Bay Watershed





Ranking Priority

Riparian_Road_Density


- Top 10 Priorities
- 11+ Priorities

0 1.5 3 6 9 12 Miles



Map Prepared by Demeter Design for the Tillamook Bay Watershed





Ranking Priority

Road_Crossing


- Top 10 Priorities
- 11+ Priorities

0 1.5 3 6 9 12 Miles



Map Prepared by Demeter Design for the Tillamook Bay Watershed





Ranking Priority

Road_Density_Stream_Mile


- Top 10 Priorities
- 11+ Priorities

0 1.5 3 6 9 12 Miles



Map Prepared by Demeter Design for the Tillamook Bay Watershed





Ranking Priority


LWD_Volume_100meters

- Top 10 Priorities
- 11+ Priorities

0 1.5 3 6 9 12 Miles



Map Prepared by Demeter Design for the Tillamook Bay Watershed



Ranking Priority

Shade


- Top 10 Priorities
- 11+ Priorities

0 1.5 3 6 9 12 Miles



Map Prepared by Demeter Design for the Tillamook Bay Watershed





Ranking Priority

Percentage_Stream_Buffer_Harvested

- Top 10 Priorities
- 11+ Priorities

0 1.5 3 6 9 12 Miles



Map Prepared by Demeter Design for the Tillamook Bay Watershed



ODFW Benchmarks

Parameter	Definition	Low	High
percent pools	percent primary channel area represented by pool habitat	<19%	>45%
deep pools/km	pools > 1m deep per kilometer of primary channel	0	>3
percent slackwater pools	percent primary channel area - slackwater pool habitat (beaver pond, backwater, alcoves, isolated pools).	0.00%	>7%
percent secondary channels	percent total channel area represented by secondary channels	<0.8%	>5.3%
pieces lwd/100m	# pieces of wood > 0.15m diameter X 3m length per 100 meters primary stream length	<8	>21
volume lwd/100m	volume (m3) of wood > 0.15m diameter X 3m length per 100 meters primary stream length	<17	>58
key pieces lwd/100m	# pieces of wood > 60 cm diameter X > 12 meters long per 100 meters primary stream length	<0.5	>3
percent fines in riffles	visual estimate of substrate composed of <2mm diameter particles	<8%	>22%
percent gravel in riffles	visual estimate of substrate composed of 2-64mm diameter particles	<26%	>54%
percent bedrock in stream	visual estimate of substrate composed of solid bedrock	<1%	>11%
# conifers > 50 cm dbh	number of conifer trees larger than 50 cm dbh within 30m both sides of stream per 305m of primary stream length	<22	>153
# conifers > 90 cm dbh	number of conifer trees larger than 90 cm dbh within 30m both sides of stream per 305m of primary stream length	0	>79
percent shade	percent of 180 degree sky; includes topographic and tree shade	<76%	>91%

Tillamook River basin					
Stream Segment	Length	Width	Priority	From	To
Bewley Creek	2204m	4-12m	1	Third Bridge	2S10W26-27
Bewley Creek Trib1	1679m	4-12m	1	Bewley Creek	2S10W22C
Barry Creek	1507m	4-12m	2	Mouth	2S10W30
Fawcett Creek	3521m	4-12m	2	Mouth	ODF Boundary
Fawcett Creek	1659m	4-12m	2	ODF Boundary	2S9W23
Joe Creek	1280m	4-12m	2	Mouth	TJ on right 2S9W29
Killam Creek	5622m	4-12m	2	Mouth	TJ on right 2S9W12
Mills Creek	425m	4-12m	2	Mouth	400m
Munson Creek	2879m	4-12m	2	Mouth	Munson Creek Falls
Simmons Creek	3244m	4-12m	2	Mouth	ODF Boundary
Simmons Creek	2637m	4-12m	2	ODF Boundary	Barrier at 2S9W26
Tillamook River	2273m	4-12m	2	End of Ag Ownership	1/4 mi. -last X-ing
Tillamook River	1120m	4-12m	2		
Bear Creek	2371m	4-12m	3	Beaver Creek	Rd 225 X-ing 2S10W3
Beaver Creek	4632m	4-12m	3	Mouth	TJ right 2S10W14
Bewley Creek	4908m	4-12m	3	Mouth	Third Bridge
Sutton Creek	3526m	4-12m	3	Mouth	1/4 mi. -last X-ing
Tillamook River	5945m	4-12m	3	Barry Creek	End of Ag Ownership
Tillamook River	5358m	12-20m	4	Killam Creek	Barry Creek
Trask River basin					
Stream Segment	Length	Width	Priority	From	To
E Fk of S Fk Trask	1799m	4-12m	1	TJ on left 2S7W26	Boundary of S25-S26
Edwards Creek	5411m	4-12m	1	Mouth	End of old road
South Fork Trask	4635m	4-12m	1	Bill Creek	Headwaters at 2S8W35
Summit Creek	104m	4-12m	1	South Fork Trask River	+100m
Bill Creek	1084m	4-12m	2	Mouth	Upper ODF Boundary
Bill Creek	264m	4-12m	2		
Bill Creek	1378m	4-12m	2	Upstream ODF	1300m+ 2S8W26
Boundary Creek	936m	4-12m	2	Mouth	HQ. Camp Cr.
Clear Creek	4547m	4-12m	2	Mouth	Barrier at 1S6W7
Cruiser Creek	1094m	4-12m	2	Mouth	ODF Boundary
Cruiser Creek	1525m	4-12m	2	ODF Boundary	400m past TJ Right
Cruiser Creek Trib1	797m	4-12m	2	Mouth	
Elkhorn Creek	4399m	4-12m	2	Cruiser Creek	TJ at 2S6W7
Elkhorn Creek Trib1	1553m	4-12m	2	TJ 2S6W7	2S7W13C
Green Creek	1688m	4-12m	2	Mouth	1700m
HQ Camp	590m	4-12m	2	Boundary Creek	Stretch Creek
Joyce Creek	672m	4-12m	2	Mouth	1st TJ on right
Michael Creek	984m	4-12m	2	Mouth	1S7W23
Mill Creek Trib 1	1744m	4-12m	2	Mill Creek	1800m
Mill Creek Trib 2	982m	4-12m	2	Mill Creek	X-ing at 2S9W10
Rock Creek	1024m	4-12m	2	Mouth	1000m (Bend to left)
Steampot Creek	1207m	4-12m	2	Mouth	TJ on right 2S7W21
Trask River Trib 1	1443m	4-12m	2	Mouth	1400m
Bark Shanty Creek	1747m	12-20m	2	Mouth	Barrier at 1S7W32

Sheet1

South Fork Trask	5203m	12-20m	2	Mouth	Bill Creek
Hembre Creek	448m	4-12m	3	Mouth	X-ing
N Fk of N Fk Trask	3701m	4-12m	3	Large left TJ 1S6W9	Forks at 1N6W34
Gold Creek	249m	4-12m	4	Mouth	Hatchery Dam
E Fk of S Fk Trask	9627m	12-20m	4	Scotch Creek	TJ on left at 2S7W26
Elkhorn Creek	3758m	12-20m	4	Mouth	Cruiser Creek
M Fk of N Fk Trask	3979m	12-20m	4	Elkhorn Creek	Barrier at 1S6W27
N Fk of N Fk Trask	5428m	12-20m	4	Mouth	Large TJ left 1S6W9
Wilson River basin					
Stream Segment	Length	Width	Priority	From	To
Beaver Creek	198m	4-12m	2	ODF Boundary	Upstream 200m
Ben Smith Creek	1266m	4-12m	2	Mouth	Upstream 1250m
Cedar Creek	3101m	4-12m	2	TJ on right 1N7W7	Past N Fk 1100m
Cedar Creek Trib 1	1188m	4-12m	2	Cedar Creek	Upstream 1200m
Deo Creek	2704m	4-12m	2	Mouth	X-ing at 1N6W1
Devils Lake Fork	7915m	4-12m	2	Elliot Creek	Headwaters at 1N5W5
DLF Trib1	2223m	4-12m	2	Mouth	End of ODF ownership
DLF Trib2	1705m	4-12m	2	Mouth	X-ing at 1N5W4
Elk Creek	3057m	4-12m	2	Wilson River	TJ on left at 2N6W29
Elliott Creek	2439m	4-12m	2	Mouth	Falls
Fox Creek	1420m	4-12m	2	Mouth	Barrier at 1S7W6
Hughey Creek	2264m	4-12m	2	Mouth	1S9W26C
Idiot Creek	1514m	4-12m	2	Mouth	Barrier at 2N6W28
Jones Creek	733m	4-12m	2	Mouth	300m+ Cedar Cr. Rd
N Fk Cedar Creek	1163m	4-12m	2	Mouth	Forks at 1N8W1
Phipps Creek	1252m	4-12m	2	Mouth	Upstream 1250m
Roger Creek	2101m	4-12m	2	W Fk of N Fk Wilson	TJ on left 2N7W17
South Fork Wilson	4136m	4-12m	2	T1N-R6W-9NE	TJ on right 1N6W15
W. Fk N. Fk Wilson	3272m	4-12m	2	Roger Creek	1st TJ on left 2N8W25
Cedar Creek	2661m	12-20m	2	Mouth	TJ on right 1N7W7
South Fork Wilson	3979m	12-20m	2	S. Fk Camp	1N6W9
Drift Creek	686m	4-12m	3	Mouth	Barrier at 700m
S Fk Jordan Creek	2992m	4-12m	3	Mouth	End of Road
White Creek	1858m	4-12m	3	Mouth	TJ on right 1S8W6
North Fork Wilson	3946m	4-12m	4	Morris Creek	Forks at 2N7W14
Devils Lake Fork	1677m	12-20m	4	Drift Creek	Elliot Creek
Jordan Creek	5428m	12-20m	4	South Fork Jordan	Falls at 1N7W26
Little N.FK Wilson	4930m	12-20m	4	White Creek	Barrier at 1N8W33
North Fork Wilson	3029m	12-20m	4	W Fk of N Fk Wilson	Morris Creek
West Fk North Fk	3196m	12-20m	4	North Fork Wilson	Roger Creek
Kilchis River basin					
Stream Segment	Length	Width	Priority	From	To
Little S.Fk Kilchis	3200m	4-12m	1	Sam Downs Creek	TJ on left 1N9W13
Clear Creek	884m	12-20m	2	Mouth	2nd Bridge
Clear Creek	2477m	4-12m	2	2nd Bridge	TJ on left at 1S9W3
Coal Creek	2015m	4-12m	2	Mouth	Diversion Dam

Sheet1

Fick Creek	391m	4-12m	2	Mouth	400m
Kilchis River Trib 1	830m	4-12m	2	Mouth	ODF Boundary
Kilchis River Trib 1	114m	4-12m	2	ODF Boundary	Upstream 100m
Little S.Fk Kilchis	1978m	12-20m	2	Iris Creek	Sam Downs Creek
Murphy Creek	834m	4-12m	2	Mouth	Kilchis River Rd
N. Fork Kilchis	2108m	4-12m	2	Triangulation Creek	Kilchis River Falls
Company Creek	466m	4-12m	3	Mouth	500m
S Fk Kilchis River	1063m	4-12m	3	Fitch Creek	1st TJ on left 1N8W9
Sam Downs Creek	1892m	4-12m	3	Mouth	Anns Creek
Schroeder Creek	954m	4-12m	3	French Creek	TJ on left 2N8W19
South Fork Kilchis	6140m	12-20m	3	Company Creek	Fitch Creek
Triangulation Creek	347m	4-12m	3	Mouth	350m
North Fork Kilchis	1270m	12-20m	4	Fossil Canyon	Triangulation Creek
Schroeder Creek	1912m	12-20m	4	Mouth	French Creek
Miami River basin					
Stream Segment	Length	Width	Priority	From	To
Hobson Creek	471m	4-12m	2	Mouth	Miami-Foley Rd.
Illingsworth Creek	1010m	4-12m	2	Mouth	ODF Bndry 1N10W23C
Miami River	1793m	4-12m	2	TJ on left 2N9W21	Falls at 2N9W23
Minich Creek	906m	4-12m	2	Mouth	ODF Boundary
Minich Creek	49m	4-12m	2	ODF Boundary	Upstream 40m
Moss Creek	1110m	4-12m	2	Mouth	ODF Boundary
Moss Creek	1331m	4-12m	2	Lower ODF Boundary	Upper ODF Boundary
Moss Creek	1540m	4-12m	2	Upper ODF Boundary	TJ on left 1N10W19
N Fk Miami River	1486m	4-12m	2	Mouth	TJ on left 2N9W14
Peterson Creek	1155m	4-12m	2	Mouth	Third X-ing
Prouty Creek	668m	4-12m	2	Mouth	TJ left +Miami For. Rd
Waldron Creek	760m	4-12m	2	Mouth	Kiger Creek
Miami River	1535m	12-20m	2	Prouty Creek	ODF Boundary
Miami River	6321m	12-20m	2	ODF Boundary	TJ on left 2N9W21
Stuart Creek	206m	4-12m	4	Mouth	ODF Boundary
Stuart Creek	822m	4-12m	4	ODF Boundary	TJ on left 2N10W36
Priority:1 = High, 2 = Moderate, 3 = Low, 4 = Very Low, 5 = Federal Land (No priority)					

METRIC NAME	DATA SOURCE & DESCRIPTION
5TH FIELD WATERSHED	OR GEOSPATIAL DATA CLEARINGHOUSE 5TH FIELD HUC LAYERS
7TH FIELD WATERSHED	CLAMS WATERSHED LAYER
PRIOR_ID	PROJECT SPECIFIC UNIQUE ID
CLAMS MODELED STREAM LENGTH (FT)	CLAMS HYDRO LAYER
TOTAL STREAM LENGTH (FT)	CLAMS HYDRO LAYER
WATERSHED AREA (ACRES)	CLAMS WATERSHED LAYER
TOTAL ROAD LENGTH (FT)	ODF & ESRI ROAD LAYERS
ROAD DENSITY (MILES/ACRE)	ODF & ESRI ROAD LAYERS
ROAD DENSITY (MILES ROAD/STREAM MILE)	ODF & ESRI ROAD LAYERS
RIPARIAN ROAD DENSITY ((MILES ROAD/STREAM MILE)	ALL ROADS (USING ODF & ESRI ROAD LAYERS) W/IN 100 FT OF STREAM
NUMBER OF ROAD CROSSINGS	INTERSECTION OF ODF & ESRI ROAD LAYERS WITH THE CLAMS HYDRO LAYER
% 100FT STREAM BUFFER HARVESTED 1972-2007	WSC LANDSAT DATA
% WATERSHED AREA HARVESTED 1972-2007	WSC LANDSAT DATA
STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	ODFW LWD PLACEMENT GUIDELINES AND CLAMS HYDRO LAYER
% STREAM WHICH MEETS ODFW GUIDELINES (FT)	STREAM LENGTH WHICH MEETS ODFW GUIDELINES DIVIDED BY TOTAL STREAM LENGTH
COHO HIP STREAM LENGTH WHICH MEETS ODFW GUIDELINES (FT)	ODFW LWD PLACEMENT GUIDELINES AND CLAMS HYDRO LAYER
% COHO HIP LENGTH WHICH MEETS ODFW GUIDELINES (FT)	STREAM LENGTH WHICH MEETS ODFW GUIDELINES DIVIDED BY TOTAL COHO HIP STREAM LENGTH
COHO HIGH INTRINSIC POTENTIAL LENGTH (FT)	CLAMS HYDRO LAYER
COHO MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	CLAMS HYDRO LAYER
STEELHEAD HIGH INTRINSIC POTENTIAL LENGTH (FT)	CLAMS HYDRO LAYER
STEELHEAD MEDIUM INTRINSIC POTENTIAL LENGTH (FT)	CLAMS HYDRO LAYER
CHINOOK HIGH INTRINSIC POTENTIAL LENGTH (FT)	WSC HYDRO LAYER
CHINOOK MEDIUM INTRINSIC POTENTIAL (FT)	WSC HYDRO LAYER
CHUM HIGH INTRINSIC POTENTIAL (FT)	WSC HYDRO LAYER
CHUM MEDIUM INTRINSIC POTENTIAL (FT)	WSC HYDRO LAYER
AVERAGE COHO INTRINSIC POTENTIAL	CLAMS HYDRO LAYER
AVERAGE STEELHEAD INTRINSIC POTENTIAL	CLAMS HYDRO LAYER
AVERAGE CHINOOK INTRINSIC POTENTIAL	WSC HYDRO LAYER
AVERAGE CHUM INTRINSIC POTENTIAL	WSC HYDRO LAYER
RBA 05 KNOTWEED SITINGS	2005 RBA DATA LAYER
RBA 05 COHO COUNT	2005 RBA DATA LAYER
RBA 05 COHO DENSITY	2005 RBA DATA LAYER
RBA 05 ZERO+ COUNT	2005 RBA DATA LAYER
RBA 05 ZERO+ DENSITY	2005 RBA DATA LAYER
RBA 05 STEELHEAD COUNT	2005 RBA DATA LAYER
RBA 05 STEELHEAD DENSITY	2005 RBA DATA LAYER
RBA 05 CUTTHROAT COUNT	2005 RBA DATA LAYER

RBA 05 CUTTHROAT DENSITY	2005 RBA DATA LAYER
RBA 05 CHINOOK COUNT	2005 RBA DATA LAYER
RBA 05 CHINOOK DENSITY	2005 RBA DATA LAYER
RBA 06 KNOTWEED SITINGS	2006 RBA DATA LAYER
RBA 06 LANDSLIDES	2006 RBA DATA LAYER
RBA 06 BEAVER DAMS	2006 RBA DATA LAYER
RBA 06 COHO COUNT	2006 RBA DATA LAYER
RBA 06 COHO DENSITY	2006 RBA DATA LAYER
RBA 06 ZERO+ COUNT	2006 RBA DATA LAYER
RBA 06 ZERO+ DENSITY	2006 RBA DATA LAYER
RBA 06 CHINOOK COUNT	2006 RBA DATA LAYER
RBA 06 CHINOOK DENSITY	2006 RBA DATA LAYER
RBA 06 CUTTHROAT COUNT	2006 RBA DATA LAYER
RBA 06 CUTTHROAT DENSITY	2006 RBA DATA LAYER
RBA 06 STEELHEAD COUNT	2006 RBA DATA LAYER
RBA 06 STEELHEAD DENSITY	2006 RBA DATA LAYER
AVERAGE RBA COHO COUNT	2005 & 2006 RBA DATA LAYERS
AVERAGE RBA COHO DENSITY	2005 & 2006 RBA DATA LAYERS
AVERAGE RBA ZERO+ COUNT	2005 & 2006 RBA DATA LAYERS
AVERAGE RBA ZERO+ DENSITY	2005 & 2006 RBA DATA LAYERS
AVERAGE RBA CHINOOK COUNT	2005 & 2006 RBA DATA LAYERS
AVERAGE RBA CHINOOK DENSITY	2005 & 2006 RBA DATA LAYERS
AVERAGE RBA CUTTHROAT COUNT	2005 & 2006 RBA DATA LAYERS
AVERAGE RBA CUTTHROAT DENSITY	2005 & 2006 RBA DATA LAYERS
AVERAGE RBA STEELHEAD COUNT	2005 & 2006 RBA DATA LAYERS
AVERAGE RBA STEELHEAD DENSITY	2005 & 2006 RBA DATA LAYERS
AQI SURVEY LENGTH (FT)	ODFW AQI DATA LAYERS
% NHD STREAM LENGTH WITH AQI DATA	AQI SURVEY LENGTH DIVIDED BY STREAM LENGTH BASED ON THE USGS HYDRO LAYER
NEEDS AQI DATA?	7TH FIELDS WITH LESS THAN 95% COVERAGE BASED ON NHD STREAM LENGTH
AQI LENGTH TO SURVEY (FT)	ODFW AQI DATA LAYERS
% UNDERCUT BANK	ODFW AQI DATA LAYERS
% ACTIVE_EROSION	ODFW AQI DATA LAYERS
% SHADE	ODFW AQI DATA LAYERS
% SILTS & ORGANICS	ODFW AQI DATA LAYERS
% SAND	ODFW AQI DATA LAYERS
% GRAVELS	ODFW AQI DATA LAYERS
% COBBLES	ODFW AQI DATA LAYERS
% BOULDERS	ODFW AQI DATA LAYERS
% BEDROCK	ODFW AQI DATA LAYERS
% POOL AREA	ODFW AQI DATA LAYERS
NUMBER OF DEEP POOLS (>1M)/100M	ODFW AQI DATA LAYERS
% GRAVEL IN RIFFLES	ODFW AQI DATA LAYERS
% SAFN IN RIFFLES	ODFW AQI DATA LAYERS
NUMBER OF BOULDERS/100M	ODFW AQI DATA LAYERS
NUMBER OF PIECES OF LWD/100M	ODFW AQI DATA LAYERS
NUMBER OF KEY PIECES OF LWD/100M	ODFW AQI DATA LAYERS

WOOD VOLUME/100M	ODFW AQI DATA LAYERS
% PUBLIC OWNERSHIP	ODF OWNERSHIP LAYERS
% PRIVATE NON-INDUSTRIAL	ODF OWNERSHIP AND COUNTY ZONING LAYERS
% PRIVATE FORESTRY	ODF OWNERSHIP AND COUNTY ZONING LAYERS
% PUBLIC FORESTRY	COUNTY ZONING LAYERS
% AGRICULTURE	COUNTY ZONING LAYERS
% RURAL RESIDENTIAL	COUNTY ZONING LAYERS
% URBAN	COUNTY ZONING LAYERS
% PARK	COUNTY ZONING LAYERS
% OTHER LAND USE	COUNTY ZONING LAYERS
% CONIFER	CLAMS VEGETATION LAYER
% LARGE CONIFER	CLAMS VEGETATION LAYER
% HARDWOOD	CLAMS VEGETATION LAYER
% MIXED HARDWOOD/CONIFER	CLAMS VEGETATION LAYER
% OPEN (10% < COVER < 40%)	CLAMS VEGETATION LAYER
% BARE LAND (<10% COVER)	CLAMS VEGETATION LAYER
% 100FT STREAM BUFFER CONIFER	CLAMS VEGETATION LAYER
% 100FT STREAM BUFFER LARGE CONIFER	CLAMS VEGETATION LAYER
% 100FT STREAM BUFFER HARDWOOD	CLAMS VEGETATION LAYER
% 100FT STREAM BUFFER MIXED HARDWOOD/CONIFER	CLAMS VEGETATION LAYER
% 100FT STREAM BUFFER OPEN (<40% CANOPY COVER)	CLAMS VEGETATION LAYER

WATERSHED_	SUB_WATERS	SEVENTH_FI	7HUC_NAME	PRIOR_ID
KILCHIS RIVER	171002030601	03	NORTH_FORK_KILCHIS	1
WILSON RIVER	171002030501	03	ELLIOTT	2
TRASK RIVER	171002030407	04	HOQUARTON_DOUGHERTY_SLOUGH	3
TRASK RIVER	171002030405	04	LOWER_SOUTH_FORK_TRASK	4
WILSON RIVER	171002030505	01	UPPER_NORTH_FORK_WILSON	5
WILSON RIVER	171002030505	02	UPPER_WEST_FORK_NORTH_FORK_WILSON	6
WILSON RIVER	171002030502	02	ELK	7
WILSON RIVER	171002030502	01	LOWER_DEVILS_LAKE_FORK_WILSON	8
MIAMI RIVER	171002030701	01	UPPER_MIAMI_MAINSTEM_AND_TRIBS	9
KILCHIS RIVER	171002030601	02	SCHROEDER_FRENCH	10
WILSON RIVER	171002030505	03	LOWER_WEST_FORK_NORTH_FORK_WILSON	11
KILCHIS RIVER	171002030601	01	TRIANGULATION_FICK	12
MIAMI RIVER	171002030701	02	MINICH_PETERSON	13
WILSON RIVER	171002030501	02	MIDDLE_DEVILS_LAKE_FORK_WILSON	14
WILSON RIVER	171002030504	01	MOORE_BEN_SMITH	15
WILSON RIVER	171002030505	04	LOWER_NORTH_FORK_WILSON	16
WILSON RIVER	171002030504	03	UPPER_CEDAR	17
WILSON RIVER	171002030504	04	LOWER_CEDAR	18
KILCHIS RIVER	171002030602	01	MIDDLE_MAINSTEM_KILCHIS	19
KILCHIS RIVER	171002030601	05	COMPANY	20
WILSON RIVER	171002030501	01	UPPER_DEVILS_LAKE_FORK_WILSON	21
WILSON RIVER	171002030504	02	JONES_RUNYON	22
WILSON RIVER	171002030503	01	UPPER_SOUTH_FORK_WILSON	23
KILCHIS RIVER	171002030601	04	FITCH	24
WILSON RIVER	171002030503	02	LOWER_SOUTH_FORK_WILSON	25
KILCHIS RIVER	171002030602	02	LOWER_TO_MIDDLE_MAINSTEM_KILCHIS	26
MIAMI RIVER	171002030701	04	ILLINGSWORTH_HOBSON	27
WILSON RIVER	171002030509	01	UPPER_LITTLE_NORTH_FORK_WILSON	28
TILLAMOOK BAY	171002030801	02	SMITH	29
MIAMI RIVER	171002030701	03	MOSS	30
KILCHIS RIVER	171002030602	03	LITTLE_SOUTH_FORK_KILCHIS	31
WILSON RIVER	171002030506	01	WOLF	32
WILSON RIVER	171002030507	02	MIDDLE_JORDAN	33
TILLAMOOK BAY	171002030801	02	BAY_OCEAN_SPIT	34
WILSON RIVER	171002030507	01	UPPER_JORDAN	35

KILCHIS RIVER	171002030602	04	SAM_DOWNS	36
WILSON RIVER	171002030507	04	LOWER_JORDAN	37
TILLAMOOK BAY	171002030801	02	VAUGHN	38
KILCHIS RIVER	171002030602	05	LOWER_LITTLE_SOUTH_FORK_KILCHIS	39
WILSON RIVER	171002030506	02	FOX_SOUTH_WOLF_MUESIAL	40
KILCHIS RIVER	171002030603	03	COAL_MURPHY	41
WILSON RIVER	171002030509	02	LOWER_LITTLE_NORTH_FORK_WILSON	42
KILCHIS RIVER	171002030603	02	MYRTLE_MAPES	43
TRASK RIVER	171002030402	06	UPPER_NORTH_FORK_NORTH_FORK_TRASK	44
WILSON RIVER	171002030507	03	SOUTH_FORK_JORDAN	45
TRASK RIVER	171002030402	05	MIDDLE_NORTH_FORK_NORTH_FORK_TRASK	46
KILCHIS RIVER	171002030603	01	CLEAR_KILCHIS	47
WILSON RIVER	171002030508	02	ZIG_ZAG_NEGRO_JACK	48
TRASK RIVER	171002030403	02	CLEAR_CREEK	49
WILSON RIVER	171002030508	01	BEAR_KANSAS	50
WILSON RIVER	171002030506	03	FALL	51
TILLAMOOK BAY	171002030801	01	HALL SLOUGH	52
TRASK RIVER	171002030402	04	LOWER_NORTH_FORK_NORTH_FORK_TRASK	53
WILSON RIVER	171002030508	04	MIDDLE_MAINSTEM_WILSON	54
WILSON RIVER	171002030508	05	LOWER_MAINSTEM_WILSON	55
WILSON RIVER	171002030508	03	HATCHERY	56
TILLAMOOK BAY	171002030801	01	NO_NAME_CAPE_MEARES	57
TRASK RIVER	171002030403	03	MIDDLE_NORTH_FORK_TRASK	58
TRASK RIVER	171002030404	01	LOWER_NORTH_FORK_TRASK	59
TRASK RIVER	171002030403	01	UPPER_NORTH_FORK_TRASK	60
TRASK RIVER	171002030402	03	LOWER_SOUTH_FORK_NORTH_FORK_TRASK	61
TRASK RIVER	171002030404	02	BILL_RAWE_SAMSON	62
TRASK RIVER	171002030404	03	UPPER_TRASK_MAINSTEM	63
TRASK RIVER	171002030407	03	LOWER_TRASK_MAINSTEM_HOLDEN	64
TILLAMOOK RIVER	171002030302	05	TOMLINSON_ESTHER	65
TILLAMOOK RIVER	171002030302	05	TIDAL_TILLAMOOK_MAINSTEM	66
TRASK RIVER	171002030407	01	MIDDLE_TRASK_MAINSTEM	67
TRASK RIVER	171002030401	04	LOWER_ELKHORN	68
TRASK RIVER	171002030402	02	MIDDLE_SOUTH_FORK_NORTH_FORK_TRASK	69
TRASK RIVER	171002030403	05	LOWER_BARK_SHANTY	70
TILLAMOOK RIVER	171002030302	04	LOWER_TILLAMOOK_MAINSTEM	71

TRASK RIVER	171002030404	04	GOLD	72
TRASK RIVER	171002030401	03	CRUISER_CREEK	73
TRASK RIVER	171002030403	04	UPPER_BARK_SHANTY	74
TRASK RIVER	171002030402	01	UPPER_SOUTH_FORK_NORTH_FORK_TRASK	75
TILLAMOOK RIVER	171002030302	03	BEAVER_BEAR	76
TRASK RIVER	171002030407	02	MILL	77
TRASK RIVER	171002030401	02	MIDDLE_ELKHORN	78
TRASK RIVER	171002030405	03	LOWER_SOUTH_FORK_SOUTH_FORK_TRASK	79
TRASK RIVER	171002030406	04	BLUE_BUS_SCOTCH_PIGEON	80
TILLAMOOK RIVER	171002030302	02	SUTTON_CREEK	81
TRASK RIVER	171002030405	02	MIDDLE_SOUTH_FORK_TRASK	82
TILLAMOOK RIVER	171002030301	06	KILLAM	83
TRASK RIVER	171002030401	01	UPPER_ELKHORN	84
TILLAMOOK RIVER	171002030302	01	BEWLEY	85
TRASK RIVER	171002030406	03	BATES_MESABI_STEAMPOT	86
TILLAMOOK RIVER	171002030301	02	MILLS_JOE	87
TILLAMOOK RIVER	171002030301	05	FAWCETT	88
TRASK RIVER	171002030406	02	BOUNDARY_STRETCH	89
TRASK RIVER	171002030406	01	UPPER_EAST_FORK_SOUTH_FORK_TRASK	90
TILLAMOOK RIVER	171002030301	04	SIMMONS	91
TILLAMOOK RIVER	171002030301	01	UPPER_TILLAMOOK_MAINSTEM	92
TILLAMOOK RIVER	171002030301	03	MUNSON	93
TRASK RIVER	171002030405	01	UPPER_SOUTH_FORK_SOUTH_FORK_TRASK	94